

Q. 341

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM
QUÆ IN
HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

—
1924. ✓

MISSOURI BOTANICAL GARDEN
RECEIVED
JUN 27 1924

GARDEN LIBRARY

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

1924

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

Ranunculaceæ.

- Aconitum ferox.*
 — *Fischeri.*
 — *Fortunei.*
 — *Lycotomum.*
 — *Napellus.*
 — *paniculatum.*
Adonis autumnalis.
Anemone cylindrica.
Aquilegia alpina.
 — *cærulea.*
 — *canadensis.*
 — *chrysantha.*
 — *einseliana.*
 — *formosa.*
 — *glandulosa.*
 — *Kitaibeli.*
 — *olympica.*
Caltha palustris.
 — *polypetala.*
Clematis crispa.
 — *diversifolia.*
 — *Flammula.*
 — *integrifolia.*
 — *recta.*
Delphinium Consolida.
 — *dasyanthum.*
 — *elatum.*
 — *elegans.*
 — *formosum.*
 — *hybridum.*
 — *Pylzowi.*
 — *tyrolensis.*
Myosurus minimus.
Nigella arvensis.
 — *cristata.*
 — *damascena.*
 — *Garidella.*
 — *hispanica.*

Nigella integrifolia.

— *sativa.*

Ranunculus acris.

— — *Steveni.*

— *arvensis.*

— *brutius.*

— *Cymbalaria.*

— *multifidus.*

— *multiflorus.*

— *nemorosus.*

— *repens.*

— *serbicus.*

— *Sprunerianus.*

Thalictrum ambiguum.

— *angustifolium.*

— *aquilegifolium.*

— *corynellum.*

— *foetidum.*

— *glaucescens.*

— *glaucum.*

— *minus, var. affine.*

— — *concinnum.*

— — *adiantifolium*

— — *medium.*

— *petaloideum.*

— *squarrosus.*

— *tuberosum.*

Papaveraceæ.

Argemone mexicana.

— *ochroleuca.*

Chelidonium majus.

— — *laciniatus.*

Eschscholtzia californica.

Fumaria vulgaris.

Glaucium corniculatum.

— *flavum.*

*Hypecoum procumbens.**Papaver apulum.*— *Argemone.*— *commutatum.*— *Hookeri.*— *nudicaule.*— *orientale.*— *pavoninum.*— *Rhoeas.*— — “*Shirley.*”— *rupifragum.*— *setigerum.*— *somniferum.*— — “*Danebrog.*”**Cruciferæ.***Alyssum incanum.*— *maritimum.*— — “*Little Dorrit.*”*Arabis albida.**Aubrietia erubescens.**Barbarea præcox.**Biscutella didyma.*— *leiocarpa.*— *raphanifolia.**Brassica alba.*— *campestris.*— *chinensis.*— *juncea.*— *napus, var. oleifera.*— *nigra.*— *Schimperi.**Bunias orientalis.**Camelina sativa.**Cheiranthus Allionii.*— *alpinus.*— *Cheirii.**Cochlearia danica.*— *officinalis.**Conringia planisiliqua.**Crambe cordifolia.*— *hispanica.**Eruca sativa.**Erysimum aureum.**Erysimum cheiranthoides.*— *fruticosum.*— *linifolium.*— *Marschallianum.*— *Perofskianum.*— *ochroleucum.**Goldbachia laevigata.**Heliophila pilosa.**Hesperis matronalis.**Iberis amara.*— — *hesperidifolia.*— *pectinata.*— *saxatile.*— *sempervirens.*— — *garrexiana.**Isatis Boisseriana.*— *glauca.*— — *collina.*— *tinctoria.**Lepidium Draba.*— *sativum.**Malcolmia africana.*— *græca.**Matthiola incana.**Melanosinapis abyssinica.**Myagrum perfoliatum.**Neslia paniculata.**Raphanus caudatus.*— *sativus.*— — *Gayanus.**Sisymbrium austriacum.*— — *acutangulum.*— *pinnatifidum.*— *Sophia.*— *strictissimum.**Succowia balearica.**Thlaspi alpestre.*— *arvense.*— *ceratocarpon.***Resedaceæ.***Reseda alba.*— — *fruticosa.*— *lutea.*— *Luteola.*— *odorata.*

Cistaceæ.

Helianthemum guttatum.

Violaceæ.

Viola cucullata.

— *Munbyana.*

— *striata.*

— *tricolor.*

— — *nigra.*

Caryophyllaceæ.

Arenaria graminifolia.

— *grandiflora.*

— *longifolia.*

Cerastium perfoliatum.

Cucubalus baccifer.

Dianthus arenarius.

— *Armeria.*

— *Arrostii.*

— *barbatus.*

— *caesius.*

— *calocephalus.*

— *carthusianorum.*

— *Caryophyllus.*

— *deltoides.*

— *fimbriatus.*

— *fragrans.*

— *hungaricus.*

— *plumarius.*

— *silvestris.*

— *squarrosus.*

— *superbus.*

Gypsophila altissima.

— *elegans.*

— *muralis.*

— *paniculata.*

— *perfoliata.*

Lychnis alba.

— *chalcedonica.*

— *Coeli-rosa.*

— *coronaria.*

Lychnis dioica.

— *Flos-jovis.*

— *Githago.*

— *oculata.*

— *Viscaria.*

Saponaria cerastioides.

— *ocymoides.*

— *officinalis.*

— — *flore plena.*

— *Vaccaria.*

Silene antirrhina.

— *Armeria.*

— *ciliata.*

• — *conica.*

— *cretica.*

— *Cucubalus.*

— — *puberula.*

— *Drummondi.*

— *Friwaldskyana.*

— *gallica.*

— — *quinquevulnera.*

— *integripetala.*

— *italica.*

— *linicola.*

— *lydia.*

— *Muscipula.*

— *nutans.*

— *pendula.*

— *rubella.*

— *Sartorii.*

— *Saxifraga.*

— *Schafta.*

— *tatarica.*

— *viridiflora.*

— *Zawadskii.*

Spergula arvensis.

Stellaria graminea.

Tunica prolifer.

Portulacææ.

Calandrinia speciosa.

Claytonia perfoliata.

— *sibirica.*

Hypericaceæ.*Hypericum Androsæmum.*

- *Ascyron.*
- *densiflorum.*
- *hircinum.*
- *hirsutum.*
- *perforatum.*
- *tetrapterum.*

Malvaceæ.*Althæa ficifolia.*

- *kurdica.*
- *officinalis.*
- *pallida.*
- *rosea.*
- — *vars.*
- *taurinensis.*

Anoda hastata.

- *lavaterioides.*

*Hibiscus Trionum.**Kitaibelia vitifolia.**Lavatera assurgentiflora*

- *arborea.*
- *cachemiriana.*
- *cretica.*
- *Olbia.*
- *thuringiaca.*
- *trimestris.*

Malva crispa.

- *oxyloba.*
- *sylvestris.*
- — *alba.*
- *verticillata.*

*Malvastrum limense.**Palaua flexuosa.**Sida Napæ.**Sidalcea candida.*

- *malvæflora.*
- *spicata.*

Linaceæ.*Linum angustifolium.*

- *austriacum.*
- *azureum.*
- *monadelphum.*
- *pallescens.*
- *usitatissimum.*

Geraniaceæ.*Erodium Manescavi.*

- *moschatum.*
- *romanum.*

• *Geranium aconitifolium.*

- *affine.*
- *albiflorum.*
- *dissectum.*
- *eriosomon.*
- *Hookerianum.*
- *ibericum.*
- *pratense.*
- — *alba.*
- *Robertianum.*
- *reflexum.*
- *rivulare.*
- *sanguineum.*
- *sibiricum.*
- *silvaticum.*
- *striatum.*

Impatiens parviflora.

- *Roylei.*

Tropæolum majus.

- *peregrinum.*

Rutaceæ.*Dictamnus albus.**Ruta graveolens.*

- *macrophylla.*

Ochnaceæ.*Ochna multiflora.*

- *mozambiquense.*

Sapindaceae.

Koelreuteria paniculata.

Rhamnaceæ.

Rhamnus Frangula.

Leguminosæ.

Acacia longifolia.

Astragalus alopecuroides.

— *chlorostachys.*

— *Cicer.*

— *Glycyphyllos.*

— *pentaglottis.*

Baptisia australis.

Colutea arborescens.

— *cruenta.*

Cytisus uralensis.

Galega Hartlandi.

— *officinalis.*

— *orientalis.*

Genista mantica.

— *sagittalis.*

— *tinctoria.*

Hedysarum coronarium.

— *splendens.*

Lathyrus Aphaca.

— *heterophyllus.*

— *latifolius.*

— — *ensifolius.*

— *maritimus.*

— *niger.*

— *Nissolia.*

— *odoratus.*

— *rotundifolius*, "Wood's
Scarlet."

— *sylvestris.*

— *tingitanus.*

— *vernus.*

Lens esculenta.

Lotus corniculatus.

— *ornithopodioides.*

Lupinus Blaschkeanus.

— *Douglasii.*

— *Hartwegii.*

— *nootkatensis.*

— *perennis.*

— *polyphyllus.*

Medicago Echinus.

— *falcata.*

— *orbicularis.*

— *sativa.*

Melilotus alba.

— *macrorhiza.*

— *officinalis.*

Mimosa pudica.

Ononis hircina.

— *rotundifolia.*

— *spinosa.*

Ornithopus sativus.

Orobus aurantiaca.

— *variegatus.*

Oxytropis pilosa.

Pisum arvense.

— *thebaicum.*

Psoralea macrostachys.

Scorpiurus muricata.

— *sub-villosa.*

Spartium junceum.

Trifolium ochroleucum.

— *pannonicum.*

— *rubens.*

Trigonella cœrulea.

— *cretica.*

— *Fœnum-græcum.*

Vicia atropurpurea.

— *dumetorum.*

— *Ervilia.*

— *Faba.*

— *Gerardi.*

— *Nissoliana.*

Vigna villosa.

Rosaceæ.

- Acæna Buchanani.
 — millefolia.
 — pinnatifida.
 Agrimonia Eupatoria.
 — odorata.
 — parviflora.
 — pilosa.
 Alchemilla alpina.
 — hybrida.
 Cotoneaster frigida.
 Cratægus Pyracantha.
 Fragaria indica.
 — vesca.
 Geum coccineum.
 — hybridum.
 — intermedium.
 — japonicum.
 — macrophyllum.
 — pyrenaicum.
 — rivale.
 — urbanum.
 Potentilla argentea.
 — argyrophylla.
 — — atrosanguinea.
 — canadensis.
 — chrysantha.
 — hirta.
 — Hookeriana.
 — Hopwoodiana.
 — Knappii.
 — nepalensis.
 — nevadensis.
 — palustris.
 — pedata.
 — recta.
 — rupestris.
 — tanacetifolia.
 Poterium canadense.
 — carneum.
 — decandrum.
 — praecox.
 — Sanguisorba.
 — — minus.
 — sinensis latifolia.
 Spiræa Ulmaria.

Saxifragaceæ.

- Heuchera Drummondii.
 — glabra.
 — ribifolia.
 Rodgersia aconitifolia.
 Saxifraga Andrewsii.
 — Cotyledon.
 — decipiens.
 — Hostii.
 — incrustata.
 — muscoides Rhei.
 — peltata.
 — rotundifolia.
 Tellima grandiflora.
 Tolmiea Menziesii.

Crassulaceæ.

- Sedum Ewersii.
 — hybridum.
 — Kamtschaticum.
 — Maximowiczii.
 — maximum.
 — Telephium.
 Sempervivum glaucum.
 — patens.
 — tectorum.
 — triste.

Lythraceæ.

- Lythrum Graefferi.
 — Salicaria.
 — — rosea.
 — tomentosum.
 — virgatum.
 — "Rose Queen."

Onagraceæ.

- Clarkia elegans.
 Epilobium angustifolium.
 — chilense.
 — hirsutum.
 — — album.
 — — viride.
 nummularifolium.
 Eucaridium concinnum.
 Lopezia coronata.
 Œnothera acaulis.
 — amœna.
 — biennis.
 — — grandiflora.
 — lepida.
 — macrantha.
 — odorata.
 — Romanzowii.
 — rubicunda.
 — scrotina.
 — Wildenovei.

Loaseæ.

- Blumenbachia Hieronymi.
 Mentzelia Lindleyi.

Cucurbitaceæ.

- Cucurbita Pepo aurantia.
 — — pyriformis.
 — — verrucosa.
 Ecballium Elaterium.

Datisceæ.

- Datisca cannabina.

Ficoideæ.

- Mesembryanthemum pyropæum.
 Tetragonia crystallina.
 — expansa.

Umbelliferæ.

- Angelica heterocarpa.
 Anthriscus cerefolium.
 — sylvestris.
 Archangelica officinalis.
 Astrantia Biebersteini.
 — carniolica.
 — helleborifolia.
 — major.
 Bupleurum fruticosum.
 — rotundifolium.
 — tenuissimum.
 Carum Carvi.
 Chaerophyllum aureum.
 Conium maculatum.
 Coriandrum sativum.
 Daucus Carota.
 — Gingidium.
 Eryngium agavifolium.
 — amethystinum.
 — Bourgati.
 — campestre.
 — caucasicum.
 — giganteum.
 — maritimum.
 — planum.
 — Sanguisorba.
 — Spinalba.
 — Wrightii.
 — yuccæfolium.
 Ferula Ferulago.
 — glauca.
 — Narthex.
 — tingitana.
 Fœniculum capillaceum.
 — vulgare.
 Heracleum elegans.
 — Mantegazianum pubescens.
 — persicum.
 — platytænum.
 — Sphondylium.
 — tauricum.
 — villosum.
 Levisticum officinale.
 Ligusticum pyrenaicum.

Melospersum cicutarium.
 — pelopenessicum.

Myrrhis odorata.

Ænanthe fistulosa.

— Lachenalii.

— pimpinelloides.
 silauifolia.

Peucedanum officinale.

— Ostruthium.

— sativum.

— verticillare.

Scandix brachycarpa.

Sesile glaucum.

Smyrnium Olusatrum.

— perfoliatum.

Rubiaceæ.

Asperula azurea setosa.

— tinctoria.

Crucianella chlorostachys.

Galium anglicum.

— angustifolium.

— Aparine.

— boreale.

— erectum.

— lanceolatum.

— Mollugo.

— sylvaticum.

Rubia tinctoria.

Valerianeæ.

Centranthus macrosiphon.

— ruber.

— — alba.

Valeriana officinale.

— Phu.

— pyrenaica.

— sambucifolia.

Valerianella coronata.

Dipsaceæ.

Cephalaria alpina.

— bannatica.

Cephalaria syriaca.

— tatarica.

Dipsacus Fullonum.

— pilosus.

Scabiosa arvensis.

— atropurpurea.

— daucoides.

— prolifera.

— stellata.

— sylvatica.

Compositæ.

Achillea Ageratum.

— filipendulina.

— grandiflora.

— Millefolium.

— — rosea.

— nobilis.

— odorata.

— Ptarmica.

— pyrenaica.

— serrata.

Anacyclus Pyrethrum.

Anthemis austriaca.

— nobilis.

— tinctoria.

Arctium majus.

Arctotis grandis.

Artemisia Absinthium.

— annua.

— glauca.

— manchurica.

— sacrorum.

Aster acris.

— alpinus.

— Amellus.

— corymbosus.

— dumosus.

— eminens.

— fragilis.

— Linosyris.

— macrophyllus.

— multiflorus.

— paniculatus.

— præcox.

— puniceus.

— Shortii.

— simplex.

- Bæria coronaria.*
Balsamita virgata.
Bidens leucantha.
Boltonia asteroides.
Bupthalmum speciosum.
Calendula officinalis.
 — *stellata.*
Callistephus hortensis.
Centaurea Calcitrapa.
 — *Cyanus.*
 — *heterophylla.*
 — *Lippii.*
 — *macrocephala.*
 — *montana.*
 — *muricata.*
 — *nigra.*
 — *pulchra.*
 — *Scabiosa.*
Charieis heterophylla.
Chrysanthemum coronarium.
 — *macrophyllum.*
 — *maximum.*
 — *Myconis.*
 — *Parthenium.*
 — *roseum.*
 — *segetum.*
Cichorium Intybus
Cnicus arachnoideus.
 — *moussesulanus.*
Coreopsis aitkinsoniana.
 — *auriculata.*
 — *grandiflora.*
 — *tinctoria.*
 — — *atrosanguinea.*
Crepis rubra.
Cynara Scolymus.
Dahlia glabrata.
 — *variabiles.*
Dimorphotheca aurantiaca.
 — *pluvialis.*
Doronicum Pardalianches.
Echinops bannaticus.
 — *exaltatus.*
 — *horridus.*
 — *Ritro.*
 — *ruthenicus.*
 — *spinosus.*
- Erigeron Coulteri.*
 — *glabellus.*
 — *multiradiatus.*
 — *speciosus.*
 — *strigosus.*
Eupatorium ageratoides.
 — *aromaticum.*
 — *cannabinum.*
 — *cordatum.*
 — *purpureum.*
 — — *album.*
 — *Raffillii.*
 — *sessilifolium.*
Gaillardia aristata.
 — *pulchella.*
Helenium autumnale.
 — — *pumilum.*
 — — *striatum.*
 — *Bigelovii.*
 — *Bolanderi.*
 — *grandicephalum.*
Helianthus annuus.
 — *decapetalus.*
 — *rigidus.*
 — *strumosus.*
Helichrysum bracteatum.
Heliopsis lævis.
 — *scabra, pitcheriana.*
Hieracium albidum.
 — *carpaticum.*
 — *compositum.*
 — *lycopsifolium.*
 — *maculatum.*
 — *tridentatum.*
 — *umbellatum.*
Inula dysenterica.
 — *Helenium.*
 — *Hookeri.*
 — *Hoopesii.*
 — *Oculus-Christi.*
 — *Royleana.*
 — *salicina.*
 — *saligna.*
 — *squarrosa.*
 — *thapsoides.*
Lactuca altissima.
 — *Bourgatii.*

Lactuca Plumieri.

— *saligna.*

— *viminea.*

— *virosa.*

Layia elegans.

— *gaillarooides.*

platyglossa.

Leptosyne Douglasii.

Matricaria eximia.

— *Tchihatschewii.*

Onopordon Acanthium.

— *tauricum.*

Rudbeckia amplexicaulis.

— *laciniata.*

— — *angustifolia.*

— *speciosa.*

— *sub-tomentosum.*

Santolina Chamaecyparissius.

— *pectinata.*

Sanvitalia procumbeus.

Scorzonera hispanica.

Senecio clivorum.

— *coriaceus.*

— *Doria.*

— *macrophyllus.*

— *squalidus.*

— *suaveolens.*

— *tanguticus.*

Serratula coronata.

— *Gmelini.*

— *quinquefolia.*

Silphium conjunctum.

— *perfoliatum.*

Silybum marianum.

Solidago arguta.

— *canadensis.*

— *grandiflora.*

— *lævigata.*

— *lanceolata.*

— *multiflora.*

— *recurvata.*

— *virgata.*

— *Virgaurea.*

— — *cambrica.*

Sonchus palustris.

Tagetes erecta.

— *patula.*

Tagetes patula “Legion of Honour.”

— *signata.*

Tanacetum boreale.

— *vulgare.*

— — *crispum.*

Tragopogon porrifolius.

Tridax trilobata.

Ursinia speciosa.

Vernonia præalta.

Zinnia pauciflora.

Campanulaceæ.

Campanula betonicaefolia.

— *bononiensis.*

— *carpatica.*

lactiflora.

lamiifolia.

— *latifolia.*

— — *macrantha.*

— *latiloba.*

— *Medium.*

— *persicifolia.*

— — *alba.*

— *pusilla.*

— *pyramidalis.*

— *rapunculoides.*

— *Rapunculus.*

— *rhomboidalis.*

— *Trachelium.*

— — *alba.*

Codonopsis ovata.

Lobelia siphilitica.

Phyteuma canescens.

— *Scheuchzeri.*

Platycodon grandiflorum.

Specularia falcata.

— *perfoliata.*

Symphyandra pendula.

Wahlenbergia lobelioides.

Plumbagineæ.

Acantholimon glumaceum.

Armeria cephalotes.

— *latifolia.*

Armeria longiaristata.
 — *maritima.*
 — — *alba.*
 — *Welwitschii.*
Statice auriculæfolia.
 — *bellidifolia.*
 — *emarginata.*
 — *Gmelini.*
 — *latifolia.*
 — *Limonium.*
 — *Suworowii.*

Primulaceæ.

Anagallis arvensis.
 — *linifolia.*
Lysimachia punctata.
 — *vulgaris.*
Primula Bulleyana.

Asclepiadeæ.

Araujia sericifera.
Asclepias syriaca.
Cynanchum acutum.
 — *foetidum.*
Vincetoxicum luteum.
 — *officinale.*

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana asclepiadea.
 — *brevidens.*
 — *gelida.*
 — *Kesselringii.*
 — *lutea.*
 — *phlogifolia.*

Polemoniaceæ.

Collomia coccinea.
 — *linearis.*

Gilia androsacea.
 — *californica.*
 — *capitata.*
 — *laciniata.*
 — *nivalis.*
 — *squarrosa.*
 — *tricolor.*
 — *virgata.*
Phlox Drummondii.
Polemonium coeruleum.
 — — *album.*
 — *humile.*
 — *pauciflorum.*

Hydrophyllaceæ.

Nemophila insignis.
Phacælia malvaefolia.
 — *tanacetifolia.*

Boragineæ.

Anchusa angustifolia.
 — *Barrelieri.*
 — *italica.*
 — — *Dropmore, var.*
 — *officinalis.*
 — *sempervirens.*
 — *tinctoria.*
Cerinthe major.
 — *minor.*
 — *retorta.*
Cynoglossum furcatus.
Echium vulgare.
Symphytum asperrimum.
 — *officinale purpureum.*

Convolvulaceæ.

Calystegia sepium.
 — *silvatica.*
Convolvulus pentapetaloides.
 — *pseudo-siculus.*
 — *siculus.*
 — *tricolor.*
 — *undulatus.*

Cuscuta europaea.— *Gronovii*.*Ipomœa coccinea*.— *hederæfolia*.— *hispida*.— *purpurca*.*Nolana prostrata*.**Orobanchaceæ.***Orobanche major*.**Solanaceæ.***Atropa Belladonna*.— — *fructo-lutes*.*Datura inermis*.— *lucida*.— *quercifolia*.— *Stramonium*.— *Tatula*.*Hyoscyamus albus*.— *niger*.— — *biennis*.*Nicandra physaloides*.— *violacea*.*Nicotiana alata*.— *paniculata*.— *Tabacum*.— — *atrosanguineum*.*Petunia nyctaginiflora*.*Schizanthus pinnatus*.*Solanum Capsicastrum*.— *Dulcamara*.— — *alba*.— *nigrum*.— — *guineense*.— — *miniatum*.**Scrophulariaceæ.***Antirrhinum majus*.— — *peloria*.— *Orontium*.*Chelone glabra*.*Collinsia bicolor*.— *verna*.*Digitalis ambigua*.— *grandiflora*.— *lutea*.— *nervosa*.— *purpurea*.*Linaria bipartita*.— *macedonica*.— *maroccana*.— *purpurea*.— *spartea*.— *tristis*.— *vulgaris*.*Pentstemon confertus*.— *diffusus*.— *hybridus*.— *lævigatus*.— *Munayanus*.— *secundiflorus*.*Scrophularia alata*.— *nodosa*.— *sambucifolia*.— *Scopolii*.*Tetranema mexicana*.*Verbascum Blattaria*, *album*.— *Lychnitis*.

— — “Miss Willmott.”

— *nigrum*.— *phlomoides*.— *phoeniceum*.— *Thapsus*.*Veronica elatior*.— *exaltata*.— *foliosa*.— *hybrida*.— *orchidea*.— *paniculata*.— *persicitolia*.— *spicata*.— *spuria*.— *urticæfolia*.— *verticillata*.**Acanthaceæ.***Peristrophe speciosa*.

Selagineæ.

- Hebenstretia comosa.
 — serratifolia.
 — dentata.
 — tenuifolia.

Verbenaceæ.

- Clerodendron Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — stricta.

Labiataæ.

- Amethystea cœrulea.
 Ballota nigra.
 Calamintha Acinos.
 — albiflora.
 — officinalis.
 Dracocephalum Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrahit.
 Hyssopus officinalis.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium catariaefolium.
 — vulgare.
 Melissa officinalis.
 Mentha candicans.
 — crispa.
 — pubescens.
 — Pulegium.
 — rotundifolia.
 Monarda punctata.
 — Russeliana.
 Nepeta Cataria.
 — colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Ocimum viride.
 Origanum vulgare.
 Phlomis agraria.
 — alpina.

- Phlomis fruticosa.
 — Russeliana.
 — tuberosa.
 Physostegia imbricata.
 Salvia cleistogama.
 — glutinosa.
 — Horminum.
 — nemorosa.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — sclarea.
 — sylvestris.
 — verticillata, mollis.
 — virgata.

- Satureia hortensis.
 — montana.
 Scutellaria Columnæ.
 — peregrina.

- Stachys Betonica.
 — densiflora.
 — grandiflora.
 — Scardica.
 — sericea.

- Teucrium Botrys.
 — Chamædrys.
 — Scorodonia.

Plantagineæ.

- Plantago Coronopus.
 — cynops.
 — lanceolata.
 — major.
 — — bracteata.
 — maritima.
 — media.
 — ruberrima.

Nyctagineæ.

- Mirabilis divaricata.
 — Jalapa.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 — hirsuta.
 — incana.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — chlorostachys.
 — hypochondriacus.
 — polygonus.
 — retroflexus.
 — sanguineus.

Chenopodiaceæ.

Atriplex hortensis.
 — — rubra.
 — nitens.
 — sibirica.
 Beta brasiliensis.
 — Chilensis.
 — Cicla.
 — maritima.
 — patula.
 — trigyna.
 Chenopodium album.
 — ambrosioides.
 — anthelminticum.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 — Quinoa.
 Corispermum hyssopifolium.
 Hablitzia tamnoides.
 Salsola Kali.
 — Soda.

Phytolaccaceæ.

Phytolacca acinosa.
 — decandra.

Polygonaceæ.

Emex spinosa.
 Polygonum amphibium.
 — Bistorta.
 — tataricum.
 — Weyrichii.
 Rheum caspicum.
 — compactum.
 — crassinervum.
 — Emodi.
 — hybridum.
 — officinale.
 — Rhaponticum.
 — Ribes.
 — undulatum.
 Rumex alpinus.
 — conglomeratus.
 — crispus.
 — Gmelini.
 — Hydrolapathum.
 — obtusifolius.
 — Patientia.
 — polygonifolius.
 — salicifolius.
 — sanguineus.

Aristolochiaceæ.

Aristolochia elegans.
 — fimbriata.

Thymelacaceæ.

Lagetta lintearia.

Euphorbiaceæ.

Euphorbia Characias.
 — Gerardiana.
 — heterophylla.
 — Lathyris.
 — palustris.
 — pilosa.
 — pilulifera.
 — verrucosa.

Mercurialis annua.
 Ricinus communis.

Urticaceæ.

Cannabis sativa.
 Humulus Japonicus.
 Parietaria officinalis.
 Urtica piluifera.
 — — balearica.

Zingiberaceæ.

Brachychilum Horstfieldii.

Iridaceæ.

Aristea Ecklonis.
 Iris Bulleyana, Forrestii.
 — chrysographes.
 — foetidissima.
 — guldenstaedteana.
 — orientalis var.
 — sibirica.
 — versicolor.
 Moraea iridioides.
 Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.
 Allium album.
 — angulosum.
 — — var.
 — Babingtoni.
 — carinatum.
 — fistulosum.
 — glaucum.
 — narcissiflorum.
 — nutans.
 — paradoxum.
 — Porrum.
 — Schoenoprasum.
 — — sibiricum.
 — Scorodoprasum.

Allium senescens.

— stellatum.
 — triquetrum.
 — Victorialis.
 — vineale.

Anthericum Liliago.

Asphodelus albus.

— — racemosus.
 — fistulosus.

Bowiea volubile.

Brodiaea congesta.

Bulbine annua.

Camassia esculenta.

Funkia coerulea.

— ovata.

Galtonia candicans.

Kniphofia Burchellii.

— Northiæ.

Lilium Martagon.

— regale.

Muscari comosum.

Nothoscordon fragrans.

— striatum.

Scilla autumnale.

— campanulata.

Veratrum album.

— viride.

Zygadenus elegans.

Commelinaceæ.

Commelina clandestina.

— coelestris.

Tinantia fugax.

Tradescantia virginica.

Juncaceæ.

Juncus compressus.

— lamprocarpus.

— maritimus.

Luzula campestris.

— nemorosa.

— nivea.

— spadicea.

— sylvatica.

Aroideæ.

- Anthurium Bakeri.
 Nephrytis liberica.
 Richardia albo-maculata.

Alismaceæ.

- Alisma Plantago.
 — ranunculoides.
 Sagittaria sagittifolia.

Naidaceæ.

- Triglochin maritimum.
 — palustre.

Cyperaceæ.

- Carex aristata.
 — baldensis.
 — Buchanani.
 — cyperoides.
 — Davalliana.
 — depauperata.
 — divulsa.
 — extensa.
 — flava.
 — intermedia.
 — muricata.
 — pendula.
 — pulicaria.
 — remota.
 — rigida.
 — Shortiana.
 — sylvatica.
 — tomentosa.
 — vesicaria.
 — vulpina.
 Cladium Mariscus.
 Cyperus natalensis.
 Scirpus Holoschoenus.
 — lacustris.

Gramineæ.

- Agropyrum repens.
 Agrostis alba.
 — canina.
 — Steveni.
 — vulgaris.
 Aira caryophyllea.
 Alopecurus pratensis.
 Anthoxanthum odoratum.
 Arrhenatherum avenaceum.
 Avena sativa.
 — sterilis.
 Brachypodium pinnatum.
 — sylvaticum.
 Briza maxima.
 Bromus breviaristatus.
 — ciliatus.
 — madritensis.
 — mollis.
 — rubens.
 — secalinus.
 — unioloides.
 Calamagrostis arundinacea.
 — epigeios.
 Cynosurus echinatus.
 Dactylis glomerata.
 Deschampsia cæspitosa.
 Diarrhena Americana.
 Festuca duriuscula.
 — elatior.
 — gigantea.
 — myuros.
 — ovina.
 — vivipara.
 — pratensis.
 — rubra.
 Holcus lanatus.
 Hordeum Ægiceras.
 — bulbosum.

Hordeum distichon.
— maritimum.
Koeleria cristata.
— phleoides.
Lagurus ovatus.
Lamarkia aurea.
Lolium temulentum.
Miliun effusum.
Molinia cœrulea.
Panicum Crus-galli.
 miliaceum.
Phalaris arundinacea.
— paradoxa.

Phleum pratense.
Poa bulbosa.
— Chaixii.
— fertilis.
— nemoralis.
Polypogon monspeliensis.
Secale cereale.
— ciliata.
Setaria italica.
Stipa Calamagrostis.
Triticum Spelta.
— tricophorum.
Zea Mays.

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1924.

CC 341-
CHELSEA
PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

—
1925. ✓

2.10

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

1925

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

| Ranunculaceæ. | | Nigella integrifolia. | |
|------------------------|--|------------------------------|--|
| Aconitum ferox. | | — sativa. | |
| — Fischeri. | | Ranunculus acris. | |
| — Fortunei. | | — — Steveni. | |
| — Lycoctonum. | | — arvensis. | |
| — Napellus. | | — brutius. | |
| — paniculatum. | | — Cymbalaria. | |
| Actaea spicata. | | — multifidus. | |
| Adonis autumnalis. | | — nemorosus. | |
| Anemone cylindrica. | | — repens. | |
| Aquilegia alpina. | | — serbicus. | |
| — cærulea. | | — Sprunerianus. | |
| — canadensis. | | Thalictrum ambiguum. | |
| — chrysantha. | | — angustifolium. | |
| — einseliana. | | — aquilegifolium. | |
| — formosa. | | — corynellum. | |
| — glandulosa. | | — foetidum. | |
| — Kitaibeli. | | — glaucescens. | |
| — olympica. | | — glaucum. | |
| — pyrenaica. | | — minus, var. affine. | |
| — Skinneri. | | — — concinnum | |
| Caltha palustris. | | — — adiantifolium | |
| Clematis diversifolia. | | — — medium. | |
| — integrifolia. | | — petaloideum. | |
| — recta. | | — squarrosum. | |
| Delphinium Consolida. | | — tuberosum. | |
| — dasyanthum. | | | |
| — elatum. | | | |
| — elegans. | | | |
| — formosum. | | | |
| — hybridum. | | | |
| — Pylzowi. | | | |
| — tyrolensis. | | | |
| Myosurus minimus. | | | |
| Nigella arvensis. | | | |
| — cristata. | | | |
| — damascena. | | | |
| — Garidella. | | | |
| | | Papaveraceæ. | |
| | | Argemone mexicana. | |
| | | — ochroleuca. | |
| | | Chelidonium majus. | |
| | | — — laciniatus. | |
| | | Eschscholtzia californica. | |
| | | Glaucium corniculatum. | |
| | | — flavum. | |

Hypecoum procumbens.

Papaver apulum.

— *Argemone.*

— *commutatum.*

— *Hookeri.*

— *orientale.*

— *pavoninum.*

— *Rhoeas.*

— — “*Shirley.*”

— *rupifragum.*

— *setigerum.*

— *somniferum.*

— — “*Danebrog.*”

Cruciferæ.

Alyssum incanum.

— *maritimum.*

— — “*Little Dorrit.*”

Arabis albid.

— *hirsuta.*

Aubrietia erubescens.

Barbarea præcox.

Biscutella didyma.

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *campestris.*

— *chinensis.*

— *juncea.*

— *napus, var. oleifera.*

— *nigra.*

— *Schimperi.*

Bunias orientalis.

Camelina sativa.

Cheiranthus alpinus.

— *Cheirii.*

Cochlearia danica.

— *officinalis.*

Conringia planisiliqua.

Crambe cordifolia.

— *hispanica.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *linifolium.*

— *Marschallianum.*

— *Perofskianum.*

— *ochroleucum.*

Goldbachia laevigata.

Heliophila pilosa.

Hesperis matronalis.

Iberis amara.

— *pectinata.*

— *saxatile.*

— *sempervirens.*

— — *garrexiana.*

— *umbellata.*

Isatis glauca.

— — *collina.*

— *tinctoria.*

Lepidium Draba.

— *sativum.*

Malcolmia græca.

Matthiola incana.

Melanosinapis abyssinica.

Myagrum perfoliatum.

Neslia paniculata.

Raphanus caudatus.

— *sativus.*

— — *Gayanus.*

Senebiera Coronopus

Sisymbrium austriacum.

— — *acutangulum.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

— *arvense.*

— *ceratocarpon.*

Resedaceæ.

Reseda alba.

— — *fruticosa.*

— *lutea.*

— *Luteola.*

— *odorata.*

— *virgata.*

Cistaceæ.

Helianthemum guttatum.

Violaceæ.

Viola cucullata.

— *gracilis* var.

— *Munbyana.*

— *striata.*

— *tricolor.*

— — *nigra.*

Caryophyllaceæ.

Arenaria graminifolia.

— *grandiflora.*

— *longifolia.*

Cerastium perfoliatum.

Cucubalus baccifer.

Dianthus arenarius.

— *Armeria.*

— *Arrostii.*

— *barbatus.*

— *caesius.*

— *calocephalus.*

— *carthusianorum.*

— *Caryophyllus.*

— *deltoides.*

— *fimbriatus.*

— *fragrans.*

— *hungaricus.*

— *plumarius.*

— *silvestris.*

— *squarrosus.*

— *superbus.*

Gypsophila altissima.

— *elegans.*

— *paniculata.*

— *perfoliata.*

Lychnis alba.

— *chalcedonica.*

— *Cœli-rosa.*

Lychnis coronaria.

— *Flos-jovis.*

— *Githago.*

— *oculata.*

— *Viscaria.*

Saponaria cerastioides.

— *ocymoides.*

— *officinalis.*

— — *flore plena.*

— *Vaccaria.*

Silene antirrhina.

— *Armeria.*

— *ciliata.*

— *conica.*

— *cretica.*

— *Cucubalus.*

— — *puberula.*

— *Drummondi.*

— *Friwaldskyana.*

— *gallica.*

— — *quinquevulnera.*

— *integripetala.*

— *italica.*

— *linicola.*

— *Muscipula.*

— *nutans.*

— *pendula.*

— *rubella.*

— *Saxifraga.*

— *Schafta.*

— *Zawadskii.*

Spergula arvensis.

Stellaria graminea.

Tunica prolifer.

Portulacæ.

Calandrinia Andrewsii.

— *elegans.*

— *speciosa.*

Claytonia perfoliata.

— *sibirica.*

Hypericaceæ.**Hypericum Androsæmum.**

- densiflorum.
- hircinum.
- hirsutum.
- perforatum.
- tetrapterum.

Malvaceæ.**Althæa ficifolia.**

- kurdica.
- officinalis.
- pallida.
- rosea.
- — vars.
- taurinensis.

Anoda hastata.

- lavaterioides.

Hibiscus Trionum.**Kitaibelia vitifolia.****Lavatera assurgentiflora**

- cachemiriana.
- cretica.
- Olbia.
- thuringiaca.
- trimestris.

Malva crispa.

- oxyloba.
- sylvestris.
- — alba.
- verticillata.

Malvastrum limense.**Palaua flexuosa.****Sidalcea candida.**

- malvæflora.
- spicata.

Linaceæ.**Linum angustifolium.**

- austriacum.
- azureum.
- nervosum.
- usitatissimum.
- — album.

Geraniaceæ.**Erodium Manescavi.**

- romanum.

Geranium aconitifolium.

- affine.
- albiflorum.
- dissectum.
- eriostemon.
- ibericum.
- maculatum.
- pratense.
- — alba.
- Robertianum.
- rivulare.
- sanguineum.
- sibiricum.
- silvaticum.
- striatum.

Impatiens parviflora.

- Roylei.
- — alba.

Tropæolum majus.

- peregrinum.

Rutaceæ.**Dictamnus albus.****Ruta graveolens.**

- macrophylla.

Ochnaceæ.**Ochna multiflora.**

- mozambiquense.

Sapindaceae.

Koelreuteria paniculata.

Rhamnaceæ.

Rhamnus Frangula.

Leguminosæ.

Astragalus alopecuroides.

— *chlorostachys.*

— *Cicer.*

— *Glyciphyllos.*

— *pentaglottis.*

Baptisia australis.

Colutea arborescens.

— *eruenta.*

Cytisus uralensis.

Galega Hartlandi.

— *officinalis.*

— *orientalis.*

Genista sagittalis.

Hedysarum coronarium.

— *splendens.*

Lathyrus Aphaca.

— — *sem-nigra.*

— *heterophyllus.*

— *latifolius.*

— — *ensifolius.*

— *maritimus.*

— *niger.*

— *Nissolia.*

— *odoratus.*

— *rotundifolius, "Wood's
Scarlet."*

— *sylvestris.*

— *tingitanus.*

— *vernus.*

Lens esculenta.

Lotus corniculatus.

Lupinus Blaschkeanus.

— *Douglasii.*

— *Hartwegii.*

— *nootkatensis.*

— *perennis.*

Medicago Echinus.

— *falcata.*

— *Helix.*

— *orbicularis.*

— *sativa.*

Melilotus alba.

— *macrorhiza.*

— *officinalis.*

Mimosa pudica.

Ononis hircina.

— *rotundifolia.*

— *spinosa.*

Ornithopus sativus.

Orobus aurantiaca.

— *variegatus.*

Pisum arvense.

— *thebaicum.*

Psoralea macrostachys.

Scorpiurus sub-villosa.

Spartium junceum.

Trifolium Lupinaster.

— *pannonicum.*

— *rubens.*

Trigonella cœrulea.

— *cretica.*

— *Fœnum-græcum.*

Vicia atropurpurea.

— *dumetorum.*

— *Ervilia.*

— *Faba.*

— *Gerardi.*

— *Nissoliana.*

Vigna villosa.

Rosaceæ.*Acæna inermis.*— *millefolia.*— *pinnatifida.**Agrimonia Eupatoria.*— *odorata.*— *parviflora.*— *pilosa.**Alchemilla alpina.*— *hybrida.**Cotoneaster frigida.**Cratægus Pyracantha.**Geum coccineum.*— *hybridum.*— *intermedium.*— *japonicum.*— *macrophyllum.*— *pyrenaicum.*— *rivale.*— *triflorum.*— *urbanum.**Potentilla argentea.*— *argyrophylla.*— — *atrosanguinea.*— *canadensis.*— *chrysantha.*— *hirta.*— *Hookeriana.*— *Hopwoodiana.*— *Knappii.*— *nepalensis.*— *nevadensis.*— *palustris.*— *tanacetifolia.**Poterium carneum.*— *decandrum.*— *praecox.*— *sinensis latifolia.**Spiræa Ulmaria.***Saxifragaceæ.***Heuchera Drummondi.*— *glabra.*— *ribifolia.*— *sanguinea alba.**Saxifraga Andrewsii.*— *Cotyledon.*— *decipiens.*— *Hostii.*— *muscoides Rhei.*— *peltata.*— *trifurcata.**Tellima grandiflora.**Tolmiea Menziesii.***Crassulaceæ.***Sedum Ewersii.*— *hybridum.*— *Kamtschaticum.*— *Maximowiczii.*— *maximum.*— *Telephium.**Sempervivum glaucum.*— *patens.*— *tectorum.*— *triste.***Lythraceæ.***Lythrum Graefferi.*— *Salicaria.*— — *rosea.*— *tomentosum.*— *virgatum.*

Onagraceæ.

- Clarkia elegans.
 — pulchella.
 Epilobium angustifolium.
 — chilense.
 — hirsutum.
 — — album.
 — — viride.
 — nummularifolium.
 Eucaridium concinnum.
 Oenothera acaulis.
 — amoena.
 — biennis.
 — — grandiflora.
 — lepida.
 — macrantha.
 — odorata.
 — Romanzowii.
 — rubicunda.
 — scrotina.
 — Wildenovei.

Loaseæ.

- Blumenbachia Hieronymi.
 Mentzelia Lindleyi.

Cucurbitaceæ.

- Cucurbita Pepo aurantia.
 — — pyriformis.
 — — verrucosa.
 Ecballium Elaterium.

Datisceæ.

- Datisca cannabina.

Ficoideæ.

- Tetragonia crystallina.
 — expansa.

Umbelliferæ.

- Angelica heterocarpa.
 Anthriscus cerefolium.
 — — sylvestris.
 Archangelica officinalis.
 Astrantia Biebersteini.
 — carniolica.
 — helleborifolia.
 — major.
 Bupleurum fruticosum.
 — rotundifolium.
 — tenuissimum.
 Carum Carvi
 Chaerophyllum aureum.
 Conium maculatum.
 Coriandrum sativum.
 Daucus Carota.
 — Gingidium.
 Eryngium agavifolium.
 — amethystinum.
 — Bourgati.
 — campestre.
 — caucasicum.
 — maritimum.
 — planum.
 — Sanguisorba.
 — Wrightii.
 — yuccæfolium.
 Ferula glauca.
 — Narthex.
 — tingitana.
 Foeniculum capillaceum.
 — vulgare.
 Heracleum elegans.
 — Mantegazianum x
 pubescens.
 — persicum.
 — platytænum.
 — pubescens.
 — Sphondylium.
 — tauricum.
 — villosum.
 Levisticum officinale.
 Ligusticum pyrenaicum.

Melosperrum cicutarium.
— *pelopenessicum.*

Myrrhis odorata.

Ænanthe fistulosa.

— *Lachenalii.*

— *pimpinelloides.*

— *silauifolia.*

Peucedanum officinale.

— *Ostruthium.*

— *sativum.*

— *verticillare.*

Scandix brachycarpa.

Sesile glaucum.

Smyrnium Olusatrum.

— *perfoliatum.*

Rubiaceæ.

Asperula azurea setosa.

— *tinctoria.*

Crucianella chlorostachys.

Galium anglicum.

— *angustifolium.*

— *Aparine.*

— *boreale.*

— *erectum.*

— *lanceolatum.*

— *Mollugo.*

— *sylvaticum.*

Rubia tinctoria.

Valerianeæ.

Centranthus ruber.

— *alba.*

Valeriana Phu.

— *pyrenaica.*

— *sambucifolia.*

Valerianella coronata.

— *eriocarpa.*

Dipsaceæ.

Cephalaria alpina.

— *bannatica.*

— *syriaca.*

— *tatarica.*

Dipsacus Fullonum.

— *pilosus.*

Scabiosa arvensis.

— *caucasica.*

— *stellata.*

— *sylvatica.*

Compositæ.

Achillea Ageratum.

— *filipendulina.*

— *grandiflora.*

— *Millefolium.*

— — *rosea.*

— *nobilis.*

— *odorata.*

— *Ptarmica.*

— *pyrenaica.*

— *serrata.*

Anacyclus Pyrethrum.

Anthemis austriaca.

— *tinctoria.*

Arctium majus.

Artemisia Absinthium.

— *annua.*

— *glaucæ.*

— *manchurica.*

— *sacrorum.*

Aster acris.

— *alpinus.*

— *corymbosus.*

— *dumosus.*

— *eminens.*

— *fragilis.*

— *Linosyris.*

— *macrophyllus.*

— *multiflorus.*

— *paniculatus.*

— *præcox.*

— *puniceus.*

— *Shortii.*

— *simplex.*

Bæria coronaria.

- Balsamita virgata.
 Bidens leucantha.
 Boltonia asteroides.
 Bupthalmum speciosum.
 Calendula officinalis.
 Callistephus hortensis.
 Catananche coerulea.
 Centaurea Calcitrapa.
 — Cyanus.
 — heterophylla.
 — Lippii.
 — macrocephala.
 — montana.
 — muricata.
 — nigra.
 — pulchra.
 — ruthenica.
 — Scabiosa.
 — seridis.
 Charieis heterophylla.
 Chrysanthemum coronarium.
 — macrophyllum.
 — maximum.
 — Myconis.
 — Parthenium.
 — roseum.
 — segetum.
 Cichorium Intybus.
 Cnicus arachnoideus.
 — mouspessulanus.
 Coreopsis aitkinsoniana.
 — auriculata.
 — grandiflora.
 — tinctoria.
 — — atrosanguinea.
 Crepis rubra.
 Cynara Scolymus.
 Dahlia glabrata.
 — variabilis.
 Dimorphotheca pluvialis.
 Doronicum Pardalianches.
 Echinops banpaticus.
 — exaltatus.
 — horridus.
 — Ritro.
 — ruthenicus.
 — spinosus.
 Erigeron Coulteri.
 — glabellus.
 — multiradiatus.
 — speciosus.
 — strigosus.
 Eupatorium ageratoides.
 — aromaticum.
 — cannabinum.
 — cordatum.
 — purpureum.
 — — album
 — Raffillii.
 — sessilifolium.
 Gaillardia aristata.
 — pulchella.
 Grindelia integrifolia.
 — squarrosa.
 Helenium autumnale.
 — — pumilum.
 — — striatum.
 — Bigelovii.
 — Bolanderi.
 — grandicephalum.
 Helianthus annuus.
 — rigidus.
 Helichrysum bracteatum.
 Heliopsis lævis.
 — scabra, pitcheriana
 Helipterum roseum.
 Hieracium albidum.
 — carpaticum.
 — compositum.
 — lycopsifolium.
 — maculatum.
 — tridentatum.
 — umbellatum.
 Inula dysenterica.
 — Helenium.
 — Hoopesii.
 — Oculus-Christi.
 — Royleana.
 — salicina.
 — saligna.
 — squarrosa.
 — thapsoides.
 Lactuca altissima.
 — Bourgatii

Lactuca Plumieri.

- *saligna.*
- *viminea.*
- *virosa.*

Layia elegans.

- *gaillarooides.*
- *platyglossa.*

Leptosyne Douglasii.

Matricaria maritima.

- *Tchihatschewii.*

Onopordon Acanthium.

- *tauricum.*

Rudbeckia amplexicaulis.

- *laciniata.*
- — *angustifolia.*
- *speciosa.*
- *sub-tomentosum.*

Santolina Chamaecyparissius.

- *pectinata.*

Sanvitalia procumbeus.

Scorzonera hispanica.

Senecio clivorum.

- *coriaceus.*
- *Doria.*
- *macrophyllus.*
- *squalidus.*
- *suaveolens.*
- *tanguticus.*

Serratula coronata.

- *Gmelini.*
- *quinquefolia.*

Silphium perfoliatum.

Silybum marianum.

Solidago arguta.

- *canadensis.*
- *grandiflora.*
- *lævigata.*
- *lanceolata.*
- *multiflora.*
- *recurvata.*
- *virgata.*
- *Virgaurea.*
- — *cambrica.*

Sonchus palustris.

Tagetes erecta.

- *patula.*

Tagetes patula "Legion of Honour."

- *signata.*

Tanacetum boreale.

- *vulgare.*
- — *crispum.*

Tragopogon porrifolius.

Tridax trilobata.

Ursinia speciosa.

Vernonia noveboracensis.

- *præalta.*

Zinnia pauciflora.

- *multiflora.*

Campanulacææ.

Campanula betonicaefolia.

- *bononiensis.*
- *carpatica.*
- *lactiflora.*
- *lamiifolia.*
- *latifolia.*
- — *macrantha.*
- *Medium.*
- *persicifolia.*
- — *alba.*
- *pusilla.*
- *pyramidalis.*
- *rapunculoides.*
- *Rapunculus.*
- *rhomboidalis.*
- *Trachelium.*
- — *alba.*

Lobelia cardinalis.

- *siphilitica.*

Phyteuma canescens.

- *Scheuchzeri.*

Platycodon grandiflorum.

Specularia falcata.

- *perfoliata.*

Symphyandra pendula.

Wahlenbergia lobelioides.

Plumbagineææ.

Acantholimon glumaceum.

Armeria cephalotes.

- *latifolia.*

Armeria longiaristata.
 — *maritima.*
 — — *alba.*
 — *Welwitschii.*
Statice auriculæfolia.
 — *bellidifolia.*
 — *emarginata.*
 — *Gmelini.*
 — *latifolia.*
 — *Limonium.*
 — *Suworowii.*

Primulaceæ.

Anagallis arvensis.
 — *linifolia.*
Androsace elongata.
Lysimachia punctata.
 — *quadrifolia.*
 — *vulgaris.*
Primula Bulleyana.
 — *seclusa.*

Asclepiadeæ.

Araujia sericifera.
Asclepias syriaca.
Cynanchum acutum.
Vincetoxicum luteum.
 — *fuscatum.*
 — *officinale.*

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana amarella.
 — *asclepiadea.*
 — *brevidens.*
 — *gelida.*
 — *Kesselringii.*
 — *phlogifolia.*

Polemoniaceæ.

Collomia coccinea.
 — *linearis.*

Gilia androsacea.
 — *californica.*
 — *capitata.*
 — *laciniata.*
 — *nivalis.*
 — *squarrosa.*
 — *tricolor.*
 — *virgata.*
Polemonium cœruleum.
 — — *album.*
 — *flavum.*
 — *humile.*
 — *pauciflorum.*

Hydrophyllaceæ.

Nemophila insignis.
Phacælia malvaefolia.
 — *tanacetifolia.*

Boragineæ.

Anchusa angustifolia.
 — *Barrelieri.*
 — *italica.*
 — — *Dropmore, var.*
 — *officinalis.*
 — *sempervirens.*
 — *tinctoria.*
Cerinthe major.
 — *retorta.*
Cynoglossum furcatus.
Echium vulgare.
Symphytum asperrimum.
 — *officinale.*
 — — *bohemicum.*
 — — *purpureum.*

Convolvulaceæ.

Calystegia sepium.
 — *silvatica.*
Convolvulus pentapetaloides.
 — *pseudo-siculus.*
 — *siculus.*
 — *tricolor.*
 — *undulatus.*

Cuscuta europaea.

— *Gronovii*.

Ipomœa coccinea.

— *haderæfolia*.

— *hispida*.

— *purpurca*.

Nolana prostrata.

Orobanchaceæ.

Orobanche major.

Solanaceæ.

Atropa Belladonna.

Datura inermis.

— *lucida*.

— *quercifolia*.

— *Stramonium*.

— *Tatula*.

Hyoscyamus albus.

— *niger*.

— — *biennis*.

Nicandra physaloides.

— *violacea*.

Nicotiana alata.

— *paniculata*.

— *Tabacum*.

— — *atrosanguineum*.

Schizanthus pinnatus.

Solanum Capsicastrum.

— *Dulcamara*.

— — *alba*.

— *nigrum*.

— — *guineense*.

— — *miniatum*.

Scrophulariaceæ.

Antirrhinum majus.

— — *peloria*.

— *Orontium*.

Chelone glabra.

Collinsia bicolor.

— *verna*.

Digitalis ambigua.

— *grandiflora*.

— *lutea*.

— *nervosa*.

— *purpurea*.

Linaria bipartita.

— *macedonica*.

— *maroccana*.

— *spartea*.

— *triphylla*.

— *tristis*.

— *vulgaris*.

Mimulus hybridus.

Pentstemon confertus.

— *diffusus*.

— *hybridus*.

— *lævigatus*.

— *Murrayanus*.

— *secundiflorus*.

Scrophularia alata.

— *nodosa*.

— *sambucifolia*.

— *Scopolii*.

— *vernalis*.

Tetranema mexicana.

Verbascum Lychnitis.

— — “Miss Willmott.”

— *nigrum*.

— *phlomoides*.

— *phoeniceum*.

— *Thapsus*.

Veronica elatior.

— *exaltata*.

— *foliosa*.

— *hybrida*.

— *orchidea*.

— *paniculata*.

— *persicifolia*.

— *spicata*.

— *spuria*.

— *urticæfolia*.

— *verticillata*.

Acanthaceæ.

Crossandra undulaefolia.

Peristrophe speciosa.

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — dentata.
 — tenuifolia.

Verbenaceæ.

- Clerodendron Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — stricta.

Labiataæ.

- Amethystea coerulea.
 Ballota nigra.
 Calamintha albiflora.
 — officinalis.
 Dracocephalam Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrahit.
 Hyssopus officinalis.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Melissa officinalis.
 Mentha candicans.
 — crispa.
 — pubescens.
 — rotundifolia.
 Monarda punctata.
 Nepeta Cataria.
 — colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Ocimum viride.
 Origanum vulgare.
 Phlomis agraria.
 — alpina.

- Phlomis fruticosa.
 — Russeliana.
 — Samia.
 — tuberosa.
 Physostegia imbricata.
 Prunella vulgaris.
 Salvia cleistogama.
 — glutinosa.
 — Horminum.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — sclarea.
 — sylvestris.
 — Verbenaca.
 — verticillata, mollis.
 — virgata.

- Satureia hortensis.
 Scutellaria Columnæ.
 — peregrina.
 Stachys Betonica.
 — densiflora.
 — grandiflora.
 — Scardica.
 — sericea.

- Teucrium Botrys.
 — Chamædrys.
 — Scorodonia.

Plantagineæ.

- Plantago Coronopus.
 — Lagopus.
 — lanceolata.
 — major.
 — — bracteata.
 — maritima.
 — ruberrima.

Nyctagineæ.

- Mirabilis divaricata.
 — Jalapa.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 — hirsuta.
 — incana.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — chlorostachys.
 — hypochondriacus.
 — polygonus.
 — retroflexus.
 — sanguineus.

Chenopodiaceæ.

Atriplex hortensis.
 — lutea.
 — — rubra.
 — nitens.
 — sibirica.

Beta brasiliensis.

— Chilensis.
 — Cicla.
 — maritima.
 — patula.
 — trigyna.

Chenopodium album.

— Botrys.
 — ambrosioides.
 — anthelminticum.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 — Quinoa.

Corispermum hyssopifolium.

Hablitzia tamnoides.

Kochia scoparia.

Salsola Kali.

Phytolaccaceæ.

Phytolacca acinosa.
 — esculenta.

Polygonaceæ.

Emex spinosa.

Polygonum amphibium.

— Bistorta.
 — tataricum.
 — Weyrichii.

Rheum caspicum.

— colliniana.
 — compactum.
 — crassinervum.
 — Emodi.
 — hybridum.
 — officinale.
 — Rhaponticum.
 — Ribes.
 — undulatum.

Rumex conglomeratus.

— crispus.
 — Gmelini.
 — Hydrolapathum.
 — obtusifolius.
 — polygonifolius.
 — salicifolius.
 — sanguineus.

Aristolochiaceæ.

Aristolochia elegans.

— fimbriata.

Thymelacaceæ.

Lagetta lintearia.

Euphorbiaceæ.

Euphorbia Characias.

— heterophylla.
 — — minor.
 — Lathyris.
 — palustris.
 — pilosa.
 — pilulifera.
 — segetalis.
 — verrucosa.

Mercurialis annua.

Ricinus communis.

Urticaceæ.

Cannabis sativa.
Humulus Japonicus.
Urtica piluifera.
 — — *balearica.*

Iridaceæ.

Aristea Ecklonis.
Iris Bulleyana x *Forrestii.*
 — *chrysographes.*
 — *foetidissima.*
 — — *aurea.*
 — *guldenstaedteana.*
 — *orientalis* var.
 — *sibirica.*
 — *versicolor.*
 — — *G. Walker*
Moraea iridioides.
Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.
Allium album.
 — *angulosum.*
 — — var.
 — *Babingtoni.*
 — *carinatum.*
 — *fistulosum.*
 — *glaucum.*
 — *narcissiflorum.*
 — *nutans.*
 — *paradoxum.*
 — *Porrum.*
 — *Schoenoprasum.*
 — — *sibiricum.*

Allium senescens

— *stellatum.*
 — *triquetrum.*
 — *Victorialis.*
 — *vineale.*

Anthericum Liliago.

Asphodelus albus.

— — *racemosus.*
 — *fistulosus.*

Bowiea volubile.

Brodiaea congesta.

Camassia esculenta.

Dracuana Godseffiana.

Funkia coerulea.

— *ovata.*

Galtonia candicans.

Kniphofia Burchellii.

— *Northiæ.*

Lilium Martagon.

— *regale.*

Muscari comosum.

Nothoscordon fragrans.

— *striatum.*

Scilla autumnale.

Streptopus racemosus.

Veratrum album.

— *viride.*

Zygadenus elegans.

Commelinaceæ.

Commelina cœlestis.

Tinantia fugax.

Tradescantia virginica.

Juncaceæ.

Juncus compressus.

— *lamprocarpus.*

— *maritimus.*

Luzula campestris.

— *nemorosa.*

— *nivea.*

— *spadicea.*

— *sylvatica.*

Aroideæ.

- Anthurium Bakeri.
Richardia albo-maculata.

Alismaceæ.

- Alisma Plantago.
— ranunculoides.

Naidaceæ.

- Triglochin maritimum.
— palustre.

Cyperaceæ.

- Carex aristata.
— Buchanani.
— cyperoides.
— Davalliana.
— depauperata.
— divulsa.
— flava.
— muricata.
— pendula.
— remota.
— Shortiana.
— sylvatica.
— tomentosa.
— vesicaria.
Cladium Mariscus.
Cyperus natalensis.
Kyllingia monocephala.
Scirpus Holoschoenus.
— lacustris.

Gramineæ.

- Agropyrum repens.
Agrostis alba.

Agrostis canina.

- nebulosa.
— Steveni.
— stolonifera.
— vulgaris.

Aira caryophyllea.**Alopecurus pratensis.****Anthoxanthum odoratum.****Arrhenatherum avenaceum.****Avena sativa.**

- sterilis.

Brachypodium pinnatum.

- sylvaticum.

Briza maxima.**Bromus breviaristatus.**

- ciliatus.
— madritensis.
— rubens.
— secalinus.
— unioloides.

Calamagrostis arundinacea.

- epigeios.

Cynosurus echinatus.**Dactylis glomerata.****Deschampsia cæspitosa.**

- flexuosa.

Diarrhena Americana.**Festuca duriuscula.**

- elatior.
— gigantea.
— myuros.
— ovina.
— — vivipara.
— pratensis.
— rubra.

Holcus lanatus.**Hordeum Ægiceras.**

- bulbosum.

Hordeum distichon.
— hexastichon.
— maritimum.

Koeleria cristata.
— phleoides.

Lagurus ovatus.

Lamarkia aurea.

Lolium temulentum.

Milium effusum.

Molinia coerulea.

Panicum Crus-galli.

— miliaceum.

Phalaris arundinacea.

— paradoxa.

Phleum pratense.

Poa bulbosa.

— Chaixii.

— fertilis.

— nemoralis.

Polypogon monspeliensis.

Secale cereale.

— ciliata.

Setaria italica.

Stipa Calamagrostis.

Triticum Spelta.

— tricophorum.

Zea Mays.

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1925.


Qc 641-

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM
QUÆ IN
HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1926. ✓



CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

—
1926

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

Ranunculaceæ.

Aconitum ferox.

- *Fischeri.*
- *Fortunei.*
- *Lycoctonum.*
- *Napellus.*
- *paniculatum.*

Actaea spicata.

Adonis autumnalis.

Anemone cylindrica.

Aquilegia alpina.

- *cærulea.*
- *chrysantha.*
- *einseliana.*
- *formosa.*
- *glandulosa.*
- *Kitaibeli.*
- *olympica.*
- *pyrenaica.*
- *Skinneri.*

Caltha palustris.

- *polypetala.*

Clematis diversifolia.

- *recta.*

Delphinium Consolida.

- *dasyanthum.*
- *elatum.*
- *elegans.*
- *formosum.*
- *hybridum.*
- *tyrolensis.*

Myosurus minimus.

Nigella arvensis.

- *cristata.*
- *damascena.*
- *Garidella.*

Nigella integrifolia.

- *sativa.*

Ranunculus acris.

- *— Steveni.*
- *arvensis.*
- *brutius.*
- *Cymbalaria.*
- *multifidus.*
- *nemorosus.*
- *repens.*
- *serbicus.*
- *Sprunerianus.*

Thalictrum ambiguum.

- *angustifolium.*
- *aquilegifolium.*
- *corynellum.*
- *foetidum.*
- *glaucescens.*
- *glaucum.*
- *minus, var. affine.*
- *— concinnum*
- *— adiantifolium*
- *— medium.*
- *petaloideum.*
- *squarrosum.*
- *tuberosum.*

Papaveraceæ.

Argemone mexicana.

- *ochroleuca.*

Chelidonium majus.

- *— laciniatus.*

Eschscholtzia californica.

Glaucium corniculatum.

- *flavum.*

Hypecoum grandiflorum.

— *procumbens.*

Papaver apulum.

— *Argemone.*

— *commutatum.*

— *Hookeri.*

— *orientale.*

— *pavoninum.*

— *Rhoeas.*

— — “*Shirley.*”

— *rupifragum.*

— *setigerum.*

— *somniferum.*

— — “*Danebrog.*”

Roemeria hybrida.

Cruciferae.

Alyssum incanum.

— *maritimum.*

— — “*Little Dorrit.*”

Arabis albida.

— *hirsuta.*

Aubrietia erubescens.

Barbarea præcox.

— *vulgaris.*

Biscutella didyma.

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *campestris.*

— *chinensis.*

— *juncea.*

— *napus, var. oleifera.*

— *nigra.*

— *Schimperi.*

Bunias orientalis.

Camelina sativa.

Cheiranthus alpinus.

— *Cheirii.*

Cochlearia danica.

— *officinalis.*

Conringia planisiliqua.

Crambe cordifolia.

— *hispanica.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *linifolium.*

— *Marschallianum.*

— *Perofskianum.*

— *ochroleucum.*

Goldbachia laevigata.

Heliophila pilosa.

Hesperis matronalis.

Iberis saxatile.

— *sempervirens.*

— — *garrexiana.*

— *umbellata.*

Isatis glauca.

— — *collina.*

— *tinctoria.*

Lepidium Draba.

— *sativum.*

Malcolmia græca.

Matthiola incana.

Melanosinapis abyssinica.

Myagrum perfoliatum.

Neslia paniculata.

Notoceras canariensis.

Raphanus caudatus.

— *sativus.*

— — *Gayanus.*

Senebiera Coronopus

Sisymbrium austriacum.

— — *acutangulum.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

— *arvense.*

— *ceratocarpon.*

Resedaceæ.

Reseda alba.

— *lutea.*

— *Luteola.*

— *odorata.*

— *virgata.*

Cistaceæ*Helianthemum guttatum.***Violaceæ.***Viola cucullata.*

- *gracilis* var.
- *Munbyana.*
- *rothamogensis.*
- *striata.*
- *tricolor.*
- — *nigra.*

Caryophyllaceæ.*Arenaria graminifolia.*

- *grandiflora.*
- *longifolia.*

*Cerastium perfoliatum.**Cucubalus baccifer.**Dianthus arenarius.*

- *Armeria.*
- *Arrostii.*
- *barbatus.*
- *caesius.*
- *calocephalus.*
- *carthusianorum.*
- *Caryophyllus.*
- *deltoides.*
- *fimbriatus.*
- *fragrans.*
- *hungaricus.*
- *plumarius.*
- *silvestris.*
- *squarrosus.*
- *superbus.*

Gypsophila altissima.

- *elegans.*
- *paniculata.*
- *perfoliata.*

Lychnis alba.

- *chalcedonica.*
- *Coeli-rosa.*

Lychnis coronaria.

- *dioica.*
- *Flos-jovis.*
- *Githago.*
- *oculata.*
- *Viscaria.*

Saponaria cerastioides.

- *ocymoides.*
- *officinalis.*
- — *flore plena.*
- *Vaccaria.*

Silene antirrhina.

- *Armeria.*
- *ciliata.*
- *conica.*
- *cretica.*
- *Cucubalus.*
- — *puberula.*
- *Drummondi.*
- *Friwaldskyana.*
- *gallica.*
- — *quinquevulnera.*
- *integripetala.*
- *italica.*
- *linicola.*
- *Muscipula.*
- *nutans.*
- *pendula.*
- *rubella.*
- *Saxifraga.*
- *Schafta.*
- *Zawadskii.*

*Spergula arvensis.**Stellaria graminea.**Tunica prolifer.***Portulacæ.***Calandrinia Andrewsii.*

- *elegans.*
- *Menziesii.*
- *pilosiscula.*
- *speciosa.*

Claytonia perfoliata.

- *sibirica.*

Hypericaceæ.*Hypericum Androsæmum.*

- densiflorum.
- hircinum.
- hirsutum.
- olympicum.
- perforatum.
- tetrapterum.

Malvaceæ.*Althæa ficifolia*

- kurdica.
- officinalis.
- pallida.
- rosea.
- — vars.
- taurinensis.

Anoda hastata.

- lavaterioides.

*Hibiscus Trionum.**Kitaibelia vitifolia.**Lavatera assurgentiflora.*

- cachemiriana.
- cretica.
- Olbia.
- thuringiaca.
- trimestris.

Malva crispa.

- oxyloba.
- sylvestris.
- — alba.
- verticillata.

*Malvastrum limense.**Palaua flexuosa.**Sidalcea candida.*

- malvæflora.
- spicata.

Linaceæ.*Linum angustifolium.*

- austriacum.
- azureum.
- regale.
- usitatissimum.
- — album.

Geraniaceæ.*Erodium Manescavi.*

- romanum.

Geranium aconitifolium.

- affine.
- albiflorum.
- dissectum.
- eriostemon.
- ibericum.
- maculatum.
- pratense.
- — alba.
- Robertianum.
- rivulare.
- sanguineum.
- sibiricum.
- silvaticum.
- striatum.

*Impatiens parviflora.**Limnanthes Douglasii.**Tropæolum majus.*

- peregrinum.

Rutaceæ.*Dictamnus albus.**Ruta graveolens.*

- macrophylla.

Ochnaceæ.*Ochna multiflora.*

- mozambiquense.

Sapindaceae.

Koelreuteria paniculata.

Rhamnaceæ.

Rhamnus Frangula.

Leguminosæ.

Astragalus alopecuroides.

— *chlorostachys.*

— *Cicer.*

— *Glyciphyllus.*

— *pentaglottis.*

Baptisia australis.

Colutea arborescens.

— *cruenta.*

Cytisus uralensis.

Galega Hartlandi.

— *officinalis.*

— *orientalis.*

Genista sagittalis.

Hedysarum coronarium.

— *splendens.*

Lathyrus Aphaca.

— — *sem-nigra.*

— *heterophyllus.*

— *latifolius.*

— — *ensifolius.*

— *maritimus.*

— *niger.*

— *Nissolia.*

— *odoratus.*

— *rotundifolius*, "Wood's
Scarlet."

— *sylvestris.*

— *tingitanus.*

— *vernus.*

Lens esculenta.

Lotus corniculatus.

Lupinus Douglasii.

— *Hartwegii.*

— *nootkatensis.*

— *perennis.*

Medicago Echinus.

— *falcata.*

— *Helix.*

— *sativa.*

Melilotus alba.

— *macrorhiza.*

— *officinalis.*

Mimosa pudica.

Ononis hircina.

— *rotundifolia.*

— *spinosa.*

Ornithopus sativus.

Orobus aurantiaca.

— *variegatus.*

Pisum arvense.

— *thebaicum.*

Psoralea macrostachys.

Scorpiurus sub-villosa.

— *vermiculata.*

Spartium junceum.

Trifolium Lupinaster.

— *pannonicum.*

— *rubens.*

Trigonella cœrulea.

— *cretica.*

— *Fœnum-græcum.*

Vicia atropurpurea.

— *dumetorum.*

— *Ervilia.*

— *Gerardi.*

— *Nissoliana.*

Vigna villosa.

Rosaceæ.

- Acæna inermis.*
 — *millefolia.*
 — *pinnatifida.*
Agrimonia Eupatoria.
 — *odorata.*
 — *parviflora.*
 — *pilosa.*
Alchemilla alpina.
 — *hybrida.*
Cotoneaster frigida.
Cratægus Pyracantha.
Geum coccineum.
 — *hybridum.*
 — *intermedium.*
 — *japonicum.*
 — *macrophyllum.*
 — *pyrenaicum.*
 — *rivale.*
 — *triflorum.*
 — *urbanum.*
Potentilla argentea.
 — *argyrophylla.*
 — — *atrosanguinea.*
 — *canadensis.*
 — *chrysantha.*
 — *hirta.*
 — *Hookeriana.*
 — *Hopwoodiana.*
 — *Knappii.*
 — *nepalensis.*
 — *nevadensis.*
 — *palustris.*
 — *pulcherrima.*
 — *tanacetifolia.*
Poterium carneum.
 — *decandrum.*
 — *praecox.*
 — *sinensis latifolia.*
Spiræa Aruncus.
 — *Ulmaria.*

Saxifragaceæ.

- Heuchera Drummondi.*
 — *glabra.*
 — *ribifolia.*
 — *sanguinea alba.*
Saxifraga Andrewsii.
 — *Cotyledon.*
 — *decipiens.*
 — *Hostii.*
 — *muscoides Rhei.*
 — *peltata.*
 — *trifurcata.*
Tellima grandiflora.
Tolmiea Menziesii.

Crassulaceæ.

- Sedum Ewersii.*
 — *hybridum.*
 — *Kamtschaticum.*
 — *Maximowiczii.*
 — *maximum.*
 — *Telephium.*
Sempervivum glaucum.
 — *patens.*
 — *triste.*

Lythraceæ.

- Lythrum Graefferi.*
 — *Salicaria.*
 — — *rosea.*
 — *tomentosum.*
 — *virgatum.*

Onagraceæ.

- Clarkia elegans.
 — pulehella.
 Epilobium angustifolium.
 — chilense.
 — hirsutum.
 — — album.
 — — viride.
 — nummularifolium.
 Eucaridium concinnum.
 — grandiflorum.
 Lopezia coronata.
 Œnothera acaulis.
 — amoena.
 — biennis.
 — — grandiflora.
 — lepida.
 — macrantha.
 — missouriensis.
 — odorata.
 — Romanzowii.
 — rubicunda.
 — serotina.
 — Wildenovei.

Loaseæ.

- Blumenbachia Hieronymi.
 Mentzelia Lindleyi.

Cucurbitaceæ.

- Cucurbita Pepo aurantia.
 — — pyriformis.
 — — verrucosa.
 Ecballium Elaterium.

Datisceæ.

- Datisca cannabina.

Ficoideæ.

- Tetragonia crystallina.
 — expansa.

Umbelliferæ.

- Angelica heterocarpa.
 Anthriscus cerefolium.
 — sylvestris.
 Archangelica officinalis.
 Astrantia Biebersteini.
 — carniolica.
 — helleborifolia.
 — major.
 Bupleurum fruticosum.
 Carum Carvi
 Chaerophyllum aureum.
 Daucus Carota.
 — Gingidium.
 Eryngium agavifolium.
 — amethystinum.
 — Bourgati.
 — campestre.
 — caucasicum.
 — maritimum.
 — planum.
 — Sanguisorba.
 — Wrightii.
 — yuccæfolium.
 Ferula Asafoetida.
 — Ferulago.
 — glauca.
 — Narthex.
 — tingitana.
 Fœniculum capillaceum.
 — vulgare.
 Heracleum elegans.
 — Mantegazianum x pubesceus.
 — persicum.
 — platytænum.
 — pubescens.
 — Sphondylium.
 — tauricum.
 — villosum.
 Levisticum officinale.
 Ligusticum pyrenaicum.

Molopospermum cicutarium.
 — pelopenessicum.

Myrrhis odorata.

Œnanthe Lachenalii.
 — pimpinelloides.
 — silauifolia.

Peucedanum officinale.
 — sativum.
 — verticillare.

Scandix brachycarpa.

Sesile glaucum.

Smyrnium Olusatrum.
 — perfoliatum.

Rubiaceæ.

Asperula azurea setosa.
 — tinctoria.
 Crucianella chlorostachys.

Galium angustifolium.
 — Aparine.
 — boreale.
 — erectum.
 — lanceolatum.
 — Mollugo.
 — sylvaticum.

Rubia tinctoria.

Valerianeæ.

Centranthus ruber.
 — — alba.

Valeriana Phu.
 — pyrenaica.
 — sambucifolia.

Valerianella coronata.
 — eriocarpa.

Dipsaceæ.

Cephalaria alpina.
 — bannatica.
 — syriaca.
 — tatarica.

Dipsacus Fullonum.
 — laciniatus.
 — pilosus.

Scabiosa arvensis.
 — caucasica.
 — prolifer.
 — stellata.
 — sylvatica.
 — — alba.

Compositæ.

Achillea Ageratum.
 — filipendulina.
 — grandiflora.
 — Millefolium.
 — — rosea.
 — nobilis.
 — odorata.
 — Ptarmica.
 — pyrenaica.
 — serrata.

Anacyclus Pyrethrum.

Anthemis austriaca.
 — tinctoria.

Arctium majus.

Artemisia Absinthium
 — annua.
 — glauca.
 — manchurica.
 — sacrorum.

Aster acris.

— alpinus.
 — corymbosus.
 — dumosus.
 — eminens.
 — fragilis.
 — Linosyris.
 — macrophyllus.
 — multiflorus.
 — paniculatus.
 — præcox.
 — puniceus.
 — Shortii.
 — simplex.

Bæria coronaria.

- Balsamita virgata.
 Bidens leucantha.
 Boltonia asteroides.
 Bupthalmum speciosum.
 Calendula officinalis.
 Callistephus hortensis.
 Centaurea Calcitrapa.
 — Cyanus.
 — heterophylla.
 — Lippii.
 — macrocephala.
 — montana.
 — muricata.
 — nigra.
 — pulchra.
 — ruthenica.
 — Scabiosa.
 — seridis.
 Charieis heterophylla.
 Chrysanthemum coronarium.
 — macrophyllum.
 — maximum.
 — Myconis.
 — Parthenium.
 — roseum.
 — segetum.
 Cichorium Intybus.
 Cnicus arachnoideus.
 — mouspessulanus.
 Coreopsis auriculata.
 — grandiflora.
 — tinctoria.
 — —, atrosanguinea.
 Cosmos bipinnatus.
 Crepis rubra.
 Cynara Scolymus.
 Dahlia glabrata.
 Dimorphotheca pluvialis.
 Doronicum Pardalianches.
 Echinops bannaticus.
 — exaltatus.
 — horridus.
 — Ritro.
 — ruthenicus.
 — spinosus.
 Erigeron Coulteri.
 — glabellus.
 — multiradiatus.
 — speciosus.
 — strigosus.
 Eupatorium ageratoides.
 — aromaticum.
 — cannabinum.
 — cordatum.
 — purpureum.
 — — album
 — sessilifolium.
 Gaillardia aristata.
 — pulchella.
 Grindelia integrifolia.
 — squarrosa.
 Helenium autumnale.
 — — pumilum.
 — — striatum.
 — Bigelovii.
 — Bolanderi.
 — grandicephalum.
 Helianthus annuus.
 — rigidus.
 Helichrysum bracteatum.
 Heliopsis lævis.
 — scabra, pitcheriana
 Hieracium albidum.
 — carpaticum.
 — compositum.
 — lycopsifolium.
 — maculatum.
 — tridentatum.
 — umbellatum.
 Inula dysenterica.
 — Helenium.
 — Hoopesii.
 — Oculus-Christi.
 — Royleana.
 — salicina.
 — saligna.
 — squarrosa.
 — thapsoides.
 Lactuca altissima.
 — Bourgatii

Lactuca Plumieri.

— *saligna.*

— *viminea.*

— *virosa.*

Layia elegans.

— *gaillarooides.*

— *platyglossa.*

Leptosyne Douglasii.

Matricaria maritima.

— *Tchihatschewii.*

Onopordon Acanthium.

— *tauricum.*

Rudbeckia amplexicaulis.

— *laciniata.*

— — *angustifolia.*

— *speciosa.*

— *sub-tomentosum.*

Santolina Chamaecyparissius.

Sanvitalia procumbeus.

Scorzonera hispanica.

Senecio clivorum.

— *coriaceus.*

— *Doria.*

— *macrophyllus.*

— *squalidus.*

— *suaveolens.*

— *tanguticus.*

Serratula coronata.

— *Gmelini.*

— *quinquefolia.*

Silphium perfoliatum.

Silybum marianum.

Solidago arguta.

— *canadensis.*

— *grandiflora.*

— *lævigata.*

— *lanceolata.*

— *multiflora.*

— *recurvata.*

— *virgata.*

— *Virgaurea.*

— — *cambrica.*

Sonchus palustris.

Tagetes erecta.

— *patula.*

Tagetes patula "Legion of Honour."

— *signata.*

Tanacetum boreale.

— *vulgare.*

— — *crispum.*

Tridax trilobata.

Ursinia speciosa.

Vernonia noveboracensis.

— *præalta.*

Zinnia pauciflora.

— *multiflora.*

Campanulaceæ.

Campanula betonicaefolia.

— *bononiensis.*

— *carpatica.*

— *lactiflora.*

— *lamiifolia.*

— *latifolia.*

— — *macrantha.*

— *Medium.*

— *persicifolia.*

— — *alba.*

— *rapunculoides.*

— *Rapunculus.*

— *rhomboidalis.*

— *Trachelium.*

— — *alba.*

Lobelia cardinalis.

— *siphilitica.*

Phyteuma canescens.

— *orbiculare.*

— *Scheuchzeri.*

— *spicatum.*

Platycodon grandiflorum.

Specularia falcata.

— *perfoliata.*

Symphyandra pendula.

Wahlenbergia lobelioides.

Plumbagineæ.

Acantholimon glumaceum.

Armeria cephalotes.

— *latifolia.*

Armeria longiaristata.
 — *maritima*.
 — — *alba*.
 — — *laucheana*.
 — *Welwitschii*.

Statice auriculæfolia.
 — *bellidifolia*.
 — *emarginata*.
 — *Gmelini*.
 — *latifolia*.
 — *Limonium*.
 — *Suworowii*.

Primulaceæ.

Anagallis arvensis.
 — *linifolia*.
Androsace elongata.
Lysimachia punctata.
 — *quadrifolia*.
 — *vulgaris*.
Primula Bulleyana.
 — *japonica vars.*
 — *seclusa*.

Asclepiadeæ.

Asclepias syriaca.
Cynanchum acutum.
Vincetoxicum luteum.
 — *fuscatum*.
 — *officinale*.

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana amarella.
 — *asclepiadea*.
 — *brevidens*.
 — *gelida*.
 — *Kesselringii*.
 — *phlogifolia*.

Polemoniaceæ.

Collomia coccinea.
 — *linearis*.

Gilia androsacea.

— *californica*.
 — *capitata*.
 — *laciniata*.
 — *nivalis*.
 — *squarrosa*.
 — *tricolor*.
 — *virgata*.

Polemonium coeruleum.

— — *album*.
 — *humile*.
 — *pauciflorum*.

Hydrophyllaceæ.

Nemophila insignis.
Phacælia malvaefolia.
 — *tanacetifolia*.

Boragineæ.

Anchusa angustifolia.
 — *Barrelieri*.
 — *italica*.
 — — *Dropmore, var.*
 — *officinalis*.
 — *sempervirens*.
 — *tinctoria*.
Borago officinalis.
Cerinthe major.
 — *retorta*.
Cynoglossum furcatus.
Echium violaceum.
 — *vulgare*.
Symphytum asperrimum.
 — *officinale*.
 — — *bohemicum*.
 — — *purpureum*.

Convolvulaceæ.

Calystegia sepium.
 — *silvatica*.
Convolvulus pentapetaloides.
 — *pseudo-siculus*.
 — *siculus*.
 — *tricolor*.
 — *undulatus*.

Cuscuta Gronovii.
Ipomœa hederæfolia.
 — *hispida.*
 — *purpurea.*

Orobanchaceæ.

Orobanche major.

Solanaceæ.

Atropa Belladonna.
Cestrum Parquii.
Datura inermis.
 — *lucida.*
 — *quercifolia.*
 — *Stramonium.*
 — *Tatula.*
Hyoscyamus albus.
 — *niger.*
 — — *biennis.*
Nicandra physaloides.
 — *violacea.*
Nicotiana alata.
 — *paniculata.*
 — *Tabacum.*
 — — *atrosanguineum.*
Solanum Capsicastrum.
 — *Dulcamara.*
 — *alba.*
 — *nigrum.*
 — — *guineense.*
 — — *miniatum.*

Scrophulariaceæ.

Antirrhinum majus.
 — — *peloria.*
 — *Orontium.*
Chelone glabra.
Collinsia bicolor.
 — *verna.*
Digitalis ambigua.
 — *grandiflora.*

Digitalis lutea.
 — *nervosa.*
 — *purpurea.*
Linaria bipartita.
 — *macedonica.*
 — *maroccana.*
 — *spartea.*
 — *triphylla.*
 — *tristis.*
 — *vulgaris.*

Mimulus hybridus.

Pentstemon confertus.
 — *diffusus.*
 — *hybridus.*
 — *lævigatus.*
 — *Murrayanus.*
 — *secundiflorus.*

Rhinanthus Crus-galli.

Scrophularia alata.
 — *nodosa.*
 — *sambucifolia.*
 — *Scopolii.*
 — *vernalis.*

Tetranema mexicana.

Verbascum Lychnitis.
 — — “Miss Willmott.”
 — *nigrum.*
 — *phlomoides.*
 — *phoeniceum.*
 — *pulverulentum.*
 — *Thapsus.*

Veronica elatior.
 — *exaltata.*
 — *foliosa.*
 — *hybrida.*
 — *orchidea.*
 — *paniculata.*
 — *persicifolia.*
 — *spicata.*
 — *spuria.*
 — *urticæfolia.*
 — *verticillata.*

Acanthaceæ.

Crossandra undulaefolia.
Peristrophe speciosa.

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — dentata.
 — tenuifolia.

Verbenaceæ.

- Clerodendron Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — stricta.

Labiataæ.

- Amethystea cœrulea.
 Ballota nigra.
 Calamintha albiflora.
 — officinalis.
 Dracocephalum Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrabit.
 Hyssopus officinalis.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Melissa officinalis.
 Mentha candicans.
 — crispa.
 — pubescens.
 — rotundifolia.
 Monarda punctata.
 Nepeta Cataria.
 — colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Phlomis agraria.
 — alpina.

- Phlomis fruticosa.
 — Russeliana.
 Physostegia imbricata.
 Prunella vulgaris.
 Salvia cleistogama.
 — glutinosa.
 — Horminum.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — sclarea.
 — sylvestris.
 — Verbenaca.
 — verticillata, mollis.
 — virgata.

- Satureia hortensis.
 — montana.
 Scutellaria Columnæ.
 — peregrina.
 Stachys Betonica.
 — densiflora.
 — grandiflora.
 — Scardica.
 — sericea.
 Teucrium Botrys.
 — Chamaedrys.
 — Scorodonia.

Plantagineæ.

- Plantago Coronopus.
 — lanceolata.
 — major.
 — — bracteata.
 — maritima.
 — ruberrima.

Nyctagineæ.

- Mirabilis divaricata.
 — Jalapa.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 — hirsuta.
 — incana.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — chlorostachys.
 — hypochondriacus.
 — polygonus.
 — retroflexus.
 — sanguineus.

Chenopodiaceæ.

Atriplex hortensis.
 — — lutea.
 — — rubra.
 — nitens.
 — sibirica.
 Beta brasiliensis.
 — Chilensis.
 — Cicla.
 — maritima.
 — patula.
 — trigyna.
 — vulgaris.
 Chenopodium album.
 — Botrys.
 — ambrosioides.
 — anthelminticum.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 — Quinoa.
 Corispermum hyssopifolium.
 Hablitzia tamnoides.
 Kochia scoparia.

Phytolaccaceæ.

Phytolacca acinosa.
 — esculenta.

Polygonaceæ.

Emex spinosa.
 Oxyria digyna.
 Polygonum amphibium.
 — Bistorta.
 — tataricum.
 — Weyrichii.
 Rheum caspicum.
 — colliniana.
 — compactum.
 — crassinervum.
 — Emodi.
 — hybridum.
 — officinale.
 — Rhaponticum.
 — Ribes.
 — undulatum.
 Rumex alpinus.
 — conglomeratus.
 — crispus.
 — Gmelini.
 — Hydrolapathum.
 — obtusifolius.
 — Patientia.
 — polygonifolius.
 — salicifolius.
 — sanguineus.

Aristolochiaceæ.

Aristolochia elegans.
 — fimbriata.

Thymelacaceæ.

Lagetta lintearia.

Euphorbiaceæ.

Euphorbia Characias.
 — gerardiana.
 — heterophylla.
 — — minor.
 — Lathyris.
 — palustris.
 — pilosa.
 — pilulifera.

Euphorbia segetalis.
 — verrucosa.
 Mercurialis annua.
 Ricinus communis.

Urticaceæ.

Cannabis sativa.
 Humulus Japonicus.
 Parietaria officinalis.
 Urtica piluifera.
 — — balearica.

Iridaceæ.

Aristea Ecklonis.
 Iris Bulleyana x Forrestii.
 — chrysographes.
 — foetidissima.
 — — aurea.
 — guldenstaedteana.
 — orientalis var.
 — Pseudacorus.
 — sibirica.
 — tenax.
 — versicolor.
 — — G. Walker
 Moraea iridioides.
 Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.
 Allium album.
 — angulosum.
 — — var.
 — Babingtoni.
 — carinatum.
 — fistulosum.
 — glaucum.
 — narcissiflorum.
 — nutans.
 — paradoxum.
 — Porrum.
 — Schoenoprasum.
 — — sibiricum.

Allium senescens
 — stellatum.
 — triquetrum.
 — Victorialis.
 — vineale.
 Anthericum Liliago.
 Asphodelus albus.
 — — racemosus.
 — fistulosus.
 — luteus.
 Bowiea volubile.
 Brodiaea congesta.
 Bulbine annua.
 Camassia esculenta.
 Dracuana Godseffiana.
 Funkia coerulea.
 — Fortunei.
 — ovata.
 Galtonia candicans.
 Kniphofia Burchellii.
 — Northiæ.
 Lilium Martagon.
 — regale.
 Muscari comosum.
 Nothoscordon fragrans.
 — striatum.
 Ornithogalum umbellatum.
 Scilla autumnale.
 Streptopus racemosus.
 Veratrum album.
 — viride.
 Zygadenus elegans.

Commelinaceæ.

Commelina cœlestris.
 Tinantia fugax.
 Tradescantia virginica.

Juncaceæ.

Juncus compressus.
 — lamprocarpus.
 — maritimus.
 Luzula campestris.
 — nemorosa.

Luzula nivea.
 — *spadicea.*
 — *sylvatica.*

Aroideæ.

Anthurium Bakeri.
Richardia albo-maculata.

Alismaceæ.

Alisma Plantago.
 — *ranunculoides.*

Naidaceæ.

Triglochin maritimum.
 — *palustre.*

Cyperaceæ.

Carex aristata.
 — *Buchanani.*
 — *cyperoides.*
 — *Davalliana.*
 — *depauperata.*
 — *divulsa.*
 — *flava.*
 — *muricata.*
 — *pendula.*
 — *remota.*
 — *Shortiana.*
 — *sylvatica.*
 — *tomentosa.*
Cladium Mariscus.
Cyperus natalensis.
Kyllingia monocephala.
Scirpus Holoschoenus.
 — *lacustris.*

Gramineæ

Agropyrum repens.
Agrostis alba.

Agrostis canina.
 — *nebulosa.*
 — *Steveni.*
 — *stolonifera.*
 — *vulgaris.*

Aira caryophyllea.
Alopecurus pratensis.
Anthoxanthum odoratum.
Apera Spica-venti.
Arrhenatherum avenaceum.
Avena sativa.
 — *sterilis.*
Brachypodium pinnatum.
 — *sylvaticum.*

Briza maxima.
Bromus breviaristatus.
 — *ciliatus.*
 — *madritensis.*
 — *maximus.*
 — *mollis.*
 — *rubens.*
 — *secalinus.*
 — *unioloides.*

Calamagrostis arundinacea.
 — *epigeios.*
Cynosurus echinatus.
Dactylis glomerata.
Deschampsia cæspitosa.
 — *flexuosa.*

Diarrhena Americana.
Festuca duriuscula.
 — *elator.*
 — *gigantea.*
 — *myuros.*
 — *ovina.*
 — — *vivipara.*
 — *pratensis.*
 — *rubra.*

Holcus lanatus.
 — *mollis.*
Hordeum Ægiceras.
 — *bulbosum.*

Hordeum distichon.
— hexastichon.
— maritimum.

Koeleria cristata.
— phleoides.

Lagurus ovatus.

Lamarkia aurea.

Lolium temulentum.

Melica altissima.

— uniflora.

Milium effusum.

Molinia coerulea.

Panicum clandestina.

— Crus-galli.

— miliaceum.

— sanguinale.

Phalaris arundinacea

— paradoxa.

Phleum pratense.

Poa bulbosa.

— Chaixii.

— fertilis.

— nemoralis.

Polypogon monspeliensis.

Secale cereale.

— ciliata.

Setaria italica.

Stipa Calamagrostis.

Triticum Spelta.

— tricophorum.

Zea Mays.

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1926.

CHELSEA
PHYSIC GARDEN.

INDEX SEMINUM
QUÆ IN
HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1927.

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

—
1927

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

Ranunculaceæ.

- Aconitum ferox.
- Fischeri.
- Fortunei.
- Lycoctonum.
- Napellus.
- — albus.
- paniculatum.
- Actaea spicata.
- Adonis autumnalis.
- Anemone cylindrica.
- Aquilegia alpina.
- cærulea.
- canadensis.
- chrysantha.
- einseliana.
- formosa.
- glandulosa.
- Kitaibeli.
- olympica.
- pyrenaica.
- Skinneri.
- Caltha palustris.
- polypetala.
- Cimicifuga foetidum.
- Clematis diversifolia.
- recta.
- Delphinium Consolida.
- dasyanthum.
- elatum.
- elegans.
- formosum.
- hybridum.
- tyrolensis.

Nigella arvensis.

- cristata.
- damascena.
- Garidella.

Nigella integrifolia.

- sativa.

Ranunculus acris.

- — Steveni.
- arvensis.
- brutius.
- Cymbalaria.
- Lingua.
- multifidus.
- nemorosus.
- repens.
- serbicus.
- Sprunerianus.

Thalictrum ambiguum.

- angustifolium.
- aquilegifolium.
- calabrica.
- corynellum.
- foetidum.
- glaucescens.
- glaucum.
- minus, var. affine.
- — concinnum.
- — adiantifolium.
- — medium.
- squarrosum.
- tuberosum.

Papaveraceæ.

Argemone mexicana.

- ochroleuca.

Chelidonium majus.

- — laciniatus.

Eschscholtzia californica.

Glaucium corniculatum.

- flavum.

Hypecoum procumbens.

Papaver apulum.

— *Argemone.*

— *commutatum.*

— *dubium.*

— *Hookeri.*

— *lateritum.*

— *orientale.*

— *pavoninum.*

— *Rhoeas.*

— — — “Shirley.”

— *ruptragum.*

— *setigerum.*

— *somniferum.*

— — — “Danebrog.”

Roemeria hybrida.

Cruciferæ.

Alyssum incanum.

— *maritimum.*

— — — “Little Dorrit.”

Arabis albida.

— *hirsuta.*

Aubrietia erubescens.

Barbarea præcox.

— *vulgaris.*

Biscutella didyma.

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *campestris.*

— *chinensis.*

— *juncea.*

— *napus, var. oleifera.*

— *nigra.*

— *Schimperi.*

Bunias orientalis.

Camelina sativa.

Cheiranthus Allionii.

— *alpinus.*

— *Cheirii.*

Cochlearia anglica.

— *danica.*

— *officinalis.*

Conringia planisiliqua.

Crambe cordifolia.

Crambe hispanica.

Draba hirta

— *incana.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *Marschallianum.*

— *Perofskianum.*

— *ochroleucum.*

Goldbachia laevigata.

Heliophila pilosa.

Hesperis matronalis.

Iberis saxatile.

— *sempervirens.*

— — — *garrexiana.*

— *umbellata.*

Isatis glauca.

— — — *collina.*

— *tinctoria.*

Lepidium Draba.

— *sativum.*

Malcolmia græca.

Matthiola incana.

Melanosinapis abyssinica.

Myagrum perfoliatum.

Notoceras canariensis.

Raphanus caudatus.

— *sativus.*

— — — *Gayanus.*

Senebiera Coronopus.

Sisymbrium austriacum.

— — — *acutangulum.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

— *arvense.*

— *ceratocarpon.*

Resedaceæ.

Reseda alba.

— *Luteola.*

— *odorata.*

— *virgata.*

Cistaceæ*Helianthemum guttatum.***Violaceæ.***Viola cucullata.*

- *gracilis* var.
- *Munbyana.*
- *rothamogensis.*
- *striata.*
- *tricolor.*

Caryophyllaceæ.*Arenaria graminifolia.*

- *grandiflora.*
- *longifolia.*

*Cerastium perfoliatum.**Cucubalus baccifer.**Dianthus arenarius.*

- *Armeria.*
- *Arrostii.*
- *barbatus.*
- *caesius.*
- *calocephalus.*
- *carthusianorum.*
- *Caryophyllus.*
- *deltoides.*
- *imbriatus.*
- *fragrans.*
- *hungaricus.*
- *plumarius.*
- *Segueri.*
- *silvestris.*
- *squarrosus.*
- *superbus.*

Gypsophila altissima.

- *elegans.*
- *paniculata.*
- *perfoliata.*

Lychnis alba.

- *chalcedonica.*
- *Coeli-rosa.*

Lychnis coronaria.

- *dioica.*
- *Flos-jovis.*
- *Githago.*
- *oculata.*
- *Viscaria.*

Saponaria cerastioides.

- *ocymoides.*
- *officinalis.*
- — *flore plena.*
- *Vaccaria.*

Silene antirrhina.

- *Armeria.*
- *ciliata.*
- *conica.*
- *cretica.*
- *Cucubalus.*
- — *puberula.*
- *Drummondi.*
- *Friwaldskyana.*
- *gallica.*
- — *quinquevulnera.*
- *integripetala.*
- *italica.*
- *linicola.*
- *Muscipula.*
- *nutans.*
- *pendula.*
- *rubella.*
- *Saxifraga.*
- *Schafta.*
- *viridiflora.*
- *Zawadskii.*

*Spergula arvensis.**Stellaria graminea.**Tunica prolifer.***Portulacæ.***Calandrinia Andrewsii.*

- *elegans.*
- *Menziesii.*
- *pilosiscula.*
- *speciosa.*

Claytonia perfoliata.

- *sibirica.*

Hypericaceæ.**Hypericum Androsænum.**

- densiflorum.
- grandiflorum.
- hircinum.
- hirsutum.
- hookerianum.
- olympicum.
- perforatum.
- tetrapterum.

Malvaceæ.**Althæa ficifolia**

- kurdica.
- officinalis.
- pallida.
- rosea.
- — vars.
- taurinensis.

Anoda hastata.

- lavaterioides.

Hibiscus Trionum.**Kitaibelia vitifolia.****Lavatera assurgentiflora.**

- cachemiriana.
- cretica.
- Olbia.
- thuringiaca.

Malva crispa.

- oxyloba.
- sylvestris.
- — alba.
- verticillata.

Malvastrum limense.**Palaua flexuosa.****Sidalcea malvæflora.**

- spicata.

Linaceæ.**Linum alpinum.**

- angustifolium.
- austriacum.
- azureum.
- monodelphum.
- regale.
- usitatissimum.
- — album.

Geraniaceæ.**Erodium Ciconium.**

- Manescavi.
- romanum.

Geranium aconitifolium.

- affine.
- albiflorum.
- dissectum.
- eriostemon.
- ibericum.
- Lowii.
- maculatum.
- pratense.
- — alba.
- Robertianum.
- rivulare.
- sanguineum.
- sibiricum.
- silvaticum.
- striatum.

Impatiens parviflora.**Limnanthes Douglasii.****Tropæolum majus.**

- minus.
- peregrinum

Rutaceæ.**Dictamnus albus.****Ruta graveolens.**

- macrophylla.

Ochnaceæ.

- Ochna multiflora.
— mozambiquense.

Rhamnaceæ.

- Rhamnus Frangula.

Leguminosæ.

- Astragalus alopecuroides.
— chlorostachys.
— Cicer.
— Glyciphyllus.
— pentaglottis.

Baptisia australis.
Colutea arborescens.
— cruenta.
Cytisus uralensis.
Galega Hartlandi.
— officinalis.
— orientalis.

Genista mantica.
— sagittalis.
Hedysarum coronarium.
— splendens.
Lathyrus Aphaca.
— — sem-nigra.
— latifolius.
— — ensifolius.
— maritimus.
— montanus.
— niger.
— odoratus.
— rotundifolius.
— sylvestris.
— tingitanus.

- Lens esculenta.
Lotus ornithopodioides.
Lupinus Douglasii.
— Hartwegii.
— nootkatensis.
— perennis.
— polyphyllus.

- Medicago Echinus.
— falcata.
— Helix.
— sativa.

- Melilotus alba.
— gracile.
— macrorhiza.
— officinalis.

- Mimosa pudica.
Ononis hircina.
— rotundifolia.
— spinosa.

- Ornithopus sativus
Orobus aurantiaca.
— variegatus.

- Pisum arvense.
— thebaicum.

- Psoralea macrostachys.
Scorpiurus sub-villosa.
Spartium junceum.

- Trifolium Lupinaster.
— pannonicum.
— rubens.

- Trigonella cœrulea.
— cretica.
— Fœnum-græcum.

- Vicia atropurpurea.
— dumetorum.
— Ervilia.
— Gerardi.
— Nissoliana.

- Vigna villosa.

Rosaceæ.

- Acæna inermis.*
 — *microphylla.*
 — *millefolia.*
 — *pinnatifida.*
Agrimonia Eupatoria.
 — *odorata.*
 — *parviflora.*
 — *pilosa.*
Alchemilla alpina.
 — *fissa.*
 — *hybrida.*
Cotoneaster frigida.
Cratægus Pyracantha.
Geum coccineum.
 — *hybridum.*
 — *intermedium.*
 — *japonicum.*
 — *macrophyllum.*
 — *pyrenaicum.*
 — *rivale.*
 — *triflorum.*
 — *urbanum.*
Potentilla argentea.
 — *argyrophylla.*
 — — *atrosanguinea.*
 — *canadensis.*
 — *chrysantha.*
 — *hirta.*
 — *Hookeriana.*
 — *Hopwoodiana.*
 — *Knappii.*
 — *nepalensis.*
 — *nevadensis.*
 — *palustris.*
 — *pulcherrima.*
 — *tanacetifolia.*
Poterium carneum.
 — *decandrum.*
 — *praecox.*
 — *sinensis latifolia.*
Spiræa Aruncus.
 — *Ulmaria.*

Saxifragaceæ.

- Heuchera glabra.*
 — *ribifolia.*
 — *sanguinea alba.*
Saxifraga Cotyledon.
 — *decipiens.*
 — *Hostii.*
 — *hypnoides.*
 — *muscoides superba.*
 — *peltata.*
 — *trifurcata.*
Tellima grandiflora.
Tolmiæa Menziesii.

Crassulaceæ.

- Sedum Ewersii.*
 — *hybridum.*
 — *Kamtschaticum.*
 — *Maximowiczii.*
 — *maximum.*
 — *Telephium.*
Sempervivum glaucum.
 — *patens.*
 — *triste.*

Lythraceæ.

- Lythrum Graefferi.*
 — *Salicaria.*
 — — *rosea.*
 — *tomentosum.*
 — *virgatum.*

Onagraceæ.

- Clarkia elegans.
 — pulchella.
 Epilobium angustifolium.
 — chilense.
 — hirsutum.
 — — album.
 — — viride.
 — nummularifolium.
 Eucaridium grandiflorum.
 Oenothera acaulis.
 — amœna.
 — biennis.
 — — grandiflora.
 — lepida.
 — macrantha.
 — missouriensis.
 — odorata.
 — Romanzowii.
 — rosea.
 — rubicunda.
 — serotina.
 — Wildenovei.

Loasææ.

- Blumenbachia Hieronymi.
 Loasa triphylla.
 Mentzelia Lindleyi.

Cucurbitaceæ.

- Cucurbita Pepo aurantia.
 — ovifera.
 — — pyriformis.
 — — striata.
 — — verrucosa.

Ecballium Elaterium.

Datisceæ.

Datisca cannabina.

Ficoideæ.

- Tetragonia crystallina.
 — expansa.

Umbelliferæ.

Anthriscus cerefolium.

— sylvestris.

Archangelica officinalis.

Astrantia Biebersteini.

— carniolica.

— helleborifolia.

— major.

Bupleurum fruticosum.

Carum Carvi

Chaerophyllum aureum.

Daucus Carota.

Eryngium agavifolium.

— amethystinum.

— Bourgati.

— campestre.

— caucasicum.

— maritimum.

— planum.

— — var. rosea.

— Sanguisorba.

— Wrightii.

— yuccæfolium.

Ferula Asafoetida.

— Ferulago.

— glauca.

— tingitana.

Foeniculum capillaceum.

vulgare.

Heracleum elegans.

— Mantegazianum x
 pubescens.

— persicum.

— platytænum.

— pubescens.

— Sphondylium.

— tauricum.

— villosum.

Levisticum officinale.

Ligusticum pyrenaicum.

Molopospermum cicutarium.
— pelopenessicum.

Myrrhis odorata.

Cœnanthe Lachenalii.
— pimpinelloides.
— silauifolia.

Peucedanum officinale.
— sativum.
— verticillare.

Scandix brachycarpa.

Sesile glaucum.

Smyrnium Olusatrum.
— perfoliatum.

Rubiaceæ.

Asperula tinctoria.
Crucianella chlorostachys.

Galium angustifolium.

— Aparine.
— boreale.
— erectum.
— lanceolatum.
— Mollugo.
— sylvaticum.

Rubia tinctoria.

Sherardia arvensis.

Valerianeæ.

Centranthus ruber.
— alba.

Valeriana Phu.
— pyrenaica.
— sambucifolia.

Valerianella coronata.
— eriocarpa.

Dipsaceæ.

Cephalaria alpina.
— bannatica.
— syriaca.
— tatarica.

Dipsacus Fullonum.
— laciniatus.
— pilosus.

Scabiosa arvensis.
— caucasica.
— prolifer.
— stellata.
— sylvatica.
— alba.

Compositæ.

Achillea Ageratum.
— filipendulina.
— grandiflora.
— Millefolium.
— rosea.

— nobilis.

— odorata.
— Ptarmica.
— pyrenaica.
— serrata.

Anacyclus Pyrethrum.

Anthemis austriaca.
— tinctoria.

Arctium majus.

Artemisia Absinthium

— annua.
— glauca.
— manchurica.
— sacrorum.

Aster acris.

— alpinus.
— dumosus.
— eminens.
— fragilis.
— Linosyris.
— macrophyllus.
— multiflorus.
— paniculatus.
— præcox.
— puniceus.
— Shortii.
— simplex.
— yunanensis.

Bæria coronaria.

- Balsamita virgata.
 Bidens leucantha.
 Boltonia asteroides.
 Bupthalmum speciosum.
 Calendula officinalis.
 Callistephus hortensis.
 Centaurea Calcitrapa.
 — Cyanus.
 — heterophylla.
 — Lippii.
 — macrocephala.
 — montana.
 — muricata.
 — nigra.
 — pulchra.
 — ruthenica.
 — Scabiosa.
 — seridis.
 Charieis heterophylla.
 Chrysanthemum coronarium.
 — macrophyllum.
 — maximum.
 — Myconis.
 — Parthenium.
 — roseum.
 — segetum.
 Cichorium Endivia.
 — Intybus.
 Cnicus arachnoideus.
 — mouspessulanus.
 Coreopsis grandiflora.
 — tinctoria.
 — — atrosanguinea.
 Cosmos bipinnatus.
 Crepis rubra.
 Cynara Scolymus.
 Dahlia glabrata.
 Dimorphotheca pluvialis.
 Doronicum Pardalianches.
 Echinops bannaticus.
 — exaltatus.
 — horridus.
 — Ritro.
 — ruthenicus.
 — spinosus.
 Erigeron caucasicum.
 — Coulteri.
 — glabellus.
 — multiradiatus.
 — salsuginosus.
 — speciosus.
 — strigosus.
 Eupatorium ageratoides.
 — aromaticum.
 — cannabinum.
 — cordatum.
 — purpureum.
 — — album
 — sessilifolium.
 Grindelia integrifolia.
 — squarrosa.
 Helenium autumnale.
 — — pumilum.
 — — striatum.
 — Bigelovii.
 — Bolanderi.
 — grandicephalum.
 Helianthus annuus.
 — grosse serratus.
 — rigidus.
 Helichrysum bracteatum.
 Heliopsis laevis.
 — scabra, pitcheriana
 Hieracium albidum.
 — aurantiacum.
 — carpaticum.
 — compositum.
 — lycopsifolium.
 — maculatum.
 — tridentatum.
 — umbellatum.
 Inula dysenterica.
 — Helenium.
 — Hoopesii.
 — Oculus-Christi.
 — Royleana.
 — salicina.
 — saligna.
 — squarrosa.
 — thapsoides.
 Lactuca altissima.
 — Bourgatii

Lactuca Plumieri.

- *saligna.*
- *viminea.*
- *virosa.*

Layia elegans.

- *gaillarooides.*
- *platyglossa.*

Leptosyne Douglasii.

Lindheimera texana.

Matricaria maritima.

- *Tchihatschewii.*

Onopordon Acanthium.

- *tauricum.*

Rudbeckia amplexicaulis.

- *laciniata.*
- — *angustifolia.*
- *hirta.*
- *speciosa.*
- *sub-tomentosum.*

Santolina Chamaecyparissius.

Scorzonera hispanica.

Senecio clivorum.

- *coriaceus.*
- *Doria.*
- *macrophyllus.*
- *squalidus.*
- *suaveolens.*
- *tanguticus.*

Serratula coronata.

- *Gmelini.*
- *quinquefolia.*

Silphium perfoliatum.

Silybum marianum.

Solidago arguta.

- *canadensis.*
- *grandiflora.*
- *laevigata.*
- *lanceolata.*
- *multiflora.*
- *recurvata.*
- *virgata.*
- *Virgaurea.*
- — *cambrica.*

Sonchus palustris.

Tagetes erecta.

- *patula.*

Tagetes patula “Legion of Honour.”

- *signata.*

Tanacetum boreale.

- *vulgare.*

- — *crispum.*

Tridax trilobata.

Ursinia speciosa.

Vernonia noveboracensis.

Zinnia Haageana.

- *pauciflora.*
- *verticillata.*

Campanulaceæ.

Campanula betonicaefolia.

- *bononiensis.*
- *carpatica.*
- *lactiflora.*
- *lamiifolia.*
- *latifolia.*
- — *macrantha.*
- *Medium.*
- *persicifolia.*
- — *alba.*
- *rapunculoides.*
- *Rapunculus.*
- *rhomboidalis.*
- *Trachelium.*
- — *alba.*

Lobelia cardinalis.

- *siphilitica.*

Phyteuma canescens.

- *orbiculare.*
- *Scheuchzeri.*
- *spicatum.*

Platycodon grandiflorum.

Specularia falcata.

- *perfoliata.*

Symphyandra pendula.

Wahlenbergia lobelioides.

Plumbagineæ.

Acantholimon glumaceum.

Armeria cephalotes.

- *latifolia.*

Armeria longiaristata.
 — *maritima.*
 — — *alba.*
 — — *laucheana.*
 — *Welwitschii.*
Statice auriculæfolia.
 — *bellidifolia.*
 — *emarginata.*
 — *Gmelini.*
 — *latifolia.*
 — *Limonium.*
 — *Suworowii.*

Primulaceæ.

Anagallis arvensis.
 — *linifolia.*
Androsace elongata.
 — *filiformis.*
Lysimachia punctata.
 — *quadrifolia.*
 — *vulgaris.*
Primula Bulleyana.
 — *japonica vars.*

Asclepiadææ.

Asclepias syriaca.
Cynanchum acutum.
Vincetoxicum luteum.
 — *fuscatum.*
 — *officinale.*

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana amarella.
 — *asclepiadea.*
 — *brevidens.*
 — *gelida.*
 — *Kesselringii.*
 — *phlogifolia.*

Polemoniaceæ.

Collomia coccinea.
 — *linearis.*

Gilia androsacea.

— *californica.*
 — *capitata.*
 — *laciniata.*
 — *nivalis.*
 — *squarrosa.*
 — *tricolor.*
 — *virgata.*

Polemonium cœruleum.

— — *album.*
 — *filicium.*
 — *humile.*
 — *pauciflorum.*

Hydrophyllaceæ.

Phacælia Menziesii.
 — *tanacetifolia.*

Boragineæ.

Anchusa angustifolia.
 — *Barrelieri.*
 — *capensis.*
 — *italica.*
 — — *Dropmore, var*
 — *officinalis.*
 — *sempervirens.*
 — *tinctoria.*
Borago officinalis.
Cerinthe major.
 — *minor.*
 — *retorta.*

Cynoglossum furcatus.
 — *officinalis.*

Echium violaceum.
 — *vulgare.*

Symphytum asperrimum.
 — *officinale.*
 — — *bohemicum.*
 — — *purpureum.*

Convolvulaceæ.

Calystegia sepium.
 — *silvatica.*
Convolvulus pentapetaloides
 — *pseudo-siculus.*

Convolvulus siculus.
 — tricolor.
 — undulatus.
 Cuscuta Gronovii.
 Ipomœa hispida.
 — purpurea.

Orobanchaceæ.

Orobanche major.

Solanaceæ.

Atropa Belladonna.
 Browallia elata.
 Cestrum Parquii.
 Datura inermis.
 — lucida.
 — quercifolia.
 — Stramonium.
 — Tatula.
 Hyoscyamus albus.
 — niger.
 — — biennis.
 Nicandra physaloides.
 — violacea.
 Nicotiana alata.
 — paniculata.
 — Tabacum.
 — — atrosanguineum.
 Schizanthus pinnatus.
 Solanum Capsicastrum.
 — — Dulcamara.
 — — alba.
 — — nigrum.
 — — guineense.
 — — miniatum.

Scrophulariaceæ.

Antirrhinum majus.
 — — peloria.
 — Orontium.
 Shelone glabra.

Collinsia bicolor.
 — verna.

Digitalis ambigua.
 — grandiflora.
 — nervosa.
 — purpurea.

Linaria bipartita.
 — macedonica.
 — maroccana.
 — spartea.
 — triphylla.
 — tristis.
 — vulgaris.

Pentstemon diffusus.
 — hybridus.
 — lævigatus.
 — Murrayanus.

Rhinanthus Crus-galli.

Scrophularia alata.
 — nodosa.
 — sambucifolia.
 — Scopolii.

Tetranema mexicana.

Verbascum Lychnitis.
 — "Miss Willmott."
 — nigrum.
 — phlomoides.
 — phoeniceum.
 — pulverulentum.
 — Thapsus.

Veronica elatior.
 — exaltata.
 — foliosa.
 — hybrida.
 — orchidea.
 — paniculata.
 — persicifolia.
 — spicata.
 — spuria.
 — urticæfolia.
 — verticillata.

Acanthaceæ.

Crossandra undulaefolia.
 Peristrophe speciosa.

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — dentata.
 — tenuifolia.

Verbenaceæ.

- Clerodendron Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — stricta.

Labiataæ.

- Amethystea cœrulea.
 Ballota nigra ✓
 Calamintha albiflora.
 — officinalis.
 Dracocephalam Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrabit.
 Hyssopus officinalis.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Melissa officinalis.
 Mentha candicans ✓
 — crispa. ✓
 — pubescens.
 — rotundifolia. ✓
 Monarda punctata.
 Nepeta colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Phlomis agraria.
 — alpina.

- Phlomis fruticosa.
 — Russeliana.
 Physostegia imbricata.
 Prunella vulgaris.
 Salvia cleistogama.
 — glutinosa.
 — Horminum.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — sclarea.
 — sylvestris.
 — Verbenaca.
 — verticillata, mollis.
 — virgata.
 — — alba.

- Satureia hortensis.
 — montana.
 Scutellaria Columnæ.
 — peregrina.
 Stachys Betonica.
 — densiflora.
 — grandiflora.
 — Scardica.
 — sericea.
 Teucrium Botrys.
 — Chamædrys.
 — Scorodonia.

Plantagineæ.

- Plantago Coronopus.
 — lanceolata.
 — major.
 — — bracteata.
 — — vividiflora.
 — maritima.
 Psyllium.
 — ruberrima.

Nyctagineæ.

- Mirabilis divaricata.
 — Jalapa.
 — longiflora.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 — hirsuta.
 — incana.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — chlorostachys.
 — hypochondriacus.
 — polygonus.
 — retroflexus.
 — sanguineus.

Chenopodiaceæ.

Atriplex hortensis.
 — — lutea.
 — — rubra.
 — nitens.
 — sibirica.
 Beta brasiliensis.
 — Chilensis.
 — maritima.
 — patula.
 — trigyna.
 — vulgaris.

Chenopodium album.
 — Botrys.
 — ambrosioides.
 — anthelminticum.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 — Quinoa.

Corispermum hyssopifolium.
 Hablitzia tamnoides.
 Kochia scoparia.

Phytolaccaceæ.

Phytolacca acinosa.
 — esculenta.

Polygonaceæ.

Emex spinosa.
 Oxyria digyna.
 Polygonum amphibium.
 — Bistorta.
 — Fagopyrum.
 — Weyrichii.

Rheum caspicum.
 — colliniana.
 — compactum.
 — crassinervum.
 — Emodi.
 — hybridum.
 — Rhaponticum.
 — Ribes.
 — undulatum.

Rumex alpinus.
 — conglomeratus.
 — crispus.
 — Gmelini.
 — Hydrolapathum.
 — obtusifolius.
 — Patientia.
 — polygonifolius.
 — salicifolius.
 — sanguineus.

Aristolochiaceæ.

Aristolochia elegans.
 — timbrata.

Thymelacaceæ.

Lagetta lintearia.

Euphorbiaceæ.

Euphorbia Characias.
 — gerardiana.
 — heterophylla.
 — — minor.
 — Lagascae.
 — Lathyris.
 — pilosa.

Euphorbia segetalis.
 — verrucosa.
 Mercurialis annua.
 Ricinus communis.

Urticaceæ.

Cannabis sativa.
 Parietaria officinalis.
 Urtica piluifera.
 — — balearica.

Iridaceæ.

Aristea Ecklonis.
 Iris Bulleyana x Forrestii.
 — chrysographes.
 — fetidissima.
 — — aurea.
 — guldenstaedteana.
 — orientalis var.
 — Pseudacorus.
 — sibirica.
 — tenax.
 — versicolor.
 — — G. Walker
 Moraea iridioides.
 Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.
 Allium album.
 — alpinum.
 — angulosum.
 — — var.
 — Babingtoni.
 — carinatum.
 — fistulosum.
 — glaucum.
 — maritimum.
 — montanum.
 — narcissiflorum.
 — nutans.
 — paradoxum.
 — Porrum.
 — Schoenoprasum.
 — — sibiricum.

Allium senescens.
 — stellatum.
 — triquetrum.
 — Victorialis.
 — vineale.
 Anthericum Liliago.
 Asphodelus albus.
 — — racemosus.
 — fistulosus.
 — luteus.

Bowiea volubile.
 Brodiaea congesta.
 Bulbine annua.
 Camassia esculenta.
 Dracuana Godseffiana.
 Funkia coerulea.
 — Fortunei.
 — ovata.
 Galtonia candicans.
 Kniphofia Burchellii.
 — Northiæ.
 Lilium Martagon.
 — regale.
 Muscari comosum.
 Nothoscordon fragrans.
 — striatum.
 Ornithogalum umbellatum.
 Scilla autumnale.
 — campanulata.
 Streptopus racemosus.
 Veratrum album.
 — viride.
 Zygadenus elegans.

Commelinaceæ.

Commelina coelestris.
 Finantia fugax.
 Tradescantia virginica.

Juncaceæ.

Juncus compressus.
 — lamprocarpus.
 — maritimus.
 Luzula campestris.
 — nemorosa.

Luzula nivea.
 — *spadicea.*
 — *sylvatica.*

Aroideæ.

Anthurium Bakeri.
Richardia albo-maculata.

Alismaceæ.

Alisma Plantago.
 — *ranunculoides.*

Naidaceæ.

Triglochin maritimum.
 — *palustre.*

Cyperaceæ.

Carex aristata.
 — *baldensis.*
 — *Buchanani.*
 — *Davalliana.*
 — *depauperata.*
 — *divulsa.*
 — *flava.*
 — *muricata.*
 — *pendula.*
 — *remota.*
 — *Shortiana.*
 — *sylvatica.*
 — *tomentosa.*
Cladium Mariscus.
Cyperus natalensis.
Kyllingia monocephala.
Scirpus Holoschoenus.
 — *lacustris.*

Gramineæ

Agropyrum repens.
Agrostis alba.

Agrostis canina.
 — *nebulosa.*
 — *Steveni.*
 — *stolonifera.*
 — *vulgaris.*

Aira caryophyllea.
Alopecurus pratensis.
Anthoxanthum odoratum.
Apera Spica-venti.
Arrhenatherum avenaceum.
Avena sativa.
 — *sterilis.*

Brachypodium distachyum.
 — *pinnatum.*
 — *sylvaticum.*

Briza maxima.
Bromus breviaristatus.

— *ciliatus.*
 — *madritensis.*
 — *maximus.*
 — *mollis.*
 — *rubens.*
 — *secalinus.*
 — *unioloides.*

Calamagrostis arundinacea.
 — *epigeios.*

Cynosurus echinatus.
Dactylis glomerata.
Deschampsia cæspitosa.
 — *flexuosa.*

Diarrhena Americana.
Elymus arenarius.

Festuca duriuscula.
 — *elatior.*
 — *gigantea.*
 — *myuros.*
 — *ovina.*
 — *— vivipara.*
 — *pratensis.*
 — *rubra.*

Hordeum Ægiceras.
 — *bulbosum.*

| | |
|------------------------|--------------------------|
| Hordeum distichon. | Phalaris arundinacea. |
| — hexastichon. | — paradoxa. |
| — maritimum. | Phleum pratense. |
| Koeleria cristata. | Poa bulbosa. |
| — phleoides. | — Chaixii. |
| Lagurus ovatus. | — fertilis. |
| Lamarkia aurea. | — nemoralis. |
| Lolium temulentum. | Polypogon monspeliensis. |
| Melica altissima. | Secale cereale. |
| — uniflora. | — ciliata. |
| Milium effusum. | Setaria italica. |
| Molinia coerulea. | Sorghum vulgare. |
| Panicum clandestina. | Stipa Calamagrostis. |
| — Crus-galli. | Triticum Spelta. |
| — miliaceum. | — tricophorum. |
| — sanguinale. | Zea Mays. |
| Pennisetum longistyla. | |

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1927.

03241

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUE IN

HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1928.

APR 27 1929
GARDEN LIBRARY.

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

—
1928

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

Ranunculaceæ.

Aconitum ferox.

- *Fischeri.*
- *Fortunei.*
- *Lycotomum.*
- *Napellus.*
- *— albus.*
- *paniculatum.*

Actaea spicata.

Adonis autumnalis.

Anemone cylindrica.

Aquilegia alpina.

- *cærulea.*
- *canadensis.*
- *chrysantha.*
- *einseliana.*
- *formosa.*
- *glandulosa.*
- *Kitaibeli.*
- *olympica.*
- *pyrenaica.*
- *Skinneri.*

Caltha palustris.

- *polypetala.*

Cimicifuga foetida.

Clematis diversifolia.

- *recta.*

Delphinium Consolida.

- *dasyanthum.*
- *elatum.*
- *elegans.*
- *hybridum.*

Nigella arvensis.

- *cristata.*
- *damascena.*
- *Garidella.*

Nigella integrifolia.

- *sativa.*

Ranunculus acris.

- *— Steveni.*
- *arvensis.*
- *brutius.*
- *Cymbalaria.*
- *Lingua.*
- *multifidus.*
- *nemorosus.*
- *repens.*
- *serbicus.*
- *Sprunerianus.*

Thalictrum ambiguum.

- *angustifolium.*
- *aquilegifolium.*
- *calabrica.*
- *corynellum.*
- *foetidum.*
- *glaucescens.*
- *glaucum.*
- *minus, var. affine.*
- *— concinnum*
- *— adiantifolium*
- *— medium.*
- *squarrosum.*
- *tuberosum.*

Papaveraceæ.

Argemone mexicana.

- *ochroleuca.*

Chelidonium majus.

- *— laciniatus.*

Eschscholtzia californica.

Glaucium corniculatum.

- *flavum.*

Hypecoum procumbens.

Papaver apulum.

— *Argemone.*

— *commutatum.*

— *dubium.*

— *Hookeri.*

— *lateritum.*

— *orientale.*

— *pavoninum.*

— *Rhoeas.*

— — “*Shirley.*”

— *rupifragum.*

— *setigerum.*

— *somniferum.*

— — “*Danebrog.*”

Platystemon californicus.

Roemeria hybrida.

Cruciferæ.

Alyssum incanum.

— *maritimum.*

— — “*Little Dorrit.*”

Arabis albida.

— *hirsuta.*

Aubrietia erubescens.

Barbarea præcox.

— *vulgaris.*

Biscutella didyma.

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *campestris.*

— *chinensis.*

— *juncea.*

— *napus, var. oleifera.*

— *nigra.*

— *Schimperi.*

Bunias orientalis.

Camelina sativa.

Cheiranthus Allionii.

— *alpinus.*

— *Cheirii.*

Cochlearia anglica.

— *danica.*

— *officinalis.*

Conringia planisiliqua.

Crambe cordifolia.

Crambe hispanica.

Draba hirta.

— *incana.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *Marschallianum.*

— *Perofskianum.*

Farsetia clypeata.

Goldbachia laevigata.

Heliophila pilosa.

Hesperis matronalis.

Iberis saxatile.

— *sempervirens.*

— — *garrexiana.*

— *umbellata.*

Isatis glauca.

— — *collina.*

— *tinctoria.*

Lepidium Draba.

— *latifolium.*

— *sativum.*

Malcolmia græca.

Matthiola incana.

Melanosinapis abyssinica.

Myagrum perfoliatum.

Notoceras canariensis.

Raphanus caudatus.

— *sativus.*

— — *Gayanus.*

Senebiera Coronopus.

Sisymbrium austriacum.

— — *acutangulum.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

— *arvense.*

— *ceratocarpon.*

Resedaceæ.

Reseda alba.

— *Luteola.*

— *virgata.*

Cistaceæ*Helianthemum guttatum.***Violaceæ.***Viola gracilis* var.

- *Munbyana.*
- *rothamogensis.*
- *striata.*
- *tricolor.*
- — *nigra.*

Caryophyllaceæ.*Arenaria graminifolia.*

- *grandiflora.*
- *longifolia.*

*Cerastium perfoliatum.**Cucubalus baccifer.**Dianthus arenarius.*

- *Armeria.*
- *Arrostii.*
- *barbatus.*
- *caesius.*
- *calocephalus.*
- *carthusianorum.*
- *Caryophyllus.*
- *deltoides.*
- *limbriatus.*
- *fragrans.*
- *hungaricus.*
- *neglectus.*
- *plumarius.*
- *Segueri.*
- *silvestris.*
- *squarrosus.*
- *superbus.*

Gypsophila altissima.

- *elegans.*
- *paniculata.*
- *perfoliata.*

Lychnis alba.

- *chalcedonica.*
- *Cœli-rosa.*

Lychnis coronaria.

- *dioica.*
- *Flos-jovis.*
- *Githago.*
- *oculata.*
- *Viscaria.*

Saponaria cerastioides.

- *ocymoides.*
- *officinalis.*
- — *flore plena.*
- *Vaccaria.*

Silene antirrhina.

- *Armeria.*
- *Asterias.*
- *ciliata.*
- *conica.*
- *cretica.*
- *Cucubalus.*
- — *puberula.*
- *Drummondi.*
- *Friwaldskyana.*
- *gallica.*
- — *quinquevulnera.*
- *integripetala.*
- *italica.*
- *linicola.*
- *Muscipula.*
- *nutans.*
- *pendula.*
- *rubella.*
- *Saxifraga.*
- *Schafta.*
- *viridiflora.*
- *Zawadskii.*

*Spergula arvensis.**Stellaria graminea.**Tunica prolifer.***Portulacææ.***Calandrinia elegans.*

- *pilosiscula.*

Claytonia sibirica.

Hypericaceæ.*Hypericum Androsæmum.*

- *densiflorum.*
- *grandiflorum.*
- *hircinum.*
- *hirsutum.*
- *olympicum.*
- *perforatum.*
- *tetrapterum.*

Malvaceæ.*Althæa ficifolia*

- *kurdica.*
- *officinalis.*
- *pallida.*
- *rosea.*
- — *vars.*
- *taurinensis.*

Anoda hastata.

- *lavaterioides.*

*Hibiscus Trionum.**Kitaibelia vitifolia.**Lavatera assurgentiflora.*

- *cachemiriana.*
- *cretica.*
- *Olbia.*
- *thuringiaca.*

Malva crispa.

- *oxyloba.*
- *sylvestris.*
- — *alba.*
- *verticillata.*

*Malvastrum limense.**Palaua flexuosa.**Sidalcea malvæflora.*

- *spicata.*

Linaceæ.*Linum alpinum.*

- *angustifolium.*
- *austriacum.*
- *azureum.*
- *monodelphum.*
- *regale.*
- *usitatissimum.*
- — *album.*

Geraniaceæ.*Erodium Ciconium.*

- *Manescavi.*
- *romanum.*

Geranium aconitifolium.

- *affine.*
- *albiflorum.*
- *dissectum.*
- *eriosomon.*
- *ibericum.*
- *Lowii.*
- *maculatum.*
- *pratense.*
- — *alba.*
- *Robertianum.*
- *rivulare.*
- *sanguineum.*
- *sibiricum.*
- *silvaticum.*
- *striatum.*

*Impatiens parviflora.**Tropæolum majus.*

- *minus.*
- *peregrinum.*

Rutaceæ.*Dictamnus albus.**Ruta graveolens.*

- *macrophylla.*

Ochnaceæ.

- Ochna multiflora.
 — mozambiquense.

Rhamnaceæ.

- Rhamnus Frangula.

Leguminosæ.

- Astragalus alopecuroides.
 — chlorostachys.
 — Cicer.
 — Glyciphyllus.
 — pentaglottis.
 Baptisia australis.
 Colutea arborescens.
 — cruenta.
 Cytisus uralensis.
 Galega Hartlandi.
 — officinalis.
 — orientalis.
 Genista mantica.
 — sagittalis.
 Lathyrus Aphaca.
 — — sem-nigra.
 — latifolius.
 — — ensifolius.
 — maritimus.
 — montanus.
 — niger.
 — odoratus.
 — rotundifolius.
 — sylvestris.
 — tingitanus.
 Lens esculenta.

- Lotus ornithopodioides.

- Lupinus Douglasii.
 — elegans.
 — Hartwegii.
 — nootkatensis.
 — perennis.
 — polyphyllus.

- Medicago Echinus.

- falcata.
 — orbiculare.
 — sativa.

- Melilotus alba.

- gracile.
 — macrorhiza.
 — officinalis.

- Mimosa pudica.

- Ononis hircina.
 — rotundifolia.
 — spinosa.

- Ornithopus sativus.

- Orobus aurantiaca.
 — variegatus.

- Pisum arvense.
 — thebaicum.

- Psoralea macrostachys.

- Scorpiurus sub-villosa.
 — vermiculata.

- Spartium junceum.

- Trifolium Lupinaster.
 — pannonicum.
 — rubens.

- Trigonella cœrulea.

- cretica.
 — Fœnum-græcum.

- Vicia atropurpurea.

- dumetorum.
 — Ervilia.
 — Gerardi.
 — Nissoliana.

Rosaceæ.

- Acæna microphylla.*
 — *millefolia.*
 — *pinnatifida.*
Agrimonia Eupatoria.
 — *odorata.*
 — *parviflora.*
 — *pilosa.*
Alchemilla alpina.
 — *fissa.*
 — *hybrida.*
Cotoneaster frigida.
Crataegus Pyracantha.
Geum coccineum.
 — *hybridum.*
 — *intermedium.*
 — *japonicum.*
 — *macrophyllum.*
 — *pyrenaicum.*
 — *rivale.*
 — *triflorum.*
 — *urbanum.*
Potentilla argentea.
 — *argyrophylla.*
 — — *atrosanguinea.*
 — *canadensis.*
 — *chrysantha.*
 — *hirta.*
 — *Hookeriana.*
 — *Hopwoodiana.*
 — *Knappii.*
 — *multifida.*
 — *nepalensis.*
 — *nevadensis.*
 — *palustris.*
 — *pulcherrima.*
 — *tanacetifolia.*
Poterium carneum.
 — *decandrum.*
 — *praecox.*
 — *sinensis latifolia.*
Spiræa Aruncus.
 — *Ulmaria.*

Saxifragaceæ.

- Heuchera glabra.*
 — *ribifolia.*
 — *sanguinea alba.*
Saxifraga Cotyledon.
 — *decipiens.*
 — *Hostii.*
 — *hypnoides.*
 — *muscoides superba.*
 — *peltata.*
 — *trifurcata.*
Tellima grandiflora.
Tolmiea Menziesii.

Crassulaceæ.

- Sedum Ewersii.*
 — *hybridum.*
 — *Kamtschaticum.*
 — *Maximowiczii.*
 — *maximum.*
 — *Telephium.*
Sempervivum glaucum.
 — *patens.*
 — *triste.*

Lythraceæ.

- Lythrum Graefferi.*
 — *Salicaria.*
 — — *rosea.*
 — *tomentosum.*
 — *virgatum.*

Onagraceæ.

- Clarkia elegans.
 — pulehella.
 Epilobium angustifolium.
 — chilense.
 — hirsutum.
 — — album.
 — — viride.
 — nummularifolium.
 Eucaridium grandiflorum.
 Œnothera acaulis.
 — amoena.
 — biennis.
 — — grandiflora.
 — lepida.
 — macrantha.
 — missouriensis.
 — odorata.
 — Romanzowii.
 — rosea.
 — rubicunda.
 — serotina.
 — Whitneyi.
 — Wildenovei.

Loaseæ.

- Blumenbachia Hieronymi.
 Loasa triphylla.
 Mentzelia Lindleyi.

Cucurbitaceæ.

- Cucurbita Pepo aurantia.
 — — maxima.
 — — ovifera.
 — — pomiformis.
 — — pyriformis.
 — — striata.
 — — verrucosa.
 Ecballium Elaterium.

Datisceæ.

- Datisca cannabina.

Ficoideæ.

- Tetragonia crystallina.
 — expansa.

Umbelliferæ.

- Anthriscus cerefolium.
 — sylvestris.
 Archangelica officinalis.
 Astrantia Biebersteini.
 — carniolica.
 — helleborifolia.
 — major.
 Bupleurum fruticosum.
 Carum Carvi
 Chaerophyllum aureum.
 Daucus Carota.
 Eryngium amethystinum.
 — Bourgati.
 — campestre.
 — caucasicum.
 — planum.
 — — var. rosea.
 — Sanguisorba.
 — Wrightii.
 — yuccæfolium.

Ferula Ferulago.

- glauca.
 — tingitana.

Fœniculum capillaceum.

- vulgare.

Heracleum elegans.

- Mantegazianum x pubesceus.
 — persicum.
 — platytænum.
 — pubescens.
 — Sphondylium.
 — tauricum.
 — villosum.

Levisticum officinale.**Ligusticum pyrenaicum.****Molopospermum cicutarium.**

- pelopenessicum.

Myrrhis odorata.

Cœnanthe fistulosa.
 — *Lachenalii*.
 — *pimpinelloides*.
 — *silauifolia*.

Peucedanum officinale.
 — *sativum*.
 — *verticillare*.

Pimpinella magna.
Scandix brachycarpa.
Sesile glaucum.
Smyrnium Olusatrum.
 — *perfoliatum*.

Rubiaceæ.

Asperula tinctoria.
Crucianella chlorostachys.
Galium angustifolium.
 — *Aparine*.
 — *boreale*.
 — *erectum*.
 — *lanceolatum*.
 — *Mollugo*.
 — *sylvaticum*.

Rubia tinctoria.
Sherardia arvensis.

Valerianææ.

Centranthus ruber.
 — — *alba*.
Fedia Cornucopiæ.
Valeriana Phu.
 — *pyrenaica*.
 — *sambucifolia*.
Valerianella coronata.
 — *eriocarpa*.

Dipsacææ.

Cephalaria alpina.
 — *bannatica*.
 — *syriaca*.
 — *tatarica*.
Dipsacus Fullonum.
 — *laciniatus*.
 — *pirosus*.
Scabiosa arvensis.
 — *caucasica*.
 — *ochroleuca*.

Scabiosa prolifer.
 — *stellata*.
 — *sylvatica*.
 — — *alba*.

Compositæ.

Achillea Ageratum.
 — *filipendulina*.
 — *grandiflora*.
 — *Millefolium*.
 — — *rosea*.
 — *nobilis*.
 — *odorata*.
 — *Ptarmica*.
 — *pyrenaica*.
 — *serrata*.

Anacyclus Pyrethrum.

Anthemis arvensis.
 — *austriaca*.
 — *tinctoria*.

Arctium majus.

Arctotis calendulacea.

Artemisia Absinthium.
 — *annua*.
 — *glaucæ*.
 — *manchurica*.
 — *sacrorum*.

Aster acris.

— *alpinus*.
 — *dumosus*.
 — *eminens*.
 — *fragilis*.
 — *Linosyris*.
 — *Lipokyi*.
 — *macrophyllus*.
 — *paniculatus*.
 — *præcox*.
 — *puniceus*.
 — *Shortii*.
 — *simplex*.
 — *yunanensis*.

Bæria coronaria.

Balsamita virgata.

Bidens leucantha.

Boltonia asteroides.

Bupthalmum speciosum.

Calendula officinalis.

- Calendula stellata.*
Callistephus hortensis.
Centaurea Calcitrapa.
 — *Cyanus.*
 — *heterophylla.*
 — *Lippii.*
 — *macrocephala.*
 — *montana.*
 — *muricata.*
 — *nigra.*
 — *pulchra.*
 — *ruthenica.*
 — *Scabiosa.*
 — *seridis.*
Charieis heterophylla.
Chrysanthemum coronarium.
 — *macrophyllum.*
 — *maximum.*
 — *Myconis.*
 — *Parthenium.*
 — *roseum.*
 — *segetum.*
Cichorium Endivia.
 — *Intybus.*
Cnicus arachnoideus.
 — *mouspessulanus.*
Coreopsis grandiflora.
 — *lanceolata.*
 — *tinctoria.*
 — — *atrosanguinea.*
Cosmos bipinnatus.
Crepis rubra.
Cynara Scolymus.
Dahlia glabrata.
Dimorphotheca pluvialis.
Doronicum Pardalianches.
Echinops bannaticus.
 — *exaltatus.*
 — *horridus.*
 — *Ritro.*
 — *ruthenicus.*
 — *sphaerocephalus.*
 — *spinosus.*
Erigeron caucasicum.
 — *Coulteri.*
 — *glabellus.*
Erigeron multiradiatus.
 — *salsuginosus.*
 — *speciosus.*
 — *strigosus.*
Eupatorium ageratoides.
 — *aromaticum.*
 — *cannabinum.*
 — *cordatum.*
 — *purpureum.*
 — — *album*
 — *sessilifolium.*
Gaillardia aristata.
Grindelia integrifolia.
 — *inuloides.*
 — *squarrosa.*
Helenium autumnale.
 — — *pumilum.*
 — — *striatum.*
 — *Bigelovii.*
 — *Bolanderi.*
 — *grandicephalum.*
Helianthus annuus.
 — *grosse serratus.*
 — *rigidus.*
Helichrysum bracteatum.
Heliopsis lævis.
 — *scabra, pitcheriana*
Helipterum roseum.
Hieracium albidum.
 — *aurantiacum.*
 — *carpaticum.*
 — *compositum.*
 — *lycopsifolium.*
 — *maculatum.*
 — *tridentatum.*
 — *umbellatum.*
Inula dysenterica.
 — *glaudulosa.*
 — *Helenium.*
 — *Hoopesii.*
 — *Oculus-Christi.*
 — *Royleana.*
 — *salicina.*
 — *saligna.*
 — *squarrosa.*
 — *thapsoides.*

Lactuca altissima.

— *Bourgatii.*

— *Plumieri.*

— *saligna.*

— *viminea.*

— *virosa.*

Layia elegans.

— *gaillarooides.*

— *platyglossa.*

Leptosyne Douglasii.

Liatris spicata.

Lindheimera texana.

Matricaria maritima.

— *Tchihatschewii.*

Onopordon Acanthium.

— *tauricum.*

Rudbeckia amplexicaulis.

— *laciniata.*

— — *angustifolia.*

— *hirta.*

— *speciosa.*

— *sub-tomentosum.*

Santolina Chamaecyparissius.

Scorzonera hispanica.

Senecio adonidifolius.

— *clivorum.*

— *coriaceus.*

— *Doria.*

— *macrophyllus.*

— *squalidus.*

— *suaveolens.*

— *tanguticus.*

Serratula coronata.

— *Gmelini.*

— *quinquefolia.*

Silphium perfoliatum.

Silybum marianum.

Solidago arguta.

— *canadensis.*

— *grandiflora.*

— *lævigata.*

— *lanceolata.*

— *multiflora.*

— *recurvata.*

— *virgata.*

— *Virgaurea.*

— — *cambrica.*

Sonchus palustris.

Tagetes erecta.

— *patula.*

— — “Legion of Honour.”

— *signata.*

Tanacetum boreale.

— *vulgare.*

— — *crispum.*

Tridax trilobata.

Ursinia speciosa.

Vernonia noveboracensis.

Zinnia Haageana.

— *pauciflora.*

Campanulaceæ.

Campanula betonicaefolia.

— *bononiensis.*

— *carpatica.*

— *Grossekii.*

— *lactiflora.*

— *lamiifolia.*

— *latifolia.*

— — *macrantha.*

— *Medium.*

— *persicifolia.*

— — *alba.*

— *rapunculoides.*

— *Rapunculus.*

— *rhomboidalis.*

— *Trachelium.*

— — *alba.*

Lobelia cardinalis.

— *siphilitica.*

— — *alba.*

Phyteuma canescens.

— *orbiculare.*

— *Scheuchzeri.*

— *spicatum.*

Platycodon grandiflorum.

Specularia falcata.

— *perfoliata.*

Symphyandra pendula.

Wahlenbergia lobelioides.

Plumbaginæ.

Acantholimon glumaceum.

Armeria cephalotes.

— *latifolia.*

Armeria maritima.
 — — *alba*.
 — — *lauchiana*.
 — *Welwitschii*.

Statice auriculæfolia.
 — *bellidifolia*.
 — *emarginata*.
 — *Gmelini*.
 — *latifolia*.
 — *Limonium*.
 — *Suworowii*.

Primulaceæ.

Anagallis arvensis.
 — *linifolia*.
Androsace elongata.
 — *filiformis*.
Lysimachia punctata.
 — *quadrifolia*.
 — *vulgaris*.
Primula Bulleyana.
 — *japonica* vars.

Asclepiadeæ.

Asclepias syriaca.
Cynanchum acutum.
Vincetoxicum luteum.
 — *fuscatum*.
 — *officinale*.

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana asclepiadea.
 — *brevidens*.
 — *gelida*.
 — *Kesselringii*.
 — *phlogifolia*.
 — *prostrata*.

Polemoniaceæ.

Collomia linearis.
Gilia abrotanifolia.

Gilia androsacea.
 — *californica*.
 — *capitata*.
 — *laciniata*.
 — *nivalis*.
 — *squarrosa*.
 — *tricolor*.
 — *virgata*.
Polemonium cœruleum.
 — — *album*.
 — *filicium*.
 — *humile*.
 — *pauciflorum*.

Hydrophyllaceæ.

Phacelia Menziesii.
 — *tanacetifolia*.

Boragineæ.

Anchusa angustifolia.
 — *Barrelieri*.
 — *capensis*.
 — *italica*.
 — *officinalis*.
 — *sempervirens*.
 — *tinctoria*.
Borago laxiflora.
 — *officinalis*.
Cerinthe major.
 — *minor*.
 — *retorta*.
Cynoglossum furcatus.
 — *officinalis*.
Echium vulgare.
Symphytum asperrimum.
 — *officinale*.
 — — *bohemicum*.
 — — *purpureum*.

Convolvulaceæ.

Calystegia sepium.
 — *silvatica*.
Convolvulus pentapetaloides.
 — *pseudo-siculus*.

Convolvulus sículus.
 — tricolor.
 — undulatus.

Cuscuta Gronovii.

Ipomœa hispida.
 — purpurea.

Orobanchaceæ.

Orobanche major.

Solanaceæ.

Atropa Belladonna.

Browallia elata.

Cestrum Parquii.

Datura inermis.

— quercifolia.
 — Stramonium.
 — Tatula.

Hyoscyamus albus.

— niger.
 — — biennis.

Nicandra physaloides.

— violacea.

Nicotiana alata.

— paniculata.
 — Tabacum.
 — — atrosanguineum.

Schizanthus pinnatus.

Solanum Capsicastrum.

— Dulcamara.
 — — alba.
 — nigrum.
 — — guineense.
 — — miniatum.

Scrophulariaceæ.

Antirrhinum majus.

— — peloria.
 — Orontium.

Chelone glabra.

Collinsia bicolor.

— verna.

Digitalis ambigua.

— grandiflora.

— nervosa.

— purpurea.

Linaria bipartita.

— macedonica.

— maroccana.

— spartea.

— triphylla.

— tristis.

— vulgaris.

Pentstemon diffusus.

— glaucus.

— hybridus.

— lævigatus.

— Murrayanus.

Scrophularia alata.

— nodosa.

— sambucifolia.

— Scopolii.

Tetranema mexicana.

Verbascum Lychnitis.

— — "Miss Willmott."

— nigrum.

— phlomoides.

— phoeniceum.

— pulverulentum.

— Thapsus.

Veronica elatior.

— exaltata.

— foliosa.

— hybrida.

— orchidea.

— paniculata.

— persicifolia.

— spicata.

— spuria.

— urticæfolia.

— verticillata.

Gesneraceæ.

Streptocarpus grandis.

Acanthaceæ.

Crossandra undulaefolia.

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — dentata.
 — tenuifolia.

Verbenaceæ.

- Clerodendron fallax.
 — Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — stricta.

Labiataæ.

- Amethystea coerulea.
 Ballota nigra.
 Calamintha albiflora.
 — officinalis.
 Dracocephalum Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrodit.
 Hyssopus officinalis.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Mentha candicans.
 — crispa.
 — pubescens.
 — rotundifolia.
 Monarda punctata.
 Nepeta colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Phlomis agraria.
 — alpina.

Phlomis fruticosa.

— Russeliana.

Physostegia imbricata.

Prunella vulgaris.

Salvia cleistogama.

— glutinosa.

— Horminum.

— officinalis.

— pratensis.

— Przewalskii.

— regeliana.

— sclarea.

— sylvestris.

— Verbenaca.

— verticillata, mollis.

— virgata.

— — alba.

Satureia hortensis.

— montana.

Scutellaria Columnæ.

— peregrina.

Stachys Betonica.

— densiflora.

— grandiflora.

— Scardica.

— sericea.

Teucrium Chamædrys.

— Scorodonia.

Plantagineæ.

Plantago Coronopus.

— lanceolata.

— major.

— — bracteata.

— — vividiflora.

— maritima.

Psyllium.

— ruberrima.

Nyctagineæ.

Mirabilis divaricata.

— Jalapa.

— longiflora.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 — — incana.
 Illecebrum verticillatum.
 Paronychia argentea.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — — luteus.
 — chlorostachys.
 — hypochondriacus.
 — polygonoides.
 — retroflexus.
 — sanguineus.

Chenopodiaceæ.

Atriplex hortensis.
 — — lutea.
 — — rubra.
 — nitens.
 — sibirica.
 Beta brasiliensis.
 — Chilensis.
 — maritima.
 — patula.
 — trigyna.
 Chenopodium album.
 — Botrys.
 — ambrosioides.
 — anthelminticum.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 — Quinoa.
 Corispermum hyssopifolium.
 Hablitzia tamnoides.
 Kochia scoparia.
 — — tricophila.

Phytolaccaceæ.

Phytolacca acinosa.
 — esculenta.

Polygonaceæ.

Emex spinosa.
 Oxyria digyna.
 Polygonum amphibium.
 — Bistorta.
 — Fagopyrum.
 — Persicaria.
 — Weyrichii.

Rheum caspicum.
 — colliniana.
 — compactum.
 — crassinervum.
 — Emodi.
 — hybridum.
 — Rhaponticum.
 — Ribes.
 — undulatum.

Rumex alpinus.
 — conglomeratus.
 — crispus.
 — Gmelini.
 — Hydrolapathum.
 — obtusifolius.
 — Patientia.
 — polygonifolius.
 — salicifolius.
 — sanguineus.

Aristolochiaceæ.

Aristolochia elegans.
 — fimbriata.

Thymelacaceæ.

Lagetta lintearia.

Euphorbiaceæ.

Euphorbia Characias.
 — falcata.
 — gerardiana.
 — heterophylla.
 — — minor.
 — Lagascae.
 — Lathyris.
 — pilosa.

Mercurialis annua.
Ricinus communis.

Urticaceæ.

Cannabis sativa.
Parietaria officinalis.
Urtica piluifera.
— — balearica.

Iridaceæ.

Aristea Ecklonis.
Iris Bulleyana x Forrestii.
— chrysographes.
— foetidissima.
— — aurea.
— halophila.
— orientalis var.
— Pseudacorus.
— sibirica.
— tenax.
— versicolor.
— — G. Walker
Moraea iridioides.
Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.
Allium album.
— alpinum.
— angulosum.
— — var.
— Babingtoni.
— carinatum.
— Cepa.
— fistulosum.
— glaucum.
— maritimum.
— montanum.
— narcissiflorum.
— nutans.
— paradoxum.
— Porrum.
— sativum.
— Schoenoprasum.
— — sibiricum.
— Scorodoprasum.

Allium senescens.

— stellatum.
— triquetrum.
— Victorialis.
— vineale.

Anthericum Liliago.

Asphodelus albus.

— — racemosus.
— fistulosus.
— luteus.

Bowiea volubile.

Brodiaea congesta.

Bulbine annua.

Camassia esculenta.

Funkia coerulea.

— Fortunei.

— ovata.

Galtonia candicans.

Kniphofia Burchellii.

— Northiæ.

Lilium Martagon.

— regale.

Muscari comosum.

Nothoscordon fragrans.

— striatum.

Ornithogalum umbellatum.

Scilla autumnale.

— campanulata.

Streptopus racemosus.

Veratrum album.

— viride.

Zygadenus elegans.

Commelinaceæ.

Commelina cœlestris.

Tinantia fugax.

Tradescantia virginica.

Juncaceæ.

Juncus compressus.

— effusus.

— — conglomeratus.

— lamprocarpus

— maritimus.

Luzula campestris.

— lutea.

— nemorosa.

Luzula nivea.
 — *spadicea*.
 — *sylvatica*.

Aroideæ.

Anthurium Bakeri.
Richardia albo-maculata.

Alismaceæ.

Alisma Plantago.
 — *ranunculoides*.

Naidaceæ.

Triglochin maritimum.
 — *palustre*.

Cyperaceæ.

Carex aristata.
 — *atrata*.
 — *baldensis*.
 — *Buchanani*.
 — *Davalliana*.
 — *depauperata*.
 — *divulsa*.
 — *flava*.
 — *muricata*.
 — *pendula*.
 — *pulicaria*.
 — *remota*.
 — *Shortiana*.
 — *sylvatica*.
 — *tomentosa*.
Cladium Mariscus.
Cyperus natalensis.
Kyllingia monocephala.
Scirpus Holoschoenus.
 — *lacustris*.

Gramineæ

Agropyrum repens.
Agrostis alba.

Agrostis canina.
 — *Steveni*.
 — *stolonifera*.
 — *vulgaris*.

Aira caryophyllea.

Alopecurus pratensis.

Anthoxanthum odoratum.

Apera Spica-venti.

Arrhenatherum avenaceum.

Avena sativa.

— *sterilis*.

Brachypodium distachyum.

— *pinnatum*.

— *sylvaticum*.

Briza maxima.

— *minor*.

Bromus breviaristatus.

— *ciliatus*.

— *madritensis*.

— *maximus*.

— *mollis*.

— *rubens*.

— *secalinus*.

— *unioloides*.

Calamagrostis arundinacea.

— *epigeios*.

Cynosurus echinatus.

Dactylis glomerata.

Deschampsia cæspitosa.

— *flexuosa*.

Diarrhena Americana.

Elymus arenarius.

Festuca duriuscula.

— *elatior*.

— *gigantea*.

— *myuros*.

— *ovina*.

— — *vivipara*.

— *pratensis*.

— *rubra*.

Hordeum Ægiceras.

— *bulbosum*.

| | |
|------------------------|--------------------------|
| Hordeum distichon. | Phalaris paradoxa. |
| — hexastichon. | Phleum pratense. |
| — maritimum. | Poa bulbosa. |
| Koeleria cristata. | — Chaixii. |
| — phleoides. | — fertilis. |
| Lamarkia aurea. | — nemoralis. |
| Lolium temulentum. | Polypogon monspeliensis. |
| Melica altissima. | Psamma arenaria. |
| — uniflora. | Secale cereale. |
| Milium effusum. | — ciliata. |
| Molinia coerulea. | Setaria italica. |
| Panicum clandestina. | Sorghum vulgare. |
| — Crus-galli. | Stipa Calamagrostis. |
| — miliaceum. | Triticum Spelta. |
| — sanguinale. | — tricophorum. |
| Pennisetum longistyla. | Zea Mays. |
| Phalaris arundinacea. | |

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1928.

Missouri Botanical Garden
2315 Tower Grove Ave.
St. Louis, Mo., U.S.A.


CHELSEA

PHYSIC GARDEN.

INDEX SEMINUM
QUÆ IN
HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

—
1934.



2.05

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

1934

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

| Ranunculaceæ. | | Nigella arvensis. | |
|-------------------------|--|-----------------------|--|
| Aconitum ferox. | | — cristata. | |
| — Lycoctonum. | | — damascena. | |
| — Napellus. | | — diversifolia. | |
| — — albus. | | — Garidella. | |
| — paniculatum. | | — hispanica. | |
| — volubile. | | — integrifolia. | |
| | | — orientalis. | |
| Actaea spicata. | | Ranunculus acris. | |
| — — rubra. | | — — Steveni. | |
| Adonis autumnalis. | | — arvensis. | |
| | | — — tuberculatus. | |
| Aquilegia alpina. | | — brutius. | |
| — formosa. | | — Cymbalaria. | |
| — glandulosa. | | — multifidus. | |
| — Kitaibeli. | | — nemorosus. | |
| — nigricans. | | — repens. | |
| — pyrenaica. | | — serbicus. | |
| Caltha palustris. | | — Sprunerianus. | |
| — polypetala | | Thalictrum ambiguum. | |
| Cimicifuga foetidum. | | — angustifolium. | |
| — racemosus | | — aquilegifolium. | |
| | | — calabrica. | |
| Clematis crispa. | | — corynellum. | |
| — recta. | | — elatum. | |
| Delphinium Brunonianum. | | — foetidum. | |
| — cashmerianum. | | — glaucescens. | |
| — Consolida. | | — minus, var. affine. | |
| — dasyanthum. | | — — concinnum. | |
| — elatum. | | — — medium. | |
| — elegans. | | — squarrosum. | |
| — formosum. | | | |
| — grandiflorum. | | | |
| — hybridum. | | | |
| — Maackianum. | | | |
| — Przewalski. | | | |
| — Pylzowi. | | | |
| — Requinii. | | | |
| | | Papaveraceæ. | |
| | | Argemone Barclayana. | |
| | | — mexicana. | |
| | | — ochroleuca. | |
| | | Chelidonium majus. | |
| | | — — laciniatus. | |

Eschscholtzia caespitosa.

Eschscholtzia californica.

Fumaria officinalis.

Glaucium flavum.

Hypecoum procumbens.

Papaver apulum.

— *Argemone.*

— *commutatum.*

— *dubium.*

— *Hookeri.*

— *lateritum.*

— *Lecoquii.*

— *orientale.*

— *pavoninum.*

— *Rhoeas.*

— *rupifragum.*

— *schinzianum.*

— *setigerum.*

— *somniferum.*

Podophyllum Emodii.

Cruciferae.

Alyssum incanum.

— *maritimum.*

— — "Little Dorrit."

Arabis albida.

Barbarea præcox.

— *verna.*

— *vulgaris.*

Biscutella auriculata.

— *didyma.*

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *campestris.*

— *chinensis.*

— *juncea.*

— *napus*, var. *oleifera.*

— *nigra.*

— *Schimperi.*

— *Sinapistrum.*

Bunias orientalis.

Camelina sativa.

Cheiranthus Allionii.

— *alpinus.*

— *Cheirii.*

Cochlearia anglica.

— *danica.*

— *officinalis.*

Conringia planisiliqua.

Crambe cordifolia.

— *hispanica.*

— *maritima.*

Draba hirta.

— *incana.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *Perofskianum.*

Goldbachia laevigata.

Hesperis matronalis.

Iberis sempervirens.

— — *garrexiana.*

— *umbellata.*

Isatis boissieriana.

— *glauca.*

— — *collina.*

— *tinctoria.*

Lepidium Draba.

— *latifolium.*

— *sativum.*

— *Smithii.*

Malcolmia græca.

— *maritima.*

Matthiola annua.

— *incana.*

Melanosinapis abyssinica.

Myagrum perfoliatum.

Neslia paniculata.

Raphanus caudatus.

— *sativus.*

— — *Gayanus.*

Senebiera Coronopus.

Sisymbrium austriacum.

— — *acutangulum*

— *nasturtiifolium.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

— *arvense.*

— *ceratocarpon.*

Resedaceæ.*Reseda alba.*

- *lutea.*
- *Luteola.*
- *odorata.*
- *virgata.*

Cistaceæ*Helianthemum guttatum.***Violaceæ.***Viola riviniana.*

- *tricolor.*
- — *nigra.*

Caryophyllaceæ.*Arenaria graminifolia.*

- *grandiflora.*
- *longifolia.*

Cerastium perfoliatum.

- *tomentosum.*

*Cucubalus baccifer.**Dianthus arenarius.*

- *Armeria.*
- *Arrostii.*
- *barbatus.*
- *calocephalus.*
- *delicatus.*
- *deltoides.*
- *fimbriatus.*
- *fragrans.*
- *neglectus.*
- *plumarius.*
- *Segueri.*
- *squarrosus.*
- *superbus.*
- — *Hoeltzeri.*
- *Gypsophila altissima.*

Gypsophila elegans.

- *paniculata.*
- *perfoliata.*

Lychnis alba.

- *Cœli-rosea.*
- *coronaria.*
- *dioica.*

Lychnis Flos-jovis.

- *Githago.*
- *oculata.*
- *Viscaria.*

*Sagina pilifera.**Saponaria cerastioides.*

- *ocymoides.*
- *officinalis.*
- — *flore plena.*
- *Vaccaria.*

Silene antirrhina.

- *Armeria.*
- *ciliata.*
- *conica.*
- *cretica.*
- *Cucubalus.*
- — *puberula.*
- *Drummondi.*
- *gallica.*
- — *quinquevulnera.*
- *integripetala.*
- *italica.*
- *linicola.*
- *maritima.*
- *Muscipula.*
- *noctiflora.*
- *nocturna.*
- *nutans.*
- *pendula.*
- *rubella.*
- *Saxifraga.*
- *Schafta.*
- *viridiflora.*
- *Zawadskii.*

*Spergula arvensis.**Stellaria graminea.**Tunica prolifer.*

- *Saxifraga.*

Portulacææ.

- Calandrinia elegans.
 — grandiflora.
 — pilosiscula.

Hypericaceæ.

- Hypericum Androsæmum.
 — densiflorum.
 — hircinum.
 — hirsutum.
 — hookerianum.
 — montanum.
 — olympicum.
 — perforatum.
 — quadraugulum.
 — tetrapterum.

Malvaceæ.

- Althæa ficifolia.
 — kurdica.
 — officinalis.
 — rosea.
 — — vars.
 — taurinensis.
 Anoda hastata.
 — lavaterioides.
 — Wrightii.
 Gossypium herbaceum.
 Hibiscus Trionum.
 Kitaibelia vitifolia.
 Lavatera arborea.
 — assurgentiflora.
 — cachemiriana.
 — cretica.
 — thuringiaca.
 Malachra capitata.

- Malva crispa.
 — moschata.
 — oxyloba.
 — sylvestris.
 — — alba.
 — Tournefortii.
 — verticillata.

Malvastrum limense.

Modiola multifida.

Palaua flexuosa.

- Sidalcea malvæflora.
 — spicata.

Geraniaceæ.

- Erodium amanum.
 — Manescavi.
 — moschatum.
 Geranium aconitifolium.
 — affine.
 — albiflorum.
 — eriostemon.
 — ibericum.
 — nepalensis.
 — pratense.
 — — alba.
 — Robertianum.
 — rivulare.
 — sanguineum.
 — sibiricum.
 — silvaticum.
 — striatum.

Impatiens Roylei.

Oxalis Valdiviana.

- Tropæolum aduncum.
 — majus.

Ochnaceæ.

- Ochna multiflora.
 — mozambiquense.

Rhamnaceæ.

- Rhamnus Frangula.

Leguminosæ.

- Anthyllis Vulneraria.
 — — var. Dilleni.
 Astragalus chlorostachys.
 — Cicer.
 — Glyciphyllus.
 — leontinus.
 — pentaglottis.
 Colutea arborescens.
 — cruenta.
 Desmodium canadense.
 Dorycnium hirsutum.
 Galega Hartlandi.
 — officinalis.
 — orientalis.
 Genista sagittalis.
 — Aethnensis.
 Hedysarum coronarium.
 — splendens.
 Lathyrus Aphaca.
 — — sem-nigra.
 — latifolius.
 — maritimus.
 — montanus.
 — niger.
 — odoratus.
 — rosens.
 — sylvestris.
 — tingitanus.
 Lens esculenta.

- Lupinus Douglasii.

- Hartwegii.
 — nootkatensis.
 — perennis.
 — polyphyllus.

- Medicago Echinus.

- falcata.
 — Murex.
 — orbiculare.
 — sativa.
 — turbinata.

- Melilotus macrorhiza.

- officinalis.

- Mimosa pudica.

- Ononis rotundifolia.

- Ornithopus sativus.

- Orobus aurantiaca.

- variegatus.

- Phaseolus vulgaris.

- Pisum Jomardi.

- sativum var unbellatum.
 — thebaicum.

- Psoralea macrostachys.

- Scorpiurus muricatus.

- sub-villosa.
 — sulcata.
 — vermiculata.

- Spartium junceum.

- Trifolium ochroleucum.

- fragiferum.
 — rubens.

- Trigonella cœrulea.

- cretica.
 — Fœnum-græcum

- Vicia dumetorum.

- Ervilia.

Rosaceæ.*Acæna microphylla.**Agrimonia Eupatoria.*— *odorata.*— *parviflora.*— *pilosa.**Alchemilla alpina.*— *fissa.*— *hybrida.**Cotoneaster frigida.**Cratægus Pyracantha.**Geum coccineum.*— *intermedium.*— *macrophyllum.*— *pyrenaicum.*— *rivale.*— *tirolense.*— *triflorum.*— *urbanum.**Potentilla argyrophylla.*— — *atrosanguinea.*— *canadensis.*— *chrysantha.*— *fragaroides.*— *fruticosa.*— *hirta.*— *Hookeriana.*— *Hopwoodiana.*— *Knappii.*— *multifida.*— *nevadensis.*— *palustris.*— *pulcherrima.*— *russeliana.*— *tanacetifolia.**Poterium decandrum.*— *praecox.*— *sinensis latifolia.**Pyrus intermedia.**Rubus cæsius.**Spiræa Aruncus.*— *Filipendula.*— *Ulmaria.***Saxifragaceæ.***Francoa sonchifolia.**Heuchera glabra.*— *gracillima.*— *parviflora.*— *ribifolia.*— *sanguinea.**Rodgersia æsculifolia.**Tellima grandiflora.***Crassulaceæ.***Sedum hybridum.*— *Maximowiczii.*— *maximum.***Lythraceæ.**/ *Lythrum Graefferi.*— *Salicaria.*— — *rosea.*/ — *tomentosum.*/ — *virgatum.***Onagraceæ.***Clarkia elegans.**Epilobium angustifolium.*— *chilense.*— *hirsutum.*— — *album.*— — *viride.*

Eucaridium grandiflorum.

Gaura parviflora.

Œnothera acaulis.

— *amoena.*

— *biennis.*

— — *gigas.*

— — *grandiflora.*

— *Clutei.*

— *lamarekiana.*

— *lepida.*

— *macrantha.*

— *missouriensis.*

— *oakesiana.*

— *odorata.*

— *Romanzowii.*

— *rubicunda.*

— *serotina.*

— *Wildenovei.*

Loaseæ.

Blumenbachia Hieronymi.

Loasa triphylla.

Mentzelia Lindleyi.

Cucurbitaceæ.

Bryonia dioica.

Cucumis myriocarpus.

Cucurbita Pepo.

— — *aurantia.*

— — *ficifolia.*

— — *ovifera.*

Ecballium Elaterium.

Datisceæ.

Datisca cannabina.

Ficoideæ.

Tetragonia crystallina.

— *echinata.*

— *expansa.*

Umbelliferæ

Angelica heterocarpa.

Anthriscus cerefolium.

— *sylvestris.*

Archangelica officinalis.

Astrantia Biebersteini.

— *carniolica.*

— *helleborifolia.*

— *major.*

Bupleurum rotundifolium.

Bowlesia tenera.

Carum Carvi.

Chaerophyllum aureum.

Conium maculatum.

Daucus Carota.

— *Gingidium.*

Eryngium Bourgati.

— *campestre.*

— *caucasicum.*

— *cœruleum.*

— *giganteum.*

— *planum.*

— — *var. rosea.*

— *Sanguisorba.*

— *serra.*

— *yuccæfolium.*

Ferula Ferulago.

— *glauca.*

— *Narthex.*

— *tingitana.*

Fœniculum capillaceum.

— *vulgare.*

Heracleum flavescens.

— *Mantegazianum* x
pubesceus.

— *persicum.*

— *platytænum.*

— *pubescens.*

— *Sphondylium.*

— *villosum.*

Levisticum officinale.

Ligusticum pyrenaicum.

Molopospermum cicutarium.

— *pelopenessicum.*

Myrrhis odorata.

Œnanthe Crocata.

— *fistulosa.*

— *Lachenalii.*

— *pimpinelloides.*

— *silauifolia.*

*Pimpinella magna.**Scandix brachycarpa.**Sesile glaucum.**Smyrnium Olusatrum.*— *perfoliatum.**Thapsium aureum.***Rubiaceæ.***Asperula azurea* var. *setosa.*— *humifusa.*— *tinctoria.**Crucianella chlorostachys.**Galium Aparine.*— *erectum.*— *Mollugo.*— *parisiense.*— *saccharatum.**Rubia tinctoria.**Sherardia arvensis.***Valerianææ.***Centranthus calcitrapa.*— *macrosiphon.*— *ruber.*— — *alba.**Fedia Cornucopiæ.**Valeriana Phu.*— *officinalis.*— *sambucifolia.**Valerianella coronata.*— *dentata.*— *eriocarpa.***Dipsacææ.***Cephalaria alpina.*— *bannatica.*— *syriaca.*— *tatarica.**Dipsacus ferox.*— *Fullonum.*— *laciniatus.*— *pilosus.*— *sylvestris.**Scabiosa arvensis.*— *caucasica.*— *prolifer.*— *stellata.*— *sylvatica.*— — *alba.***Compositæ.***Achillea filipendulina.*— *grandiflora.*— *Millefolium.*— — *rosea.*— *odorata.*— *Ptarmica.*— *pyrenaica.*— *serrata.**Ageratum mexicanum.**Anacyclus Pyrethrum.**Anthemis arvensis.*— *austriaca*— *Cotula.*— *tinctoria.**Arctium majus.**Arctotis calendulacea.**Artemisia Absinthium.*— *annua.*— *Dracunculus.*— *sacrorum.**Aster abbreviatus.*— *acris.*— *Amellus.*— *corymbosus.*— *dumosus.*— *Farreri.*— *Henryii.*— *linifolius.*— *Lipskyi.*— *macrophyllus.*— *præcox.*— *puniceus.*— *pyrenaicus.*— *Shortii.*— *subcœruleus.*— *yunanensis.**Bæria coronaria.**Balsamita virgata.**Bidens grandiflora.*— *leucantha.*— *sulphurea.**Boltonia incisa.**Bupthalmum speciosum.**Calendula officinalis.*— *stellata.**Callistephus hortensis.*

- | | |
|--------------------------|-------------------------|
| Carbenia Benedicta. | Eupatorium aromaticum. |
| Carthamnus tinctorius. | — cannabinum. |
| Catananche coerulea. | — cordatum. |
| — lutea. | — purpureum. |
| Centaurea Calcitrapa. | — — album |
| — Cyanus. | — sessilifolium. |
| — heterophylla. | Gaillardia aristata. |
| — Lippii. | — grandiflora. |
| — macrocephala. | — lanceolata. |
| — montana. | — maxima. |
| — muricata. | — pieta. |
| — nigra. | — — var. lorenziana. |
| — pulchra. | Grindelia inuloides. |
| — sulphurea. | — integrifolia. |
| Charieis heterophylla. | — robusta. |
| Chrysanthemum Balsamita. | — squarrosa. |
| — coronarium. | Helenium autumnale. |
| — macrophyllum. | — — pumilum. |
| — maximum. | — Bigelovii. |
| — Myconis. | — Bolanderi. |
| — Parthenium. | — grandicephalum. |
| — roseum. | Helianthus annuus. |
| — segetum. | — rigidus. |
| Cichorium Intybus. | Helichrysum bracteatum. |
| Coreopsis grandiflora. | Heliopsis lævis. |
| — tinctoria. | — scabra, pitcheriana. |
| — — atrosanguinea. | Helipterum Manglesii. |
| Cosmos bipinnatus. | — roseum. |
| Crepis biennis. | Hieracium albidum. |
| — rubra. | — aurantiacum. |
| Cynara Scolymus. | — carpaticum. |
| Dimorphotheca pluvialis. | — compositum. |
| Doronicum Pardalianches. | — lycopsifolium. |
| Echinops bannaticus. | — maculatum. |
| — exaltatus. | — tridentatum. |
| — horridus. | — umbellatum. |
| — Ritro. | Inula brittanica. |
| — ruthenicus. | — dysenterica. |
| — sphærocephalus. | — glaudulosa. |
| — spinosus. | — Helenium. |
| Erigeron Coulteri. | — Hookeri. |
| — glabellus. | — Hoopesii. |
| — multiradiatus. | — Oculus-Christi. |
| — salsuginosus. | — salicina. |
| — speciosus. | — saligna. |
| — strigosus. | — squarrosa. |

Lactuca altissima.
 — *Bourgatei*.
 — *peremis*.
 — *saligna*.
 — *Scariola*.
 — *tenerrima*.
 — *viminea*.
 — *virosa*.
Layia elegans.
 — *gaillaroiioides*.
 — *platyglossa*.
Leptosyne Douglasii.
 — *maritima*.
Lindheimera texana.
Madia Sativa.
Matricaria discoidea.
 — *maritima*.
M. Chamomilla.
 — *inodora*.
Onopordon Acanthium.
 — *tauricum*.
Rudbeckia amplexicaulis.
 — *flava*.
 — *laciniata*.
 — *speciosa*.
 — *sub-tomentosum*.
Santolina Chamaecyparissius.
 — *pinuata*.
Sanvittalia procumbens.
Scorzonera hispanica.
Senecio clivorum.
 — *coriaceus*.
 — *Doria*.
 — *macrophyllus*.
 — *sagittata*.
 — *suaveolens*.
 — *tanguticus*.
Serratula coronata.
 — *Gmelini*.
 — *quinquefolia*.
Silphium asteriscus.
 — *perfoliatum*.
Silybum marianum.
Solidago arguta.
 — *canadensis*.
 — *multiflora*.

Solidago virgata.
 — *Virgaurea*.
Sonchus palustris.
Tagetes erecta.
 — *patula*.
 — — “Legion of Honour.”
 — *signata*.
Tanacetum boreale.
 — *vulgare*.
 — — *crispum*.
Tragopogon major.
 — *porrifolius*.
 — *pratensis*.
 — *villosus*.
Tridax trilobata.
Ursinia anthemoides.
 — *pulchra*.
 — *speciosa*.
Vernonia noveboracensis.
Xeranthemum annuum.
Zinnia Haageana.
 — *multiflora*.
 — *pauciflora*.
 — *verticillata*.

Campanulaceæ.

Campanula betonicaefolia.
 — *bononiensis*.
 — *carpatica*.
 — *Grosseckii*.
 — *lactiflora*.
 — *latifolia*.
 — — *macrantha*.
 — *Medium*.
 — *persicifolia*.
 — — *alba*.
 — *pyctidocalyx*.
 — *pyramidalis*.
 — *rapunculoides*.
 — *rhomboidalis*.
 — *Trachelium*.
 — — *alba*.
Lobelia siphilitica.
Phyteuma orbiculare.
 — *spicatum*.

Platycodon grandiflorum.
 Symphyandra Hofmanni.
 Wahlenbergia lobelioides.

Plumbagineæ.

Armeria cephalotes.
 — elongata.
 — maritima.
 — — alba.
 — — laucheana.
 — montana.
 Ceratostigma Willmottiae.
 Statice auriculæfolia.
 — binervosa.
 — emarginata.
 — globularæfolia.
 — Gmelini.
 — incana.
 — latifolia.
 — Limonium.
 — Suworowii.

Primulaceæ.

Anagallis arvensis.
 — — foemina.
 — linifolia.

Primula Auricula vars.

Apocynaceæ.

Amsonia salicifolia.
 — Tabermontana.

Asclepiadeæ.

Asclepias syriaca.
 Cynanchum acutum.
 Vincetoxicum luteum.
 — nigrum.

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana phlogifolia.
 — tibetica.
 — Walujeii.

Polemoniaceæ.

Collomia grandiflora.
 — linearis.
 Gilia abrotanifolia.
 — aggregata.
 — capitata.
 — laciniata.
 — nivalis.
 — squarrosa.
 — tricolor.
 — virgata.
 Phlox Drummondii.
 Polemonium cœruleum.
 — — album.
 — filicium.
 — himalayacum.
 — humile.
 — pauciflorum.

Hydrophyllaceæ.

Phacælia tanacetifolia.

Boragineæ.

Anchusa angustifolia.
 — capensis.
 — officinalis.
 — tinctoria.
 Cerinthe major.
 — minor.
 — retorta.
 Cynoglossum furcatus.
 — officinalis.
 Echium vulgare.
 Omphalodes linifolia.
 Symphytum asperrimum.
 — officinale.
 — — purpureum.

Convolvulaceæ.

Convolvulus pentapetaloides
 — pseudo-siculus

Convolvulus siculus.
 — *tricolor.*
 — *undulatus.*

Cuscuta Gronovii.

Ipomœa hispida.

— *purpurea.*

Nolana prostrata.

Solanaceæ.

Atropa Belladonna.

— — *fructoluteo.*

Browallia elata.

Datura inermis.

— *quercifolia.*

— *Stramonium.*

— *Tatula.*

Hyoscyamus albus.

— *niger.*

Nicandra physaloides.

— *violacea.*

Nicotiana alata.

— *paniculata.*

— *Tabacum.*

Petunia nyctaginæflora.

Schizanthus pinnatus.

Solanum Dulcamara.

— — *alba.*

— *nigrum.*

— — *guineense.*

— — *miniatum.*

Scrophulariaceæ.

Antirrhinum glutinosus.

— *majus.*

— — *peloria.*

— *Orontium.*

Chelone glabra.

Collinsia bicolor.

— *vena.*

Digitalis ferruginea.

— *grandiflora.*

— *lutea.*

— *nervosa.*

— *purpurea.*

Linaria bipartita.

— *dalmatica.*

— *macedonica.*

Linaria maroccana.

— *purpurea.*

— *triornithophora*

— *triphylla.*

— *tristis.*

— *vulgaris.*

Mimulus luteus.

Pentstemon diffusus.

— *glaucus.*

— *heterophyllus.*

— *hybridus.*

Scrophularia alata.

— *aquatica.*

— *glandulosa.*

— *sambucifolia.*

Scopolii.

— *vernalis.*

Tetranema mexicana.

Torenia flava.

Verbascum Lychnitis.

— — “Miss Willmott.”

— *nigrum.*

phlomoides.

— *phœniceum.*

— *pulverulentum.*

— *thapsiforme.*

— *Thapsus.*

Veronica caucasica.

— *elatior.*

— *exaltata.*

— *foliosa.*

— *gracilis.*

— *grandis.*

— *hybrida.*

— *orchidea.*

— *paniculata.*

— *persicifolia.*

— *sibirica.*

— *spicata.*

— *spuria.*

— *tenerioides.*

— *Tournefortii.*

— *urticæfolia.*

— *verticillata.*

Gesneraceæ.

Streptocarpus grandis.

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — dentata.
 — tenuifolia.
 — virgata.

Verbenaceæ.

- Clerodendron fallax.
 — Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — venosa.

Labiataæ.

- Ballota nigra.
 Calamintha albiflora.
 — officinalis.
 Dracocephalam Moldavica.
 Elsholtzia cristata.
 Galeopsis Tetrahit.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Mentha candicans.
 — crispa.
 — longifolia.
 — pubescens.
 Monarda fistulosa.
 Nepeta Cataria.
 — colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Origanum vulgare.
 Phlomis agraria.
 — alpina.

Salvia cleistogama.

- glutinosa.
 — Horminum.
 — nilotica.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — Sclarea.
 — Verbenaca.
 — verticillata, mollis.
 — virgata.
 — — alba.

Satureia montana.

- Scutellaria alpina.
 — baicalensis.

Stachys Betonica.

- densiflora.
 — grandiflora.
 — Scardica.

Teucrium Botrys.**Scorodonia.****Plantagineæ.**

- Plantago Coronopus.
 — Lagopus.
 — lanceolata.
 — — ramosa.
 — major.
 — — bracteata.
 — maritima.
 — Psyllium.
 — ruberrima.
 — — bracteata.

Nyctagineæ.

- Mirabilis Jalapa.
 — — alba.
 — — lutea.
 — longiflora.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — — albus.
 — — luteus.
 — hypochondriacus.
 — polygonoides.
 — retroflexus.
 — sanguineus.
 — viridis.

Chenopodiaceæ.

Atriplex hortensis.
 — — rubra.
 Beta Cicla.
 — maritima.
 — patula.
 — saccharatum.
 — trigyna.
 — vulgaris.
 Chenopodium album.
 — ambrosioides.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.
 Corispermum hyssopifolium.
 Hablitzia tamnoides.
 Kochia scoparia.
 — — tricophila.
 Salsola Kali.

Phytolaccaceæ.

Phytolacca acinosa.
 — decandra.

Polygonaceæ.

Emex spinosa.
 Oxyria digyna.
 Polygonum amphibium.
 — Bistorta.
 — Fagopyrum.

Polygonum orientale.

— Weyrichii.
 Rheum caspicum.
 — colliniana.
 — compactum.
 — crassinervum.
 — officinale.
 — palmatum.
 — — var. taughuticum.
 — Ribes.
 — undulatum.
 Rumex alpinus.
 — conglomeratus.
 — crispus.
 — domesticus.
 — flexuosa.
 — Gmelini.
 — Hydrolapathum.
 — Patientia.
 — polygonifolius.
 — salicifolius.
 — sanguineus.
 — tenuis.

Aristolochiaceæ.

Aristolochis elegans.
 — fimbriatus.

Euphorbiaceæ.

Acalypha hispida.
 Euphorbia gerardiana.
 — heterophylla.
 — Lathyris.
 — marginata.
 — palustris.
 — pilosa.
 — segetalis.

Mercurialis annua.

Ricinus communis.
 — Gibsonii.

Urticaceæ.

Cannabis sativa.
 Laportea gigas.
 Urtica piluifera.
 — — balearica.

Iridaceæ.

- Iris benacensis.*
 — *Bulleyana* x *Forrestii.*
 — *chrysographes.*
 — *foetidissima.*
 — — *aurea.*
 — *halophila.*
 — *lutescens.*
 — *Milesii.*
 — *orientalis* var.
 — *Pseudacorus.*
 — *sibirica.*
 — *spuria.*
 — *tenax.*
 — *versicolor.*
 — — *G. Walker*
 — — *purpurea.*
 — *Wilsonii.*
Sisyrinchium angustifolium.

Amaryllidaceæ.

- Alstroemeria aurantiaca.*

Liliaceæ.

- Agapanthus umbellatus.*
Allium album.
 — *alpinum.*
 — *angulosum.*
 — — var.
 — *Babingtoni.*
 — *Cepa.*
 — *glaucum.*
 — *montanum.*
 — *nutans.*
 — *oleraceum.*
 — *Schoenoprasum.*
 — — *sibiricum.*
 — *Scorodoprasum.*
 — *siculum.*
 — *stellatum.*
 — *Victorialis.*
 — *vineale.*
Anthericum Liliago.

- Asphodelus albus.*
 — — *racemosus.*
 — *luteus.*
Brodiaea congesta.
Bulbine annua.
Camassia esculenta.
 — *Cusickii.*
Dracæna thalioides.
Fritillaria meleagris.
Funkia cœrulea.
 — *Fortunei.*
 — *ovata.*
 — *sub-cordata.*
Galtonia candicans.
Gloriosa virescens.
Kniphofia Burchellii.
 — *rufa.*
Lilium candidum.
 — *regale.*
Muscari comosum.
Nothoscordon fragrans.
 — *striatum.*

- Ornithogalum umbellatum.*
Polygonatum verticillatum.
Scilla autumnale.
 — *campanulata.*
 — *sibirica.*
Streptopus racemosus.
Veratrum album.
 — *viride.*

Commelinaceæ.

- Commelina cœlestris.*
 — — *alba.*
Tinantia fugax.
Tradescantia virginica.
 — *hirsuta.*

Juncaceæ.

- Juncus compressus.*
 — *effusus.*
 — — *conglomeratus.*
 — *tenuis.*
Luzula campestris.
 — *lutea.*

Luzula nemorosa.

- *nivea.*
- *spadicea.*
- *sylvatica.*

Aroideæ.

Anthurium Bakeri.

Arisarum proboscideum.

Arum albomaculatum.

Alismaceæ.

Alisma Plantago.

Typhaceæ.

Sparganium ramosum.

Cyperaceæ.

Carex aristata.

- *atrata.*
- *baldensis.*
- *Davalliana.*
- *extensa.*
- *pendula.*
- *remota.*
- *sylvatica.*
- *vesicaria.*

Cladium Mariscus.

Cyperus natalensis.

Kyllingia monocephala.

Scirpus Holoschoenus.

Gramineæ

Agropyrum repens.

Agrostis canina.

- *Steveni.*
- *stolonifera.*
- *tenuis.*

Aira caryophyllea.

Alopecurus pratensis.

Apera arundinacea.

- *Spica-venti.*

Arrhenatherum avenaceum.

Avena fatua.

- *sativa.*
- *sterilis.*

Brachypodium distachyum.

Briza maxima.

- *minor.*

Bromus breviaristatus.

- *britannicus.*
- *madritensis.*
- *maximus.*
- *mollis.*
- *rubens.*
- *secalinus.*
- *unioloides.*

Calamagrostis arundinacea.

Cynosurus cristatus.

- *echinatus.*

Dactylis glomerata.

- — — *fol. var.*

Deschampsia cæspitosa.

- *flexuosa.*

Diarrhena Americana.

Elymus arenarius.

- *europæus.*
- *junceus.*

Festuca ciliata.

- *duriuscula.*
- *elatior.*
- *gigantea.*
- *ovina.*
- — — *tenuifolia*
- — — *vivipara.*

- *pratensis.*

- *rubra.*

Hordeum bulbosum.

| | |
|----------------------|--------------------------|
| Hordeum distichon. | Phleum alpinum. |
| — hexastichon. | — pratense. |
| — maritimum. | Poa bulbosa. |
| Koeleria cristata. | — Chaixii. |
| — phleoides. | — fertilis. |
| Lagurus ovalus. | — nemoralis. |
| Lamarkia aurea. | — trivialis. |
| Lolium temulentum. | Polypogon monspeliensis. |
| Melica altissima. | Psamma arenaria. |
| Milium effusum. | Secale cereale. |
| Molinia coerulea. | Setaria italica. |
| — — fol. var | — viridis. |
| Oryza sativa. | Sorghum vulgare. |
| Panicum clandestina. | Spartina polystachya. |
| — Crus-galli. | Triticum Spelta. |
| — miliaceum. | — tricophorum. |
| Phalaris paradoxa. | — vulgare. |
| — canariensis. | Zea Mays. |

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1934.

CHELSEA

PHYSIC GARDEN.

INDEX SEMINUM

QUE IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1805.

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

1935

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

| Ranunculaceæ. | | Myosurus minimus. | |
|--------------------------------|---------------|-----------------------------|---------------------|
| Aconitum ferox. | | Nigella arvensis. | |
| — | Lycotum. | — | cristata. |
| — | Napellus. | — | damascena. |
| — | — albus. | — | diversifolia. |
| — | paniculatum. | — | hispanica. |
| — | volubile. | — | integrifolia. |
| Actaea spicata. | | — | orientalis. |
| — | — rubra. | Ranunculus acris. | |
| Adonis autumnalis. | | — | — Steveni. |
| Aquilegia alpina. | | — | arvensis. |
| — | formosa. | — | — tuberculatus. |
| — | glandulosa. | — | brutius. |
| — | Kitaibeli. | — | Cymbalaria. |
| — | nigricans. | — | nemorosus. |
| — | pyrenaica. | — | repens. |
| Caltha palustris. | | — | serbicus. |
| — | polypetala | — | Sprunerianus. |
| Cimicifuga foetidum. | | Thalictrum ambiguum. | |
| — | racemosus | — | angustifolium. |
| Clematis crispa. | | — | aquilegifolium. |
| — | recta. | — | calabrica. |
| Delphinium Brunonianum. | | — | corynellum. |
| — | cashmerianum. | — | foetidum. |
| — | caucasicum. | — | glaucescens. |
| — | Consolida. | — | minus, var. affine. |
| — | dasyanthum. | — | — concinnum. |
| — | elatum. | — | — medium. |
| — | elegans. | — | squarrosum. |
| — | formosum. | Papaveraceæ. | |
| — | grandiflorum. | Argemone Barclayana. | |
| — | hybridum. | — | mexicana. |
| — | Maackianum. | — | ochroleuca. |
| — | Przewalski. | Chelidonium majus. | |
| — | Pylzowi. | — | — laciniatus. |
| — | Requinii. | | |

*Eschscholtzia caespitosa.**Eschscholtzia californica.**Fumaria officinalis.**Glaucium flavum.**Hypecoum procumbens.**Papaver apulum.*— *Argemone.*— *atlanticum.*— *commutatum.*— *dubium.*— *Hookeri.*— *lateritum.*— *orientale.*— — *splendidissima.*— *pavoninum.*— *Rhoeas.*— *rupifragum.*— *schinzianum.*— *setigerum.*— *somniferum.**Podophyllum Emodii.***Cruciferae.***Alyssum incanum.*— *maritimum.*

— — "Little Dorrit."

*Arabis albida.**Barbarea præcox.*— *vulgaris.**Biscutella auriculata.*— *didyma.*— *leiocarpa.*— *raphanifolia.**Brassica alba.*— *campestris.*— *chinensis.*— *juncea.*— *napus, var. oleifera.*— *nigra.*— *Schimperi.*— *Sinapistrum.**Bunias orientalis.**Camelina sativa.**Cheiranthus Allionii.*— *Cheirii.**Cochlearia anglica.*— *danica.*— *officinalis.**Conringia planisiliqua.**Crambe cordifolia.*— *hispanica.*— *maritima.**Draba hirta.*— *incana.**Eruca sativa.**Erysimum aureum.**Erysimum cheiranthoides.*— *fruticosum.*— *Perofskianum.**Goldbachia laevigata.**Hesperis matronalis.**Iberis sempervirens.*— — *garrexiana.*— *umbellata.**Isatis boissieriana.*— *glauca.*— — *collina.*— *tinctoria.**Lepidium Draba.*— *latifolium.*— *sativum.*— *Smithii.**Malcolmia græca.*— *maritima.**Matthiola annua.*— *incana.**Melanosinapis abyssinica.**Myagrum perfoliatum.**Neslia paniculata.**Raphanus caudatus.*— *sativus.*— — *Gayanus.**Senebiera Coronopus.**Sisymbrium austriacum.*— — *acutangulum*— *nasturtiifolium.*— *pinnatifidum.*— *Sophia.*— *strictissimum.**Succowia balearica.**Thlaspi alpestre.*— *arvense.*— *ceratocarpon.*

Resedaceæ.

- Reseda alba.
 — lutea.
 — Luteola.
 — odorata.
 — virgata.

Cistaceæ

- Helianthemum guttatum.

Violaceæ.

- Viola riviniana.
 — tricolor.
 — — nigra.

Caryophyllaceæ.

- Arenaria graminifolia.
 — longifolia.
 Cerastium perfoliatum.
 — tomentosum.
 Cucubalus baccifer.
 Dianthus arenarius.
 — Armeria.
 — Arrostii.
 — barbatus.
 — calocephalus.
 — delicatus.
 — deltoides.
 — fimbriatus.
 — fragrans.
 — graniticus.
 — neglectus.
 — plumarius.
 — Segueri.
 — squarrosus.
 — superbus.
 — — Hoeltzeri.
 Gypsophila altissima.
 — elegans.

- Gypsophila paniculata.

— perfoliata.

- Lychnis alba.

- chalcedonica.
 — Cœli-rosea.
 — coronaria.
 — dioica.
 — Flos-jovis.
 — Githago.
 — oculata.
 — Viscaria.

- Sagina pilifera.

- Saponaria cerastioides.

- ocymoides.
 — officinalis.
 — — flore plena.
 — Vaccaria.

- Silene antirrhina.

- Armeria.
 — ciliata.
 — conica.
 — cretica.
 — Cucubalus.
 — — puberula.
 — Drummondi.
 — gallica.
 — — quinquevulnera.
 — Hornemanni.
 — integripetala.
 — latifolia.
 — linicola.
 — maritima.
 — Muscipula.
 — noctiflora.
 — nocturna.
 — nutans.
 — pendula.
 — rubella.
 — Saxifraga.
 — Schafta.
 — viridiflora.
 — Zawadskii.

- Spergula arvensis.

- Stellaria graminea.

- Tunica prolifer.

- Saxifraga.

Portulacææ.

- Calandrinia elegans.
 — grandiflora.
 — pilosiscula.
 Claytonia parviflora.

Hypericacææ.

- Hypericum Androsæmum.
 — calycinum.
 — densiflorum.
 — hircinum.
 — hirsutum.
 — hookerianum.
 — montanum.
 — olympicum.
 — perforatum.

Malvaceææ.

- Althæa ficifolia.
 — kurdica.
 — officinalis.
 — rosea.
 — — vars.
 — taurinensis.
 Anoda hastata.
 — lavaterioides.
 — Wrightii.
 Gossypium herbaceum.
 Hibiscus Trionum.
 Kitaibelia vitifolia.
 Lavatera arborea.
 — assurgentiflora.
 — cachemiriana.
 — cretica.
 — Olbia.
 — thuringiaca.
 Malachra capitata.

- Malva crispa.
 — moschata.
 — oxyloba.
 — sylvestris.
 — — alba.
 — Tournefortii.
 — verticillata.

Malvastrum limense.

Modiola multifida.

Palaua flexuosa.

- Sidalcea malvæflora.
 — neomexicana.
 — spicata.

Geraniaceææ.

- Erodium Manescavi.
 — moschatum.
 Geranium aconitifolium.
 — affine.
 — albiflorum.
 — eriostemon.
 — ibericum.
 — nepalensis.
 — pratense.
 — — alba.
 — Robertianum.
 — rivulare.
 — sanguineum.
 — sibiricum.
 — silvaticum.
 — striatum.
 Impatiens Roylei.
 Oxalis Valdiviana.
 Tropæolum aduncum.
 — majus.

Ochnaceæ.

- Ochna multiflora.*
— *mozambiquense.*

Rutaceæ.

- Ruta graveoleus.*

Leguminosæ.

- Anthyllis Vulneraria.*
Astragalus chlorostachys.
— *Cicer.*
— *Glyciphyllus.*
— *leontinus.*
— *pentaglottis.*
Colutea arborescens.
— *cruenta.*
Desmodium canadense.
Doryenium hirsutum.
Galega Hartlandi.
— *officinalis.*
— *orientalis.*
Genista sagittalis.
— *Aethnensis.*
Hedysarum coronarium.
— *splendens.*
Hippocrepis multisiliquosa.
— *unisiliquosa.*
Lathyrus Aphaca.
— — *sem-nigra.*
— *cirrhusa.*
— *latifolius.*
— — *albus.*
— *maritimus.*
— *montanus.*
— *niger.*
— *odoratus.*
— *rosens.*
— *sylvestris.*
— *tingitanus.*
Lens esculenta.

- Lupinus Douglasii.*
— *elegans.*
— *Hartwegii.*
— *nootkatensis.*
— *perennis.*
— *polyphyllus.*

Medicago Echinus.

- *falcata.*
— *laciniata.*
— *Murex.*
— *orbiculare.*
— *sativa.*
— *turbinata.*

Melilotus albus.

- *macrorhiza.*
— *officinalis.*

*Mimosa pudica.**Ononis rotundifolia.*

- *spinosa.*

*Ornithopus sativus.**Orobus aurantiaca.*

- *variegatus.*

*Phaseolus vulgaris.**Pisum Jomardi.*

- *sativum var unbellatum.*

Scorpiurus muricatus.

- *vermiculata.*

*Spartium junceum.**Trifolium ochroleucum.*

- *fragiferum.*
— *rubens.*

Trigonella cœrulea.

- *cretica.*
— *Fœnum-græcum*

Vicia dumetorum.

- *Nissoliana.*

Rosaceæ.

- Acæna microphylla.*
Agrimonia Eupatoria.
 — *odorata.*
 — *parviflora.*
 — *pilosa.*
Alchemilla alpina.
 — *hybrida.*
Cotoneaster frigida.
Cratægus Pyracantha.
Geum coccineum.
 — *intermedium.*
 — *macrophyllum.*
 — *pyrenaicum.*
 — *rivale.*
 — *tirolense.*
 — *triflorum.*
 — *urbanum.*
Potentilla argyrophylla.
 — — *atrosanguinea.*
 — *canadensis.*
 — *chrysantha.*
 — *fragaroides.*
 — *fruticosa.*
 — *Hippiana.*
 — *hirta.*
 — *Hookeriana.*
 — *Hopwoodiana.*
 — *Knappii.*
 — *multifida.*
 — *nevadensis.*
 — *norvegica.*
 — *palustris.*
 — *pulcherrima.*
 — *rupestris.*
 — *russeliana.*
 — *tanacetifolia.*
Poterium decandrum.
 — *præcox.*
 — *sinensis latifolia.*

- Rubus cæsius.*
Spiræa Filipendula.
 — *Ulmaria*

Saxifragaceæ.

- Francoa sonchifolia.*
Heuchera glabra.
 — *gracillima.*
 — *parviflora.*
 — *ribifolia.*
 — *sanguinea.*
 — — *alba.*
Rodgersia æsculifolia.
Tellima grandiflora.

Crassulaceæ.

- Sedum hybridum.*
 — *Maximowiczii.*
 — *maximum.*

Lythraceæ.

- Lythrum Graefferi.*
 — *Salicaria.*
 — — *rosea.*
 — *tomentosum.*
 — *virgatum.*

Onagraceæ.

- Clarkia elegans.*
 — *pulchella.*
Epilobium angustifolium.
 — *chilense.*
 — *hirsutum.*
 — — *album.*
 — — *viride.*

Eucaridium grandiflorum.

Gaura parviflora.

Oenothera acaulis.

— *amoena.*

— *biennis.*

— — *gigas.*

— — *grandiflora.*

— *Bottæ.*

— *Clutei.*

— *lamarckiana.*

— *lepida.*

— *macrantha.*

— *missouriensis.*

— *oakesiana.*

— *odorata.*

— *Romanzowii.*

— *rubicunda.*

— *serotina.*

— *Wildenovei.*

Loaseæ.

Blumenbachia Hieronymi.

Loasa triphylla.

— — *papaverifolia.*

Mentzelia Lindleyi.

Cucurbitaceæ.

Bryonia dioica.

Cucumis myriocarpus.

Cucurbita Pepo.

— — *aurantia.*

— — *ficifolia.*

— — *ovifera.*

Ecballium Elaterium.

Datisceæ.

Datisca cannabina.

Ficoideæ.

Tetragonia crystallina.

— *echinata.*

— *expansa.*

Umbelliferæ

Angelica heterocarpa.

Anthriscus cerefolium.

— *sylvestris.*

Archangelica officinalis.

Astrantia Biebersteini.

— *carniolica.*

— *helleborifolia.*

— *major.*

Bupleurum rotundifolium.

Bowlesia tenera.

Carum Carvi.

Chaerophyllum aureum.

Conium maculatum.

Daucus Gingidium.

Eryngium amethystinum.

— *Bourgati.*

— *campestre.*

— *caucasicum.*

— *cœruleum.*

— *giganteum.*

— *planum.*

— — *var. rosea.*

— *Sanguisorba.*

— *serra.*

Ferula Ferulago.

— *glauca.*

— *Narthex.*

— *tingitana.*

Foeniculum capillaceum.

— *vulgare.*

Heracleum flavescens.

— *Mantegazianum x*
pubescens.

— *persicum.*

— *platytænum.*

— *pubescens.*

— *Sphondylium.*

— *villosum.*

Levisticum officinale.

Molopospermum cicutarium.

— *pelopenessicum.*

Myrrhis odorata.

Oenanthe Crocata.

— *fistulosa.*

— *Lachenalii.*

— *pimpinelloides.*

— *silauifolia.*

Pimpinella magna.
Scandix brachycarpa.
Sesile glaucum.
Smyrnium Olusatrum.
 — *perfoliatum.*
Thapsium aureum.

Rubiaceæ.

Asperula azurea var. *setosa.*
 — *humifusa.*
 — *tinctoria.*
Crucianella chlorostachys.
Galium Aparine.
 — *boreale.*
 — *erectum.*
 — *longifolia.*
 — *Mollugo.*
 — *pariense.*
 — *saccharatum.*
Rubia tinctoria.
Sherardia arvensis.

Valerianeæ.

Centranthus calcitrapa.
 — *macrosiphon.*
 — *ruber.*
 — — *alba.*
Valeriana montana.
 — *Phu.*
 — *officinalis.*
 — *sambucifolia.*
Valerianella coronata.
 — *dentata.*
 — *eriocarpa.*

Dipsaceæ.

Cephalaria alpina.
 — *bannatica.*
 — *syriaca.*
 — *tatarica.*
Dipsacus ferox.
 — *laciniatus.*
 — *pilosus.*
 — *sylvestris.*
Scabiosa caucasica.
 — *prolifer.*
 — *stellata.*
 — *sylvatica.*
 — — *alba.*

Compositæ.

Achillea filipendulina.
 — *grandiflora.*
 — *Millefolium.*
 — — *rosea.*
 — *odorata.*
 — *Ptarmica.*
 — *serrata.*
Ageratum mexicanum.
Anacyclus Pyrethrum.
Anthemis arvensis.
 — *austriaca*
 — *Cotula.*
 — *tinctoria.*
Arctium majus.
Arctotis calendulacea.
Artemisia Absinthium.
 — *annua.*
 — *Dracunculus.*
 — *sacrorum.*
Aster abbreviatus.
 — *acris.*
 — *Amellus.*
 — *corymbosus.*
 — *dumosus.*
 — *Farreri.*
 — *Henryii.*
 — *linifolius.*
 — *Lipskyi.*
 — *macrophyllus.*
 — *præcox.*
 — *puniceus.*
 — *pyrenæus.*
 — *Shortii.*
 — *subcæruleus.*
 — *yunanensis.*
Bæria coronaria.
Balsamita virgata.
Bidens grandiflora.
 — *leucantha.*
 — *sulphurea.*
Boltonia incisa.
Bupthalmum speciosum.
Calendula officinalis.
 — *stellata.*
Callistephus hortensis.

- Carbenia Benedicta.*
Catananche coerulea.
 — *lutea.*
Centaurea Calcitrapa.
 — *Cyanus.*
 — *heterophylla.*
 — *Lippii.*
 — *macrocephala.*
 — *montana.*
 — *muricata.*
 — *nigra.*
 — *pulchra.*
 — *sulphurea.*
Charieis heterophylla.
Chrysanthemum Balsamita.
 — *coronarium.*
 — *macrophyllum.*
 — *maximum.*
 — *Myconis.*
 — *Parthenium.*
 — *roseum.*
 — *segetum.*
Cichorium Endivia.
 — *Intybus.*
Coreopsis grandiflora.
 — *tinctoria.*
 — — *atrosanguinea.*
Cosmos bipinnatus.
Crepis biennis.
 — *rubra.*
Cynara Scolymus.
Dimorphotheca pluvialis.
Doronicum Pardalianches.
Echinops bannaticus.
 — *exaltatus.*
 — *horridus.*
 — *Ritro.*
 — *ruthenicus.*
 — *sphærocephalus.*
 — *spinosus.*
Erigeron Coulteri.
 — *glabellus.*
 — *multiradiatus.*
 — *salsuginosus.*
 — *speciosus.*
 — *strigosus.*
Eupatorium aromaticum.
 — *cannabinum.*
 — *cordatum.*
 — *purpureum.*
 — — *album*
 — *sessilifolium.*
Gaillardia aristata.
 — *grandiflora.*
 — *lanceolata.*
 — *maxima.*
 — *pieta.*
 — — *var. lorenziana.*
Grindelia inuloides.
 — *integrifolia.*
 — *robusta.*
 — *squarrosa.*
Helenium autumnale.
 — — *pumilum.*
 — *Bigelovii.*
 — *Bolanderi.*
 — *grandicephalum.*
Helianthus annuus.
 — *rigidus.*
Helichrysum bracteatum.
Heliopsis lævis.
 — *scabra, pitcheriana.*
Helipterum Manglesii.
 — *roseum.*
Hieracium albidum.
 — *aurantiacum.*
 — *carpaticum.*
 — *compositum.*
 — *lycopsifolium.*
 — *maculatum.*
 — *tridentatum.*
 — *umbellatum.*
Inula brittanica.
 — *dysenterica.*
 — *glauclulosa.*
 — *Helenium.*
 — *Hookeri.*
 — *Hoopesii.*
 — *Oculus-Christi.*
 — *salicina.*
 — *squarrosa.*

Lactuca altissima.
 — *Bourgatei.*
 — *peremis.*
 — *saligna.*
 — *Scariola.*
 — *tenerrima.*
 — *viminea.*
 — *virosa.*
Layia elegans.
 — *gaillarooides.*
 platyglossa.
Leptosyne Douglasii.
Liatris spicata.
Lindheimera texana.
Madia sativa.
Matricaria discoidea.
 — *maritima.*
M. Chamomilla.
 — *inodora.*
Onopordon Acanthium.
 — *tauricum.*
Rudbeckia amplexicaulis.
 — *flava.*
 — *laciniata.*
 — *speciosa.*
 — *sub-tomentosum.*
Santolina Chamaecyparissius.
 — *pinuata.*
Sanvittalia procumbeus.
Scorzonera hispanica.
Senecio clivorum.
 — *coriaceus.*
 — *Doria.*
 — *macrophyllus.*
 — *squalidus.*
 — *suaveolens.*
 — *tanguticus.*
Serratula coronata.
 — *Gmelini.*
 — *quinquefolia.*
Silphium asteriscus.
 — *perfoliatum.*
Silybum marianum.
Solidago arguta.
 — *canadensis.*
 — *multiflora.*

Solidago virgata.
 — *Virgaurea.*
Tagetes erecta.
 — *patula.*
 — — “*Legion of Honour.*”
 — *signata.*
Tanacetum boreale.
 — *vulgare.*
 — — *crispum.*
Fragopogon major.
 — *porrifolius.*
 — *pratensis.*
 — *villosus.*
Tridax trilobata.
Ursinia anthemoides.
 — *pulchra.*
 — *speciosa.*
Vernonia noveboracensis.
Xeranthemum annuum.
Zanthium Strumarium.
Zinnia Haageana.
 — *pauciflora.*
 — *verticillata.*

Campanulaceæ.

Campanula betonicæfolia.
 — *bononiensis.*
 — *carpatia.*
 — *Grosseckii.*
 — *lactiflora.*
 — *latifolia.*
 — — *macrantha.*
 — *Medium.*
 — *persicifolia.*
 — — *alba.*
 — *pyctidocalyx.*
 — *pyramidalis.*
 — *rapunculoides.*
 — *rhomboidalis.*
 — *Trachelium.*
 — — *alba.*
Phyteuma orbiculare.
 — *spicatum.*

Platycodon grandiflorum.
Symphyandra Hofmanni.
Wahlenbergia lobelioides.

Plumbagineæ.

Armeria cephalotes.
 — *elongata.*
 — *maritima.*
 — — *alba.*
 — — *laucheana.*
 — *montana.*
 — *splendens.*
Ceratostigma Willmottiae.
Statice auriculæfolia.
 — *binervosa.*
 — *emarginata.*
 — *globularæfolia.*
 — *Gmelini.*
 — *incana.*
 — *latifolia.*
 — *Limonium.*
 — *Suworowii.*

Primulaceæ.

Androsacea elongata.
 — *filiformis.*
Anagallis arvensis.
 — — *foemina.*
 — *linifolia.*
Primula Auricula vars.

Apocynaceæ.

Amsonia salicifolia.
 — *Tabermontana.*

Asclepiadeæ.

Asclepias syriaca.
Cynanchum acutum.
Vincetoxicum luteum.
 — *nigrum.*

Loganiaceæ.

Buddleia variabilis.

Gentianaceæ.

Gentiana phlogifolia.
 — *tibetica.*
 — *Walujeii.*

Polemoniaceæ.

Collomia grandiflora.
 — *linearis.*
Gilia abrotanifolia.
 — *androsaceæ.*
 — *aggregata.*
 — *capitata.*
 — *laciniata.*
 — *nivalis.*
 — *squarrosa.*
 — *tricolor.*
 — *virgata.*
Phlox Drummondii.
Polemonium coeruleum.
 — — *album.*
 — *filicium.*
 — *himalayacum.*
 — *humile.*
 — *pauciflorum.*

Hydrophyllaceæ.

Phacælia tanacetifolia.
 — *campanularia.*

Boragineæ.

Anchusa capensis.
 — *officinalis.*
 — *tinctoria.*
Cerithe major.
 — *minor.*
 — *retorta.*
Cynoglossum furcatus.
 — *officinalis.*
Echium vulgare.
Omphalodes linifolia.
Symphytum asperrimum.
 — *officinale.*
 — — *purpureum.*

Convolvulaceæ.

Convolvulus pentapetaloides.
 — *pseudo-siculus.*

Convolvulus sicus.

— *tricolor.*

— *undulatus.*

Cuscuta Gronovii.

Ipomoea hispida.

— *purpurea.*

Nolana atriplicifolia.

— *prostrata.*

Solanaceæ.

Atropa Belladonna.

— — *fructoluteo.*

Browallia elata.

Datura inermis.

— *quercifolia.*

— *Stramonium.*

— *Tatula.*

Hyoscyamus albus.

— *niger.*

Nicandra physaloides.

— *violacea.*

Nicotiana alata.

— *paniculata.*

— *Tabacum.*

Petunia nyctaginæflora.

Schizanthus pinnatus.

Solanum Dulcamara.

— — *alba.*

— *nigrum.*

— — *guineense.*

— — *miniaturum.*

Scrophulariaceæ.

Antirrhinum glutinosus.

— *majus.*

— — *peloria.*

— *Orontium.*

Chelone glabra.

Collinsia bicolor.

— *parviflora.*

— *verna.*

Digitalis ferruginea.

— *grandiflora.*

— *lutea.*

— *nervosa.*

— *purpurea.*

Linaria bipartita.

— *dalmatica.*

— *macedonica.*

Linaria maroccana.

— *purpurea.*

— *triornithophora*

— *triphylla.*

— *tristis.*

— *vulgaris.*

Mimulus hybridus.

— *luteus.*

Pentstemon diffusus.

— *glaucus.*

— *heterophyllus.*

— *hybridus.*

Scrophularia alata.

— *aquatica.*

— *glandulosa.*

— *sambucifolia.*

— *Scopolii.*

— *vernalis.*

Tetranema mexicana.

Torenia flava.

Verbascum Lychnitis.

— — “Miss Willmott.”

— *nigrum.*

— *phlomoides.*

— *phoeniceum.*

— *pulverulentum.*

— *thapsiforme.*

— *Thapsus.*

Veronica caucasica.

— *elatior.*

— *exaltata.*

— *foliosa.*

— *grandis.*

— *orchidea.*

— *paniculata.*

— *persicifolia.*

— *sibirica.*

— *spicata.*

— *spuria.*

— *tenerioides.*

— *Tournefortii.*

— *urticæfolia.*

— *verticillata.*

— *virginiana.*

Pedalineæ.

Martynia fragans.

— *lutea.*

Selagineæ.

- Hebenstretia comosa.
 — — serratifolia.
 — tenuifolia.
 — virgata.

Verbenaceæ.

- Clerodendron fallax.
 — Thomsonæ.
 — trichotomum.
 Verbena officinalis.
 — hybrida.
 — tencrioides.

Labiataæ.

- Ballota nigra.
 Calamintha albiflora.
 — officinalis.
 Dracocephalum Moldavica.
 Elsholtzia cristata.
 Galeopsis ochroleuca.
 — Tetrahit.
 Leonurus Cardiaca.
 Lycopus europæus.
 Marrubium vulgare.
 Mentha crispa.
 — pubescens.
 Monarda fistulosa.
 Nepeta Cataria.
 — colorata.
 — grandiflora.
 — macrantha.
 — melissæfolia.
 — nuda.
 Origanum vulgare.
 Phlomis agraria.
 — alpina.

Salvia cleistogama.

- glutinosa.
 — Horminum.
 — nilotica.
 — officinalis.
 — pratensis.
 — Przewalskii.
 — regeliana.
 — Sclarea.
 — Verbenaca.
 — verticillata, mollis.
 — virgata.
 — — alba.

Satureia montana.**Scutellaria alpina.**

- baicalensis.

Stachys Betonica.

- densiflora.
 — grandiflora.
 — Scardica.

Teucrium Botrys.

- Scorodonia.

Plantagineæ.**Plantago Coronopus.**

- Lagopus.
 — lanceolata.
 — — ramosa.
 — major.
 — — bracteata.
 — maritima.
 — Psyllium.
 — ruberrima.
 — — bracteata.

Nyctagineæ.**Mirabilis Jalapa.**

- — alba.
 — — lutea.

Illecebraceæ.

Corrigiola littoralis.
 Herniaria glabra.
 — — ciliata.
 Illecebrum verticillatum.
 Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.
 — — albus.
 — — luteus.
 — hypochondriacus.
 — polygonoides.
 — retroflexus.
 — sanguineus.
 — viridis.

Chenopodiaceæ.

Atriplex hortensis.
 — — rubra.
 Beta Cica.
 — maritima.
 — patula.
 — saccharatum.
 — trigyna.
 — vulgaris.

Chenopodium album.
 — ambrosioides.
 — Bonus-Henricus.
 — ficifolium.
 — opulifolium.

Corispermum hyssopifolium.
 Hablitzia tamnoides.

Kochia scoparia.
 — — tricophila.

Salsola Kali.

Phytolaccaceæ.

Phytolacca acinosa.
 — decandra.

Polygonaceæ.

Emex spinosa.
 Oxyria digyna.
 Polygonum amphibium.
 — Bistorta.
 — Fagopyrum.

Polygonum orientale.

— Weyrichii.

Rheum caspicum.

— colliniana.

— compactum.

— crassinervum.

— officinale.

— palmatum.

— — var. tanghuticum.

— Ribes.

— undulatum.

Rumex alpinus.

— conglomeratus.

— crispus.

— domesticus.

— flexuosa.

Gmelini.

— Hydrolapathum.

— Patientia.

— polygonifolius.

— salicifolius.

— sanguineus.

— tenuis.

Aristolochiaceæ.

Aristolochis elegans.

— fimbriatus.

Euphorbiaceæ.

Acalypha hispida.

Euphorbia gerardiana

— heterophylla.

— Lathyris.

— marginata

— palustris.

— pilosa.

— segetalis.

Mercurialis annua.

Ricinus communis.

— Gibsonii.

Urticaceæ.

Cannabis sativa.

Laportea gigas.

Urtica piluifera.

— — balcanica.

Iridaceæ.

- Iris benacensis.*
 — *Bulleyana* x *Forrestii.*
 — *chrysographes.*
 — *foetidissima.*
 — — *aurea.*
 — *halophila.*
 — *lutescens.*
 — *Milesii.*
 — *orientalis* var.
 — *Pseudacorus.*
 — *sibirica.*
 — *spuria.*
 — *tenax.*
 — *versicolor.*
 — — *G. Walker*
 — — *purpurea.*
 — *Wilsonii.*

Sisyrinchium angustifolium.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

- Agapanthus umbellatus.*
Allium album.
 — *alpinum.*
 — *angulosum.*
 — — var.
 — *Babingtoni.*
 — *Cepa.*
 — *glaucum.*
 — *montanum.*
 — *nutans.*
 — *oleraceum.*
 — *Schoenoprasum.*
 — — *sibiricum.*
 — *Scorodoprasum.*
 — *siculum.*
 — *stellatum.*
 — *Victorialis.*
 — *vineale.*

Anthericum Liliago.

Asparagus officinalis.

Asphodelus albus.

— — *racemosus.*

— *luteus.*

Brodiaea congesta.

Bulbine annua.

Camassia esculenta.

— *Cusickii.*

Dracæna thalioides.

Fritillaria meleagris.

Funkia cœrulca.

— *Fortunei.*

— *ovata.*

— *sub-cordata.*

Galtonia candicans.

Gloriosa virescens.

Kniphofia Burchellii.

— *rufa.*

Lilium candidum.

— *regale.*

Muscari comosum.

Nothoscordon fragrans.

— *striatum.*

Ornithogalum umbellatum.

Polygonatum verticillatum.

Scilla autumnale.

— *campanulata.*

— *sibirica.*

Streptopus racemosus.

Veratrum album.

— *viride.*

Commelinaceæ.

Commelina cœlestis.

— — *alba.*

Finantia fugax.

Tradescantia virginica.

— *hirsuta.*

Juncaceæ.

Juncus compressus.

— *effusus.*

— — *conglomeratus.*

— *tenuis.*

Luzula campestris.

— *lutea.*

Luzula nemorosa.

- *nivea.*
- *spadicea.*
- *sylvatica.*

Aroideæ.

Anthurium Bakeri.

Arum albomaculatum.

Alismaceæ.

Alisma Plantago.

Typhaceæ.

Sparganium ramosum.

Cyperaceæ.

Carex aristata.

- *atrata.*
- *baldensis.*
- *Davalliana.*
- *extensa.*
- *pendula.*
- *remota.*
- *sylvatica.*
- *vesicaria.*

Cladium Mariscus.

Cyperus natalensis.

Kyllingia monocephala.

Scirpus Holoschoenus.

Gramineæ

Agrostis canina.

- *Steveni.*
- *stolonifera.*
- *tenuis.*

Aira caryophyllæa.

Alopecurus pratensis.

Apera arundinacea.

- *Spica-venti.*

Arrhenatherum avenaceum.

Avena fatua.

- *sativa.*
- *sterilis.*

Brachypodium distachyum.

Briza maxima.

- *minor.*

Bromus breviaristatus.

- *britannicus.*
- *madritensis.*
- *mollis.*
- *rubens.*
- *secalinus.*
- *unioloides.*

Calamagrostis arundinacea.

Cynosurus cristatus.

- *echinatus.*

Dactylis glomerata.

- — *fol. var.*

Deschampsia cæspitosa.

- *flexuosa.*

Diarrhena Americana.

Elymus arenarius.

- *europæus.*
- *junceus.*

Festuca ciliata.

- *duriuscula.*
- *elatior.*
- *gigantea.*
- *ovina.*
- — *tenuifolia*
- — *vivipara.*

- *pratensis.*

- *rubra.*

Hordeum bulbosum.

Hordeum distichon.
— *hexastichon.*
— *maritimum.*
Koeleria cristata.
— *phleoides*
Lamarkia aurea.
Lolium temulentum.
Melica altissima
Milium effusum.
Molinia caerulea.
— *fol.* var
Oryza sativa.
Panicum clandestina.
— *Crus-galli.*
— *miliaceum.*
— *sanguinale.*
Phalaris paradoxa.
— *canariensis.*

Phleum alpinum.
— *pratense.*
Poa bulbosa.
— *Chaixii.*
— *fertilis.*
— *nemoralis.*
— *trivialis.*
Polypogon monspeliensis.
Psamma arenaria.
Secale cereale.
Setaria italica.
— *viridis.*
Sorghum vulgare.
Spartina polystachya.
Eriticum Spelta.
— *tricophorum.*
— *vulgare.*
Zea Mays.

WM. HALES,

Curator,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1935.

27-
Masson

CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUAE IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1838.



CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR

LONDON

1938

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

Ranunculaceæ.

- Aconitum ferox.**
 — *Lycoctonum.*
 — *Napellus.*
 — *paniculatum.*
Actaea spicata.
 — — *rubra.*
Aquilegia alpina.
 — *coerulea.*
 — *formosa.*
 — *fragrans.*
 — *glandulosa, var.*
 — *Kitaibelii.*
 — *nigricans.*
 — *pyrenaica.*
 — *sibirica.*
 — *vulgaris.*
Caltha palustris.
 — *polypetala*
Cimicifuga foetidum.
Clematis crispa.
 — *diversifolius.*
 — *recta.*
Delphinium Ajacis.
 — *Brunonianum.*
 — *Bulleyana.*
 — *caucasicum.*
 — *dasyanthum.*
 — *Delavayi.*
 — *elatum.*
 — *elegans.*
 — *formosum.*
 — *hybridum.*
 — *Maackianum.*
 — *Przewalski.*
 — *Staphisagria.*

Myosurus minimus.

- Nigella arvensis.**
 — *cristata.*
 — *damascena.*
 — *Garidella.*
 — *hispanica.*
 — *integrifolia.*
 — *orientalis.*

Ranunculus acris.

- — *Steveni.*
 — *arvensis.*
 — *bulbosus.*
 — *brutius.*
 — *Cymbalaria.*
 — *nemorosus.*
 — *Sardous.*
 — *sceleratus.*
 — *serbicus.*

Thalictrum ambiguum.

- *angustifolium.*
 — *calabricum.*
 — *corynellum.*
 — *dioicum.*
 — *foetidum.*
 — *glaucum.*
 — *minus, var. affine.*
 — — *concinnum.*
 — — *medium.*
 — *squarrosum.*

Papaveraceæ.

Argemone mexicana.

- — *ochroleuca.*
 — *platyceras.*

Chelidonium majus.

- — *laciniatus.*

Eschscholtzia californica.

— *caespitosa.*

Glaucium flavum.

Hypecoum procumbens.

Papaver apulum.

— *Argemone.*

— *dubium.*

— *Hookeri.*

— *lateritum.*

— *Lecoqii.*

— *orientale.*

— — *bracteatum.*

— — *splendidissima.*

— *pavoninum.*

— *Rhoeas.*

— *rupifragum.*

— *setigerum.*

— *somniferum.*

Podophyllum Emodii.

Roemeria violacea.

Cruciferae.

Alyssum incanum.

— “Little Dorrit.”

— *maritimum.*

Arabis albida.

Barbarea præcox.

— *verna.*

— *vulgaris.*

Biscutella didyma.

— *leiocarpa.*

— *raphanifolia.*

Brassica alba.

— *chinensis.*

— *juncea.*

— *muralis.*

— *napus*, var. *oleifera.*

— *nigra.*

— *Schimperi.*

— *Sinapistrum.*

Bunias orientalis.

Camelina sativa.

Cheiranthus Allionii.

— *Cheirii.*

Chorispota tenella.

Clypeola Johnthlaspi.

Cochlearia anglica.

— *danica.*

— *officinalis.*

Conringia orientalis.

— *planisiliqua.*

Crambe cordifolia.

— *hispanica.*

— *maritima.*

Eruca sativa.

Erysimum aureum.

Erysimum cheiranthoides.

— *fruticosum.*

— *Perofskianum.*

Goldbachia laevigata.

Hesperis fragrans.

— *matronalis.*

— *violacea.*

Iberis amara.

— *pectinata.*

— *sempervirens.*

— — *Garrexiana.*

— *umbellata.*

Isatis Boisseriana.

— *glauca.*

— — *collina.*

— *tinctoria.*

Lepidium Draba.

— *sativum.*

Malcolmia græca.

Maritima.

Matthiola annua.

— *incana.*

Myagrum perfoliatum.

Neslia paniculata.

Raphanus caudatus.

— *sativus.*

— — *Gayanus.*

Senebiera Coronopus.

Sisymbrium austriacum.

— — *acutangulum.*

— *nasturtiifolium.*

— *pinnatifidum.*

— *Sophia.*

— *strictissimum.*

Succowia balearica.

Thlaspi alpestre.

- *arvense.*
- *bellidifolia.*
- *ceratocarpon.*

Capparidaceæ.

Cleome spinosa.

Resedaceæ.

Reseda alba.

- *lutea.*
- *Luteola.*
- *odorata.*
- *virgata.*

Cistaceæ

Helianthemum guttatum.

Violaceæ.

Viola Munbyana.

- *Riviniana.*
- *tricolor.*

Caryophyllaceæ.

Arenaria graminifolia.

Cerastium perfoliatum.

- *tomentosum.*

Cucubalus baccifer.

Dianthus Armeria.

- *Arrostii.*
- *barbatus.*
- *calocephalus.*
- *caucasicus.*
- *cinnabarinum.*
- *deltoides.*
- *fragrans.*
- *graniticus.*
- *plumarius.*
- *Segueri.*

Dianthus superbus.

- *Hoeltzeri.*

Gypsophila altissima.

- *elegans.*
- *paniculata.*
- *perfoliata.*

Lychnis alba.

- *chalcedonica.*
- *Cœli-rosea.*
- *coronaria.*
- *dioica.*
- *Flos-cuculi.*
- *Flos-jovis.*
- *Githago.*
- *oculata.*
- *Viscaria.*

Saponaria cerastioides.

- *officinalis.*
- — *flore plena.*
- *Vaccaria.*

Silene antirrhina.

- *Armeria.*
- *conica.*
- *cretica.*
- *Cucubalus.*
- — *puberula.*
- *Drummondi.*
- *echinata.*
- *gallica.*
- — *quinquevulnera.*
- *Hornemanni.*
- *integripetala.*
- *latifolia.*
- *linicola.*
- *maritima.*
- *Muscipula.*
- *noctiflora.*
- *nutans.*
- *Otites.*
- *pendula.*
- *rubella.*
- *Saxifraga.*
- *Schafta.*
- *viridiflora.*

Spergula arvensis.
Stellaria graminea.
Tunica prolifer.
 — *Saxifraga.*

Portulacaceæ.

Calandrinia elegans.
 — *grandiflora.*
 — *umbellata.*
Claytonia parviflora.
 — *perfoliata.*
 — *sibirica.*

Hypericaceæ.

Hypericum Androsæmum.
 — *calycinum.*
 — *hircinum.*
 — *hirsutum.*
 — *patulum Forrestii.*
 — *perforatum.*

Malvaceæ.

Althæa kurdica.
 — *officinalis*
 — *rosea.*
 — — *vars.*
 — *taurinensis.*
Anoda hastata.
 — *lavaterioides.*
Gossypium barbadense.
Hibiscus Trionum.
Lavatera cachemiriana.
 — *cretica.*
 — *Olbia.*
 — *thuringiaca.*
Malachra capitata.

Malva crispa.
 — *moschata.*
 — *oxyloba.*
 — *sylvestris.*
 — *Tournefortii.*
 — *verticillata.*

Palaua dissecta.

Sidalcea malvæflora.
 — *neomexicana.*
 — *spicata.*

Geraniaceæ.

Erodium amanum.
 — *cicutarium.*
 — *ciconium.*
 — *hymenodes.*
 — *Manescavi.*
 — *moschatum.*
Geranium affine.
 — *albiflorum.*
 — *angulatum.*
 — *eriosstemon.*
 — *ibericum.*
 — *nepalensis.*
 — *pratense.*
 — — *alba.*
 — *rivulare.*
 — *Robertianum.*
 — *sanguineum.*
 — *sibiricum.*
 — *silvaticum.*
 — *striatum.*
 — *Vlassovianum.*

Impatiens parviflora.
 — *Roylei.*

Limnanthes Douglasii.

Oxalis valdiviana.

Tropæolum aduncum.
 — *majus.*

Linaceæ.

Linum usitatissimum.

Ochnaceæ.

- Ochna multiflora.
— mozambiquense.

Rutaceæ.

- Ruta graveoleus.

Leguminosæ.

- Anthyllis Vulneraria.
— — Dillenii.
Astragalus alopecuroides.
— chlorostachys.
— Cicer.
— Glyciphyllus.
Colutea arborescens.
— cruenta.
Crotolaria juncea.
— scoparius.
— uralensis.
Dorycnium hirsutum.
Galega Hartlandii.
— officinalis.
— orientalis.
Genista aetnensis.
— radiata.
— sagittalis.
Hedysarum coronarium.
— splendens.
Hippocrepis multisiliquosa.
— unisiliquosa.
Lathyrus aphaca.
— — sem nigra.
— cirrhosa.
— Clymenum.
— latifolius.
— — albus.
— maritimus.
— montanus.
— niger.
— Nissolia.
— silvestris.
Lens culinaris.

Lotus Tetragonolobus.

- Lupinus elegans.
— Hartwegii.
— mutabilis.
— nootkatensis.
— perennis.
— polyphyllus.

Medicago Echinus.

- falcata.
— laciniata.
— orbiculare.
— sativa.

Melilotus albus.

- officinalis.

Mimosa pudica.**Ononis hircina.**

- spinosa.

Ornithopus sativus.**Orobis aurantiaca.**

- variegatus.

Phaseolus vulgaris.**Pisum arvense.**

- Jomardii.
— sativum var umbellatum.

Spartium junceum.**Trifolium arvense.**

- incarnatum.
— maritimum.
— ochroleucum.
— pannonicum.
— resupinatum.
— rubens.

Trigonella cœrulea.

- cretica.
— foenum-græcum.

Vicia dumetorum.

- Gerardi.
— Nissoliana.
— oroboides.

Rosaceæ.**Acœna glabra.**

- microphylla.
— myriophylla.
— Sanguisorba.

Agrimonia Eupatoria.

- *odorata.*
- *parviflora.*
- *pilosa.*

Alchemilla hybrida.

- *pubescens.*
- *rigida.*
- *speciosa.*

Cotoneaster frigida.

- *nummularia.*

Crataegus Pyracantha.

- *coccinea.*

Fragaria vesca.

- — *leucocarpa.*
- — *monophylla.*
- — *semperflorens.*
- — *virginiana.*

Geum intermedium.

- *macrophyllum.*
- *montanum.*
- *pyrenaicum.*
- *rivale.*
- *Rossii.*
- *tirolense.*
- *triflorum.*
- *urbanum.*

Potentilla argyrophylla.

- — *atrosanguinea.*
- *canadensis.*
- *chrysantha.*
- *Delavayii.*
- *Detomassii.*
- *fragaroides.*
- *fruticosa.*
- *fulgens.*
- *Hippiana.*
- *hirta.*
- *Hookeriana.*
- *Hopwoodiana.*
- *Knappii.*
- *multifida.*
- *nevadensis.*
- *norvegica.*
- *rupestris.*
- *Russeliana.*
- *tanacetifolia.*

Poterium dodecandrum.

Sanguisorba carnea.

Spiræa Filipendula.

- *Ulmaria.*

Saxifragaceæ.

Heuchera americana,

- *glabra.*
- *gracillima.*
- *parviflora.*
- *ribifolia.*
- *sanguinea.*
- — *alba.*

Tellima grandiflora.

Crassulaceæ.

Sedum Ellacombianum.

- *Maximowiczii.*
- *maximum.*

Lythraceæ.

Lythrum Graefferi.

- *Salicaria.*
- — *rosea.*
- *virgatum.*

Onagraceæ.

Clarkia elegans.

- *pulchella.*

Epilobium chilense.

- *hirsutum.*
- — *album.*
- — *viride.*
- *nummularifolium.*

Eucharidium grandiflorum.

Gaura parviflora.

Lopezia coronata.

Œnothera ammophiloides.

— *biennis.*

— — *gigas.*

— — *grandiflora.*

— *Bottæ.*

— *glauca.*

— *odorata.*

— *Romanzowii.*

— *rosea.*

— *rubicunda.*

— *serotina.*

— *triloba.*

Loasaceæ.

Blumenbachia Hieronymii.

Loasa triphylla.

— — *papaverifolia.*

Mentzelia Lindleyi.

Cucurbitaceæ.

Cucumis myriocarpus.

Cucurbita Pepo vars.

Ecballium Elaterium.

Echinocystis lobata.

Datiscaceæ.

Datisca cannabina.

Ficoideæ.

Tetragonia crystallina.

— *echinata.*

— *expansa.*

Umbelliferæ

Angelica silvestris.

Anthriscus cerefolium.

— *silvestris.*

Archangelica officinalis.

Astrantia Biebersteinii.

— *carniolica.*

— *gracilis.*

— *helleborifolia.*

— *major.*

Carum Carvi.

Caucalis daucoides.

— *segetum.*

Chaerophyllum aureum.

Conium maculatum.

Coriandrum sativum.

Daucus Carota.

— *Gingidium.*

Eryngium agavifolium.

— *amethystinum.*

— *Bourgati.*

— *campestre.*

— *caucasicum.*

— *giganteum.*

— *Oliverianum.*

— *planum.*

— — *var. rosea.*

— *serra.*

Ferula Ferulago.

— *glauca.*

— *Narthex.*

— *tingitana.*

Foeniculum vulgare.

— *var.*

Heracleum Mantegazianum x

pubescens.

— *persicum.*

— *platytænum.*

— *Sphondylium.*

— *villosum.*

Levisticum officinale.

Ligusticum pyrenaicum.

Molopospermum cicutarium.

— *peloponnesiacum.*

Myrrhis odorata.

Œnanthe crocata.

— *Lachenalii.*

— *peucedanifolia.*

— *pimpinelloides.*

Pimpinella magna.

Scandix brachycarpa.

Smyrnum Olusatrum.
 — *perfoliatum.*
Thapsium aureum.

Rubiaceæ.

Asperula setosa.
 — *humifusa.*
 — *tinctoria.*
Crucianella chlorostachys.
Galium Aparine.
 — *boreale.*
 — *erectum.*
 — *Mollugo.*
 — *purpureum.*
 — *saccharatum.*
 — *verum.*
Rubia tinctorum.
Sherardia arvensis.

Valerianaceæ.

Centranthus macrosiphon.
 — *ruber.*
 — — *alba.*
Valeriana montana.
 — *Phu.*
 — *officinalis.*
 — *pyrenaica.*
 — *sambucifolia.*
Valerianella coronata.
 — *dentata.*
 — *eriocarpa.*

Dipsaceæ.

Cephalaria alpina.
 — *bannatica.*
 — *procera.*
 — *syriaca.*
 — *tatarica.*
Dipsacus asper.
 — *ferox.*
 — *Fullonum.*
 — *laciniatus.*
 — *pilosus.*
 — *sylvestris.*

Scabiosa atropurpurea.

— *caucasica.*
 — *prolifera.*
 — *speciosa.*
 — *stellata.*
 — *sylvatica.*
 — — *alba.*

Compositæ.

Achillea filipendulina.
 — *grandiflora.*
 — *Millefolium.*
 — *var. roseum.*
 — *rosea.*
 — *odorata.*
 — *Ptarmica.*
 — *pyrenaica.*
 — *serrata.*

Ageratum mexicanum.

Anacyclus officinalis.

— *Pyrethrum.*

Anthemis arvensis.

— *austriaca*
 — *Cotula.*
 — *tinctoria.*

Arctium majus.

Arctotis stocchadifolia.

Artemisia Absinthium.

— *annua.*

— *Dracunculus.*

Aster abbreviatus.

— *acris.*
 — *alpinus.*
 — *Amellus.*
 — *corymbosus.*
 — *dumosus.*
 — *Farreri.*
 — *Henryi.*
 — *linifolius.*
 — *longifolius formosus.*
 — *Lipskyi.*
 — *macrophyllus.*
 — *paniculatus.*
 — *præcox.*
 — *puniceus.*
 — *pyrenaicus.*
 — *subcœruleus.*

- Bæria coronaria.*
Bidens grandiflora.
 — *pilosa.*
 — *sulphurea.*
Boltonia incisa.
Bupthalmum speciosum.
Calendula eriocarpa.
 — *officinalis.*
 — *stellata.*
Callistephus hortensis.
Catananche coerulea.
 — — *bicolor.*
Cenia turbinata.
Centaurea Cyanus.
 — *heterophylla.*
 — *Lippii.*
 — *lusitanica.*
 — *macrocephala.*
 — *montana.*
 — *nigra.*
 — *Rhaponticum.*
 — *scabiosa.*
 — *sulphurea.*
Charieis heterophylla.
Chrysanthemum Balsamita.
 — *cinerariæfolium.*
 — *coronarium.*
 — *macrophyllum.*
 — *maximum var.*
 — *Myconis.*
 — *Parthenium.*
 — *roseum.*
 — *segetum.*
Cichorium Endivia.
 — *Intybus.*
Coreopsis auriculata.
 — *grandiflora.*
 — *lanceolata.*
 — *tinctoria.*
Cosmos bipinnatus.
Crepis biennis.
 — *capillaris.*
 — *rubra.*
 — *taraxacifolia.*
Cryptostemma calendulacea.
Cynara Scolymus.
- Dimorphotheca aurantiaca.*
 — *hybrida.*
 — *pluvialis.*
Doronicum Pardalianches.
Echinops bannaticus.
 — *exaltatus.*
 — *horridus.*
 — *ruthenicus.*
 — *sphærocephalus.*
Emilia flammea.
Erigeron Coulteri.
 — *glabellus.*
 — *multiradiatus.*
 — *salsuginosus.*
 — *speciosus.*
 — *strigosus.*
Eupatorium aromaticum.
 — *cannabinum.*
 — *cordatum.*
 — *Fraseri.*
 — *perfoliatum.*
 — *purpureum.*
 — — *album.*
 — *sessilifolium.*
 — *urticæfolium.*
Gaillardia amblyodon.
 — *aristata.*
 — *lanceolata.*
 — *maxima.*
Galinsoga parviflora.
Grindelia inuloides.
 — *integrifolia.*
 — *robusta.*
 — *squarrosa.*
Helenium autumnale.
 — — *pumilum.*
 — *Bigelovii.*
 — *grandicephalum.*
Helianthus annuus.
 — *rigidus.*
Helichrysum bracteatum.
Heliopsis lævis.
Helipterum Manglesii.
 — *roseum.*

Hieracium amplexicaule.

- carpatum.
- compositum.
- lycopsifolium.
- maculatum.
- tridentatum.
- umbellatum.

Inula Conyza.

- cordata.
- dysenterica.
- Helenium.
- Hoopesii.
- magnifica.
- Oculus-Christi.
- salicina.
- squarrosa.

Jurinea alata.**Lactuca altissima.**

- Bourgaei.
- saligna.
- Scariola.
- virosa.

Layia elegans.

- platyglossa.

Leptosyne Douglasii.**Liatris spicata.****Lindheimera texana.****Madia sativa.****Matricaria Chamomilla.**

- inodora.
- maritima.

Olearia dentata.

- Haastii.

Onopordon Acanthium.

- tauricum.

Rudbeckia amplexicaulis.

- digitata.
- flava.
- laciniata.
- Newmani.
- speciosa.
- sub-tomentosum.

Santolina Chamaecyparissius.**Sanvitalia procumbens.****Scorzonera hispanica.****Senecio clivorum.**

- coriaceus.
- Doria.
- macrophyllus.
- squalidus.
- suaveolens.
- tanguticus.
- Wilsonianum.

Serratula coronata.

- quinquefolia.

Silphium conjunctum.

- perfoliatum.

Silybum Marianum.**Solidago canadensis.**

- uliginosa.
- ulmifolia.
- Virgaurea.

Tagetes patula.

- — nana.
- signata.

Tanacetum boreale.

- pratensis.
- vulgare.
- — crispum.

Tragopogon villosus.**Tridax trilobata.****Ursinia anthemoides.****Xanthium Strumarium.****Xeranthemum annuum.**

- longepapposum.

Zacintha verrucosa.**Zinnia Haageana.**

- pauciflora.
- tenuiflora.

Campanulaceæ.**Campanula betonicaefolia.**

- carpatica.
- lactiflora.
- latifolia.
- — macrantha.
- Medium.
- persicifolia.
- — alba.
- pyramidalis.

Campanula rapunculoides.
 — rhomboidalis.
 — Trachelium.
 — — alba.

Legousia falcata.
 — perfoliata.
 — speculum veneris.

Lobelia syphilitica.
 — — alba.

Phyteuma spicatum.
 Platycodon grandiflorum.
 Symphyandra Hofmanni.
 Wahlenbergia lobelioides.

Plumbaginaceæ.

Acantholimon glumaceum.
 Armeria cephalotes.
 — elongata.
 — maritima.
 — — alba.
 — — laucheana.
 — montana.
 — splendens.
 Ceratostigma Willmottianum.
 Limonium auriculæfolia.
 — binervosa.
 — emarginata.
 — globularæfolia.
 — Gmelini.
 — incana.
 — latifolia.
 — Limonium.
 — Suworowii.

Primulaceæ.

Androsace elongata.
 — filiformis.
 Anagallis arvensis.
 — — coerulea.
 — — pallida.
 Primula Auricula vars.
 — japonica.
 — saxatilis.
 Steironema ciliatum.
 — heterophylla.

Apocynaceæ.

Amsonia salicifolia.
 — Tabernæmontana.

Asclepiadaceæ.

Asclepias phytolaccoides.
 — syriaca.
 Cynanchum acutum.
 — fuscum.
 Vincetoxicum luteum.
 — nigrum.

Gentianaceæ.

Gentiana alba.
 — phlogifolia.
 — tibetica.
 — septemfida.
 — Walujewi.

Polemoniaceæ.

Collomia coccinea.
 — linearis.
 Gilia androsacea.
 — aggregata.
 — capitata.
 — laciniata.
 — nivalis.
 — squarrosa.
 — tricolor.
 — virgata.
 Phlox Drummondii.
 Polemonium coeruleum.
 — — album.
 — Farreri.
 — filicinum.
 — foliosissimum.
 — himalayanum.
 — humile.
 — pauciflorum.

Hydrophyllaceæ.

Phacælia congesta.
 — malvæfolia.
 — tanacetifolia.

Boraginaceæ.

- Anchusa Barrelieri.*
 — *capensis.*
 — *italica* "Lisadell."
 — *officinalis.*
Borrigo officinalis.
Cerithe retorta.
Cynoglossum amabile.
 — *montanum.*
 — *officinalis.*
 — *Wallichii.*
Echium vulgare.
Omphalodes linifolia.
Symphytum asperrimum.
 — *officinale.*
 — — *purpureum.*

Convolvulaceæ.

- Convolvulus pentapetaloides*
 — *pseudo-siculus.*
 — *siculus.*
 — *tricolor.*
 — *undulatus.*
Cuscuta Gronovii.
Ipomœa coccinea.
 — *hederacea.*
 — *hispida.*
 — *purpurea.*
Nolana atriplicifolia.
 — *grandiflora.*
 — *prostrata.*

Solanaceæ.

- Atropa Belladonna.*
 — — *var. lutea.*
Browallia elata.
 — *speciosa.*
Datura inermis.
 — *quercifolia.*
 — *Stramonium.*
 — *Tatula.*
Hyoscyamus albus.
 — *niger.*
Lycium chinense.
Nicandra physaloides.
 — *violacea.*

Nicotiana alata.

- *Langsdorffii.*
 — *paniculata.*
 — *rustica.*
 — *Tabacum.*
Petunia nyctaginiflora.
Physalis Bunyardi.
Schizanthus pinnatus.
Solanum Capsicastrum.
 — *Dulcamara.*
 — — *alba.*
 — *nigrum.*
 — — *guineense.*
 — — *miniatum.*

Scrophulariaceæ.

- Antirrhinum glutinosum.*
 — *majus.*
 — — *peloria.*
 — *Orontium.*
Collinsia bicolor.
 — *parviflora.*
 — *vena.*
Digitalis ferruginea.
 — *Fontanesii.*
 — *grandiflora.*
 — *lutea.*
 — *purpurea.*
 — *viridiflora.*
Linaria bipartita.
 — *maroccana.*
 — *purpurea.*
 — *triphylla.*
 — *tristis.*
 — *vulgaris.*
Mimulus hybridus.
 — *luteus.*
Penstemon campanulatus.
 — *diffusus.*
 — *heterophyllus.*
Scrophularia alata.
 — *glandulosa.*
 — *sambucifolia.*
 — *Scopolii.*
 — *vernalis.*
Tetranema mexicana.
Torenia flava.

Verbascum ferrugineum.

- nigrum.
- olympicum.
- phoeniceum.
- pulverulentum.
- thapsiforme.
- Thapsus.

Veronica caucasica.

- elatior.
- exaltata.
- foliosa.
- grandis.
- paniculata.
- persicifolia.
- spicata.
- spuria.
- thymifolia.
- urticæfolia.
- verticillata.
- virginica.

Geraniaceæ.**Streptocarpus grandis.****Bignoniaceæ.****Eccremocarpus scaber var. aurea.****Selaginaceæ.****Dischisma arenarium.****Hebenstretia comosa.**

- — serratifolia.
- dentata.
- tenuifolia.

Verbenaceæ.**Clerodendron Thomsonæ.**

- trichotomum.

Verbena officinalis.

- hybrida.
- teucrioides.

Labiataæ.**Amethystea coerulea.****Ballota nigra.****Calamintha albiflora.**

- officinalis.

Dracocephalum Moldavica.**Elsholtzia cristata.****Galeopsis pyrenaica.**

- Tetrahit.

Lavandula officinalis.**Marrubium vulgare.****Melissa officinalis.****Mentha longifolia.**

- pubescens.

Nepeta grandiflora.

- macrantha.
- melissæfolia.
- nuda.
- Veitchii.

Ocimum Basilicum.**Phlomis agraria.**

- alpina.
- Herba-Venti.
- lusitanicum.

Prunella vulgaris.**Salvia cleistogama.**

- glutinosa.
- Horminum.
- nilotica.
- officinalis.
- pratensis.
- Regeliana.
- Sclarea.
- Verbenaca.
- verticillata, mollis.
- virgata.
- — alba.

Satureia montana.**Scutellaria alpina.**

- baicalensis.

Stachys Betonica.

- grandiflora.
- scardica.

Teucrium Botrys.

- Scorodonia.

Plantaginaceæ.*Plantago Coronopus.*

- *Cynops.*
- *Lagopus.*
- *lanceolata.*
- *major.*
- — *bracteata.*
- *maritima.*
- *Psyllium.*
- *ruberrima.*
- — *bracteata.*
- *viridiflora bracteata.*

Nyctaginaceæ.*Mirabilis Jalapa.*

- — *alba.*
- *longiflora.*

Illecebraceæ.*Anychia dichotoma.**Corrigiola littoralis.**Herniaria glabra.*

- — *ciliata.*

*Illecebrum verticillatum.**Scleranthus annuus.***Amarantaceæ.***Amarantus caudatus.*

- — *albus.*
- — *luteus.*
- *chlorostachys.*
- *hypochondriacus.*
- *polygonoides.*
- *retroflexus.*
- *sanguineus.*

Chenopodiaceæ.*Atriplex hortensis.*

- — *rubra.*

Beta trigyna.

- *vulgaris.*
- — *rubra.*

Chenopodium album.

- *ambrosioides.*
- *Bonus-Henricus.*
- *capitatum.*
- *ficifolium.*
- *opulifolium.*

*Corispermum hyssopifolium.**Hablitzia tamnoides.**Kochia scoparia.*

- — *trichophila.*

*Salsola Kali.***Phytolaccaceæ.***Phytolacca acinosa.*

- *clavigera.*

Polygonaceæ.*Emex spinosa.**Oxyria digyna.**Polygonum Bistorta.*

- *Fagopyrum.*
- *Weyrichii.*

Rheum collinianum.

- *compactum.*
- *crassinervum.*
- *palmatum.*
- *tanghuticum.*
- *tataricum.*
- *undulatum.*

Rumex alpinus.

- *conglomeratus.*
- *crispus.*
- *domesticus.*
- *flexuosa.*
- *Gmelini.*
- *Hydrolapathum.*
- *Patientia.*
- *polygonifolius.*
- *pulcher.*
- *salicifolius.*
- *sanguineus.*
- *tenuis.*

Euphorbiaceæ.*Euphorbia falcata.*— *Lagascae.*— *Lathyris.*— *palustris.*— *pilosa.*— *platyphyllos.*— *segetalis.*— *Wulfenii.**Lagetta lintearia.**Mercurialis annua.**Ricinus communis*— *Gibsonii.***Urticaceæ.***Cannabis sativa.**Urtica pilulifera.*— — *balearica.*— — *Dodartii.***Iridaceæ.***Gladiolus primulinus* var.*Iris benacensis.*— *chrysographes.*— *Clarkei.*— *foetidissima.*— — *aurea.*— *halophila.*— *lutescens.*— *Milesii.*— *orientalis* var.— *pallida.*— *Pseudacorus.*— *sibirica.*— *spuria.*— *tenax.*— *versicolor.*— — *purpurea.**Sisyrinchium angustifolium.***Amaryllidaceæ.***Alstroemeria aurantiaca.***Liliaceæ.***Agapanthus umbellatus**Allium album.*— *alpinum.*— *angulosum.*

— — var.

— *Babingtoni.*— *fistulosum.*— *montanum.*— *nutans.*— *oleraceum.*— *Schoenoprasum.*— — *sibiricum.*— *Scorodoprasum.*— *siculum.*— *tuberosum.**Anthericum Liliago.**Asparagus officinalis.**Asphodelus albus.*— — *racemosus.*— *cerasiferus.*— *luteus.**Boweia volubilis.**Brodiaea congesta.**Bulbine annua.**Camassia esculenta.*— *Cusickii.**Fritillaria Meleagris.**Galtonia candicans.**Hosta Fortunei.*— *plantaginea.*— *ventricosa.**Kniphofia aloides.*— *Burchellii.*— *Nelsoni.*— *Northiae.*— *rufa.*— *Tuckii.**Lilium candidum.*— *regale.**Littonia modesta.**Muscari comosum.**Nothoscordon fragrans.*— *striatum.*

Ornithogalum pyrenaicum.
 — umbellatum.
 Polygonatum multiflorum.
 — verticillatum
 Pleomele Godseffiana.
 — thalioides.
 Scilla campanulata.
 — sibirica.
 Streptopus racemosus.
 Veratrum album.

Commelinaceæ.

Commelina cœlestis.
 — — alba.
 Tinantia fugax.
 Tradescantia virginica.
 — hirsuta.

Juncaceæ.

Juncus compressus.
 — effusus.
 — — conglomeratus.
 — tenuis.
 Luzula campestris.
 — lutea.
 — nivea.
 — pilosa.
 — spadicea.
 — sylvatica.

Araceæ.

Aglaonema commutatum.
 Anthurium Bakeri.
 Arum maculatum.
 Zantedeschia albomaculata.

Alismaceæ.

Alisma Plantago.

Typhaceæ.

Sparganium ramosum.

Cyperaceæ.

Carex baldensis.
 — echinata.
 — erecta.
 — extensa.
 — flava.
 — Goodenoughii.
 — hordeistichos.
 — longirostris.
 — pendula.
 — Pseudo-Cyperus.
 — remota.
 — rigida.
 — sylvatica.
 — vesicaria.

Cyperus natalensis.

Kyllingia monocephala.

Scirpus Holoschoenus.

Gramineæ

Agrostis canina.
 — Steveni.
 — stolonifera.
 — tenuis.
 Aira caryophyllea.
 Alopecurus agrestis.
 — geniculatus.
 — pratensis.
 Apera arundinacea.
 — Spica-venti.
 Anthoxanthum odoratum.
 Arrhenatherum avenaceum.
 Avena fatua.
 — sativa.
 — sterilis.
 Brachypodium distachyum.
 — silvaticum.
 Briza maxima.
 — minor.
 Brizopyrum siculum.
 Bromus breviaristatus.
 — britannicus.

| | |
|-------------------------|--------------------------|
| Bromus inermis. | Hordeum maritimum. |
| — madritensis. | Koeleria cristata. |
| — mollis. | — phleoides |
| — rubens. | Lagurus ovatus. |
| — secalinus. | Lamarckia aurea. |
| — unioloides. | Lolium temulentum. |
| Coix Lachryma. | Melica altissima. |
| Cynosurus cristatus. | — ciliata. |
| — echinatus. | Milium effusum. |
| Dactylis glomerata. | Molinia coerulea. |
| — — fol. var. | — — fol. var. |
| Deschampsia caespitosa. | Oryza sativa. |
| — flexuosa. | Panicum Crus-galli. |
| Elymus arenarius. | Phalaris canariensis. |
| — europæus. | — paradoxa. |
| — junceus. | Phleum alpinum. |
| Festuca ciliata. | — pratense. |
| — duriuscula. | Poa alpina vivipara. |
| — gigantea. | — fertilis. |
| — ovina. | — trivialis. |
| — — tenuifolia. | Polypogon monspeliensis. |
| — — vivipara. | Psamma arenaria. |
| — pratensis. | Secale cereale. |
| — rubra. | Setaria italica. |
| Holcus lanatus. | Sorghum vulgare. |
| — mollis. | Spartina polystachya. |
| Hordeum bulbosum. | Triticum Spelta. |
| — distichon. | — tricophorum. |
| — hexastichon. | Zea Mays. |

G. W. ROBINSON,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD

LONDON, S.W. 3.

December, 1938.

1911

1911

1911

*Massachusetts Botanical Garden
St. Louis, Mo., U.S.A.*

CHELSEA
PHYSIC GARDEN.

INDEX SEMINUM

QUE IN

HORTO PHYSICO CHELSEIANO
MUTUA COMMUTATIONE OFFERUNTUR.

LONDON.

1939. 40



WILL YOU KINDLY NOTE THAT FOR 1940, NO NEW COPIES

WILL BE PRINTED FOR THE YEAR 1940, BUT COPIES OF BOOKS ISSUED

IN PREVIOUS YEARS WILL BE UTILISED.



CHELSEA PHYSIC GARDEN.

INDEX SEMINUM

QUÆ IN

HORTO PHYSICO CHELSEIANO

MUTUA COMMUTATIONE OFFERUNTUR.

LONDON

—
1939-40

CHELSEA PHYSIC GARDEN.

LIST OF SEEDS AVAILABLE FOR EXCHANGE.

| Ranunculaceæ. | | Delphinium Maackianum. | |
|-------------------|------------------------------|--------------------------------------|-------------|
| Aconitum | Anthora. | — | Przewalski. |
| — | ferox. | — | Requienii. |
| — | Lycotomum. | Myosurus minimus. | |
| — | Napellus. | Nigella arvensis. | |
| — | paniculatum. | — cristata. | |
| — | Wilsonii. | — damascena. | |
| Actaea | spicata. | — Garidella. | |
| ADONIS | — var. rubra. | — hispanica. | |
| Aquilegia | alpina. | — integrifolia. | |
| — | coerulea. | — ORIENTALIS | |
| — | formosa. CORYMBOSA | Paeonia Veitchii. | |
| — | fragrans. | Ranunculus acris. | |
| — | glandulosa, var. | — — var. Steveni. | |
| — | Helenae. | — arvensis. | |
| — | Kitaibelii. | — brutius. | |
| — | nigricans. | — Cymbalaria. | |
| — | pyrenaica. | — muricatus. | |
| — | sibirica. SKINNERI | — nemorosus. | |
| — | vulgaris. STUARTI | — Sardus. | |
| Caltha | palustris. | — sceleratus. | |
| — | — var. stagnalis. | — serbicus. | |
| Cimicifuga | foetidum. | Thalictrum ambiguum. | |
| Clematis | crispa. | — augustifolium. | |
| — | diversifolius. | — calabricum. | |
| — | recta. | — dioicum. | |
| Delphinium | Ajacis. | — foetidum. FLAVUM | |
| — | Brunonianum. | — glaucum. | |
| — | Bulleyana. | — minus, var. affine. | |
| — | cardiopetalum. | — — ADANTIFOLIUM | |
| — | caucasicum. | — var. concinnum. | |
| — | dasyanthum. CONSOLIDA | — var. medium. | |
| — | Delavayi. | — squarrosus. | |
| — | elatum. DYCTIOCARPUM | | |
| — | elegans. | Papaveraceæ. | |
| — | formosum. | Argemone mexicana. | |
| — | hybridum. | — VAR. BARCLAYANA | |
| | | — cupreotulipifera. | |
| | | — platyceras. | |

- Chelidonium majus.
 — — var. laciniatus.
 Dicteranostigma lactucoides.
 Eschscholtzia californica.
 — caespitosa.
 Glaucium flavum.
 Hypecoum procumbens.
 Papaver apulum.
 — Argemone.
 — dubium.
 — Hookeri.
 — lateritum.
 — Lecoqii.
 — orientale.
 — — var. bracteatum.
 — — var. splendidis-
 — — — — — sima.
 — pavoninum.
 — Rhoëas.
 — rupifragum.
 — setigerum.
 — somniferum.
~~Podophyllum Emuclii.~~
 Roemeria ~~violacea~~
 HYBRIDA
 Cruciferæ.
 Alyssum incanum.
 — maritimum " Little
 — — — — — Dorrit."
 Arabis albida.
 Barbarea præcox.
 — verna.
 — vulgaris.
 Biscutella didyma.
 — leiocarpa.
 — raphanifolia.
 Brassica alba.
 — ~~CAMPESTRIS~~ VAR
 — chinensis. NAPUS
 — juncea.
 — muralis.
 — ~~napus, var. oleifera.~~
 — nigra.
 — Schimperii.
 — Sinapistrum.
 Bunias orientalis.
 Cakile maritima.
 Camelina sativa.
 Cheiranthus Allionii.
 — — Cheirii.
 Chorispora stricta.
 — — tenella.
 Clypeola Johnthlaspi.
 Cochlearia anglica.
 — — danica.
 — — officinalis.
 Conringia orientalis.
 — — planisiliqua.
 Crambe cordifolia.
 — — hispanica.
 Eruca sativa.
 Erysimum aureum.
 — — cheiranthoides.
 — — fruticosum.
 — — Perofskianum.
 Goldbachia laevigata.
 Hesperis fragrans.
 — — matronalis.
 — — violacea.
 Iberis sempervirens.
 — — — — — var.
 — — — — — Garrexiana.
 Isatis Boisseriana.
 — — glauca.
 — — ~~var. collina.~~
 — — tinctoria.
 Lepidium sativum.
~~Matthiola annua.~~
~~— — — — — incana.~~
 Myagrum perfoliatum.
 Neslia paniculata.
 Raphanus caudatus.
 — — sativus.
 — — — — — var. Gayanus.
 Senebiera Coronopus.
 Sisymbrium austriacum.
 — — — — — var.
 — — — — — acutangulum.
 — — — — — nasturtiifolium.
 — — — — — pinnatifidum.

Sisymbrium Sophia.
— strictissimum.

Succowia balearica.

Thlaspi alpestre.

— arvense.

— ceratocarpon.

Capparidaceæ.

Cleome spinosa.

Resedaceæ.

Reseda alba.

— lutea.

— Luteola.

— ~~oderata~~.

— virgata.

Cistaceæ.

Helianthemum guttatum.

Violaceæ.

Viola ~~Manbyana~~

— ~~Riviniiana~~

— ~~tricolor~~ **STRIATA**

— ~~VAR NIGRA~~

— ~~LUTEA~~

Caryophyllaceæ.

Arenaria graminifolia.

Cerastium perfoliatum.

— tomentosum.

Cucubalus baccifer.

Dianthus Armeria.

— Arrostii.

— calocephalus.

— caucasicus.

— chinensis.

— ~~cinnabarinum~~

— deltoides.

— fragrans.

— graniticus.

— plumarius.

— Seguieri.

— **SQUARROSVS**

— superbis.

— Hoeltzeri.

Gypsophila altissima.

Gypsophila elegans.

— paniculata.

— ~~perfoliata~~

— repens.

Lychnis alba.

— chalcedonica.

— Cœli-rosea.

— coronaria.

— dioica.

— ~~Flos-cuculi~~.

— Flos-jovis.

— Githago.

— oculata.

— **SARTORI**

Saponaria cerastioides.

— officinalis.

— Vaccaria.

Silene antirrhina.

— Armeria.

— conica.

— cretica.

— Cucubalus.

— — var. puberula.

— Drummondi.

— echinata.

— gallica.

— — var. quinquevulnera.

— Hornemanni.

— integripetala.

— latifolia.

— ~~linicola~~.

— maritima.

— Muscipula.

— noctiflora.

— nutans.

— Otites.

— pendula.

— rubella.

— Saxifraga.

— Schafta.

— viridiflora.

Spergula arvensis.

Stellaria graminea.

Tunica prolifer.

— Saxifraga.

Portulacææ.

- Calandrinia elegans.
 — ~~grandiflora~~.
 Claytonia parviflora.
 — ~~perfoliata~~.
 — sibirica.

Hypericaceæ.

- Hypericum Androsæmum.
 — hircinum.
 — hirsutum.
 — patulum, var. Forresti.
 — perforatum.

Malvaceæ.

- Althæa kurdica.
 — ~~officinalis~~.
 — rosea.
 — — vars.
 — taurinensis.
 Anoda hastata.
 Gossypium barbadense.
 Hibiscus Trionum.
 Lavatera cachemiriana.
 — cretica.
 — Olbia.
 — thuringiaca.
 Malva crispa.
 — ~~moschata~~.
 — oxyloba.
 — sylvestris. **ROTUNDIFOLIA**
 — Tournefortii.
 — verticillata.
~~Palaua dissecta~~. **CANDIDA**
 Sidalcea malvæflora.
 — ~~neomexicana~~.
 — spicata.

Geraniaceæ.

- Erodium amanum.
 — ~~cicutarium~~. **BOTRYS**
 — ciconium.
 — hymenodes.
 — **MALACOIDES**

Erodium Manescavi.

— moschatum.

Geranium affine.

- albiflorum.
 — angulatum.
 — eriostemon.
 — ibericum.
 — ~~nepalensis~~. **MOLLE**
 — pratense.
 — — var. alba.
 — — var. rosea.
 — rivulare.
 — Robertianum.
 — sanguineum.
 — sibiricum.
 — silvaticum.
 — ~~Vlassovianum~~.

Impatiens parviflora. **BALSAMINA**

— Roylei.

Limnanthes Douglasii.**Oxalis valdiviana.****Tropæolum aduncum.**

— majus.

Linaceæ.**Linum usitatissimum.****Ochnaceæ.****Ochna multiflora.**

— mozambiquense.

Rutaceæ.**Dictamnus albus.****Ruta graveoleus.****Leguminosæ.****Anthyllis Vulneraria.**

— — var. Dillenii.

Astragalus alopecuroides.

- chlorostachys.
 — Cicer.
 — Glyciphyllus.

Colutea arborescens.
 — cruenta.
 Crotolaria juncea.
 Cytisus scoparius.
 — uralensis.
 Dorycnium hirsutum.
 Galega officinalis.
 — orientalis.
 — patula var. Hartlandii.
 Genista aetnensis.
 — sagittalis.
 Hedysarum coronarium.
 — splendens.
 Hippocrepis multisiliquosa.
 — unisiliquosa.
 Lathyrus aphaca.
 — — sem nigra.
 — cirrhosa.
 — Clymenum.
 — latifolius.
 — — var. albus.
 — maritimus.
 — montanus.
 — niger.
 — Nissolia.
 — odorus.
 — silvestris.
 — **VARIEGATUS**
~~Lens culinaris.~~
~~Lotus Tetragonolobus.~~
 Lotus **ORNITHOPODIODES**
 Lupinus elegans.
 — Hartwegii.
 — nootkatensis. **MUTABILIS**
 — perennis.
 — polyphyllus.
 — subcarnosus.
 Medicago Echinus.
 — falcata.
 — laciniata.
 — murex.
 — orbiculare.
 — sativa.
 Melilotus albus.
 — officinalis.
 Mimosa pudica.

Ononis hircina.
 — spinosa.
 Ornithopus sativus.
 Orobus aurantiaca.
 — variegatus. **MUNGO**
 Phaseolus vulgaris.
 Pisum arvense.
 — Jomardii.
 — sativum var. umbellatum.
 Spartium junceum.
 Trifolium arvense.
 — incarnatum.
 — ochroleucum.
 — pannonicum.
 — rubens.
 Trigonella cœrulea.
 — cretica.
 Vicia dumetorum.
 — Gerardi.
 — oroboides.

Rosaceæ.

Acæna glabra.
 — microphylla.
 — myriophylla.
 — Sanguisorba.
 Agrimonia Eupatoria.
 — odorata.
 — parviflora.
 — pilosa.
 Alchemilla fissa.
 — hybrida.
 — pubescens.
 — rigida.
 — speciosa.
 — splendens.
 Cotoneaster frigida.
 — nummularia.
 Cratægus coccinea.
 Fragaria vesca.
 — — leucocarpa.
 — — monophylla.
 — — ~~semperflorans.~~
 — — virginiana.

Geum calthaefolium.

- *dilatatum.*
- *coccineum.*
- *intermedium.*
- *macrophyllum.*
- *montanum.* **MAGELLANICUM**
- *pyrenaicum.*
- *rivale, var.* **QUELLYON**
- *Rossii.*
- *tirolense.*
- *triflorum.*
- *urbanum.*

Potentilla argyrophylla.

- — var. *atrosanguinea.*
- *canadensis.*
- *chrysantha.*
- *Delavayii.*
- *Detomassii.*
- *fragaroides.*
- *fulgens.*
- *Hippiana.*
- *hirta.*
- *Hookeriana.*
- *Hopwoodiana.*
- *Knappii.* **MEGALANTHA**
- *multifida.*
- *nevadensis.*
- *norvegica.* **PEDATA**
- *rupestris.*
- *Russeliana.* **SPLENDENS**
- *tanacetifolia.*

Poterium annuum.

- *dodecandrum.*

Pyracantha coccinea.

~~*Sanguisorba carnea.*~~

Spiræa Filipendula.

- *Ulmaria.*

Heuchera ribifolia.

- ~~*sanguinea.*~~
- — var. *alba.*

Tellima grandiflora.

Crassulaceæ.

Sedum Ewersii.

- *Maximowiczii.*
- *maximum.*

Lythraceæ.

Lythrum ~~*Græffii.*~~

- *Salicaria.*
- — var. *rosea.*
- *virgatum.*

Onagraceæ.

Clarkia elegens.

Epilobium chilense.

- *hirsutum.*
- — var. *album.*
- — var. *viride.*

Eucharidium grandiflorum.

Gaura parviflora.

Oenothera ammophiloides.

- *biennis.*
- — var. *gigas.*
- — var. *grandiflora.*
- *Bottæ.*
- *glauca.*
- *linearis.*
- *odorata.*
- *Romanzowii.*
- *rosea.*
- *rubicunda.*
- *serotina.*
- *triloba.*

Saxifragaceæ.

Heuchera americana.

- *glabra.* **BRIZOIDES**
- *gracillima.*
- *parviflora.*

Loasaceæ.

Blumenbachia Hieronymii.

Loasa triphylla.

- *papaverifolia.* **VULCANICA**
- Mentzelia Lindleyi.*

Cucurbitaceæ.

Cucumis myriocarpus.
 Cucurbita Pepo vars.
 Ecballium Elaterium.
~~Echinocystis lobata~~

Datisceæ.

Datisca cannabina.

Ficoideæ.

Tetragonia ~~crystallina~~
 — echinata.
 — expansa.

Umbelliferæ.

Aethusa Cynapium.
 Ammi majus.
 Anethum graveolens.
 Angelica silvestris.
 Anthriscus cerefolium.
 — sylvestris.
 Archangelica officinalis.
 Astrantia Biebersteinii.
 — carniolica.
 — gracilis.
 — helleborifolia.
 — major.

BURLEURUM Bowlesia tenera.

Carum Carvi.

— segetum.

Caucalis daucoides.
 Chaerophyllum aureum.
 Conium maculatum.
 Coriandrum sativum.

~~Daucus Carota~~

Eryngium agavifolium.
 — amethystinum.
 — Bourgati.
 — campestre.
 — caucasicum.
 — giganteum.

Eryngium maritimum.

— Oliverianum.

— planum.

— — var. roseum.

— serra.

Ferula Ferulago.

— glauca.

— Narthex.

— tingitana.

Fœniculum vulgare.

— var.

Heracleum Mantegazianum x

pubescens.

— persicum.

— platytænum.

— Sphondylium.

— villosum.

Levisticum officinale.

Ligusticum pyrenaicum.

Molopospermum cicutarium.

— peloponnesiacum.

Myrrhis odorata.

Œnanthe Lachenalii.

— peucedanifolia.

— pimpinelloides.

Pimpinella magna.

— Saxifraga.

Scandix brachycarpa.

Smyrniū Olusatrum.

— perfoliatum.

Thapsium aureum.

Caprifoliaceæ.

Viburnum Lantana.

Rubiaceæ.

Asperula setosa.

— humifusa.

— tinctoria.

Crucianella chlorostachys.

Galium Aparine.

— boreale.

— erectum.

— Mollugo.

ROTUNDIFOLIUM

PECTEN-VENERIS

Galium purpureum.

— ~~scaberrimum.~~

— verum.

Rubia tinctorum.

Sherardia arvensis.

Valerianaceæ.

Centranthus macrosiphon.

— ruber.

— — var. albus.

Valeriana montana.

— Phu.

— officinalis.

— pyrenaica.

— sambucifolia.

Valerianella coronata.

— dentata.

— echinata.

— eriocarpa.

— **TRICHOCARPA**

Dipsaceæ.

Cephalaria alpina.

— bannatica.

— procera.

— syriaca.

— tatarica.

Dipsacus asper.

— ~~ferox.~~

— Fullonum.

— laciniatus.

— pilosus.

— sylvestris.

Scabiosa atropurpurea.

— caucasica.

— prolifera.

— speciosa.

— stellata.

— Succisa.

— sylvatica.

— — var. alba.

Compositæ.

Achillea filipendulina.

— grandiflora.

Achillea Millefolium.

— — var. roseum.

— odorata.

— Ptarmica.

— pyrenaica.

— serrata.

Ageratum ~~mexicanum~~ **HOUSTONIANUM**

Anacyclus officinalis.

— Pyrethrum.

Anthemis arvensis.

— austriaca.

— Cotula.

— Sancta Johannis.

— tinctoria.

Arctium majus.

Arctotis stoechadifolia.

Artemisia Absinthium.

— ~~amara.~~

Aster abbreviatus.

— acris.

— alpinus.

— Amellus.

— corymbosus.

— dumosus.

— Farreri.

— Henryi.

— linifolius.

— longifolius var. formosus.

— ~~Lipskyi.~~

— macrophyllus.

— paniculatus.

— præcox.

— puniceus.

— pyrenaicus.

— subcœruleus.

— ~~Tripodium.~~

Bæria coronaria.

Bidens grandiflora.

— pilosa.

— sulphurea.

Boltonia incisa.

Bupthalmum speciosum.

Calendula eriocarpa.

— officinalis.

— stellata.

| | |
|---|-------------------------|
| Callistephus hortensis. | Echinops ruthenicus. |
| Carbenia Benedicta. | — sphærocephalus. |
| Catananche coerulea. | Emilia flammea. |
| — — var. bicolor. | Erigeron Coulteri. |
| Cenia turbinata. | — glabellus. |
| Centaurea Calcitrapa. | — multiradiatus. |
| — <u>Cyanus.</u> DEALBATA. VAR | — philadelphicus. |
| — heterophylla. | — salsuginosus. |
| — Lippii. | — speciosus. |
| — lusitanica. | — strigosus. |
| — macrocephala. | Eupatorium aromaticum. |
| — montana. | — cannabinum. |
| — nigra. | — cordatum. |
| — Rhaponticum. | — Fraseri. |
| — scabiosa. | — perfoliatum. |
| — <u>sulphurea.</u> SOLSTITIALIS | — purpureum. |
| Charieis heterophylla. | — — var. album. |
| Chrysanthemum Balsamita. | — sessilifolium. |
| — cinerariæfolium. | — urticæfolium. |
| — coronarium. | Gaillardia amblyodon. |
| — macrophyllum. | — aristata. |
| — maximum var. | — lanceolata. |
| — Parthenium. | Galinsoga parviflora. |
| — roseum. VAR ALBUM | Grindelia inuloides. |
| — segetum. | — integrifolia. |
| Cichorium Endivia. | — robusta. |
| — Intybus. | — squarrosa. |
| Coreopsis auriculata. | Helenium autumnale. |
| — grandiflora. | — — var. pumilum. |
| — lanceolata. | — Bigelovii. |
| — tinctoria. | — grandicephalum. |
| Cosmos bipinnatus. | Helianthus annuus. |
| Crepis biennis. | — rigidus. |
| — capillaris. | Helichrysum bracteatum. |
| — rubra. | Heliopsis lævis. |
| — taraxacifolia. | Helipterum Manglesii. |
| Cynara Scolymus. | — roseum. |
| Dimorphotheca aurantiaca. | Hieracium amplexicaule. |
| — hybrida. | — carpaticum. |
| — pluvialis. | — compositum. |
| Doronicum Pardalianches. | — lycopsifolium. |
| Echinops bannaticus. | — maculatum. |
| — exaltatus. | — Pilosella. |
| — horridus. | |

Heiracium tridentatum.

— umbellatum.

Inula britannicum.

— Conyza.

— cordata.

— dysenterica.

— Helenium.

— Hoopesii.

— magnifica.

— Oculus-Christi.

— salicina.

— squarrosa.

Jurinea alata.

Lactuca ~~altissima~~.

— Bourgaei.

— saligna. **PERENNIS**

— Serriola.

— virosa.

Layia elegans.

— ~~platyglossa~~. **GALLARDIODES**

Leptosyne Douglasii.

Liatris spicata.

Lindheimera texana.

Matricaria Chamomilla.

— ~~inodora~~.

Olearia ~~dentata~~. **MARITIMA**

— Haastii.

Onopordon Acanthium.

— tauricum.

Rudbeckia amplexicaulis.

— digitata.

— flava.

— laciniata.

— Newmani.

— speciosa.

— sub-tomentosum.

Santolina ~~Chamaecyparissus~~.

— pinnata.

Sanvitalia procumbens.

Scorzonera hispanica.

Senecio adonidifolius.

— clivorum.

— coriaceus.

— Doria.

Senecio macrophyllus.

— squalidus.

— suaveolens.

— Wilsonianum.

Serratula coronata.

— quinquefolia.

— tinctoria.

Silphium ~~conjectum~~. **ASTERISCUS**

— ~~perfoliatum~~.

Silybum Marianum.

Solidago canadensis.

— uliginosa.

— ulmifolia.

— Virgaurea.

Sonchus paluster.

Tagetes erecta.

— patula. **LUCIDA**

— — var. nana.

— signata.

Tanacetum boreale.

— ~~pratensis~~.

— vulgare.

— — var. crispum.

Tragopogon villosus. **PORRIFOLIUS**

Tridax trilobata.

Xanthium ~~Strumarium~~. **URSINIA SPECIOSA**

Xeranthemum annuum.

— cylindricum.

Zacintha verrucosa.

Zinnia Haageana.

— pauciflora.

— tenuiflora.

Campanulaceæ.

Campanula ~~botanicaefolia~~. **ALLIARIÆFOLIA**

— carpatica.

— lactiflora. **GROSSECKII**

— latifolia.

— — var. macrantha.

— persicifolia. **MEDIUM**

— — var. alba.

— pyramidalis.

— ~~repensoides~~.

— Trachelium.

— — var. alba.

Jasione Jankæ.

Legousia falcata. **PENTAGONIA**
— perfoliata.

— speculum veneris.

Lobelia syphilitica.

— — var. alba.

Platycodon grandiflorum.

Symphyandra ~~Hefmanni~~.

— Wanneri.

Wahlenbergia lobelioides.

Plumbaginaceæ.

Acantholimon glumaceum.

Armeria cephalotes.

— elongata.

— maritima.

— — var. alba.

— — var. laucheana.

— montana.

— splendens.

— ~~WELWITSCHII~~
Limonium binervosum.

— Bonduellii.

— emarginatum.

— globulariifolium.

— Gmelini.

— incanum.

— latifolium.

— Limonium.

— sinuatum.

— Suworowii.

Primulaceæ.

Androsace elongata.

— filiformis.

Anagallis arvensis.

— — var. coerulea.

— — var. pallida.

Lysimachia punctata.

Primula Auricula vars.

— japonica.

— saxatilis.

Steironema ciliatum.

— heterophylla.

Apocynaceæ.

Amsonia salicifolia.

— Tabernæmontana.

Asclepiadaceæ.

Asclepias phytolaccoides.

— syriaca.

Cynanchum acutum.

— fuscatum.

Vincetoxicum luteum.

— nigrum.

Gentianaceæ.

Gentiana alba.

— phlogifolia.

— tibetica.

— septemfida.

— Walujewi.

Polemoniaceæ.

Collomia coccinea.

— linearis. **GRANDIFLORA**

Gilia androsacea.

— aggregata.

— capitata.

— laciniata.

— nivalis.

— squarrosa.

— tricolor.

— virgata.

Polemonium cœruleum.

— — var. album.

— Farreri.

— filicinum.

— foliosissimum.

— himalayanum.

— humile.

— pauciflorum.

Hydrophyllaceæ.

Phacælia congesta.

— malvæfolia.

— tanacetifolia.

— viscida.

— **WHITLAVIA**

Boraginaceæ.

- Anchusa angustifolia.
 — ~~Boreali.~~
 — capensis.
 — italica "Lisadell."
 — officinalis.
 Borrago officinalis.
 Cerinthe major.
 — minor.
 — retorta.
 Cynoglossum amabile.
 — — furcatum.
 — ~~montanum.~~
 — officinalis.
 — Wallichii.
 Echium vulgare.
 Nonnea lutea.
 Omphalodes linifolia.
 Solenanthus apenninus.
 Symphytum asperrimum.
 — officinale.
 — — ~~var.~~
 — ~~purpureum.~~

Convolvulacæ.

- Convolvulus pentapetaloides.
 — pseudo-siculus.
 — siculus.
 — tricolor.
 — undulatus.
 Cuscuta Gronovii.
 Ipomœa coccinea.
 — hederacea.
 — hispida.
 — purpurea.
 Nolana atriplicifolia.
 — ~~grandiflora.~~
 — prostrata.

Solanaceæ.

- Atropa Belladonna.
 — — var. lutea.
 Browallia elata.
 — ~~VAR. GRANDIFLORA~~
 — ~~speciosa.~~

Datura inermis.

- quercifolia.
 — Stramonium.
 — Tatula.
 Hyoscyamus albus.
 — niger.
 Lycium chinense.
 Nicandra physaloides.
 — violacea.
 Nicotiana alata.
 — Langsdorffii.
 — paniculata.
 — rustica.
 — Tabacum. **INFLATA**
 Petunia nyctaginiflora.
~~Physalis Bunyardi.~~
 Schizanthus pinnatus.
 Solanum Capsicastrum.
 — Dulcamara.
 — — var. alba.
 — nigrum.
 — nodiflorum.
 — miniatum.

Scrophulariaceæ.

- Antirrhinum glutinosum.
 — majus.
 — — peloria.
 — Orontium.
 Collinsia bicolor.
 — parviflora.
 — verna.
 Digitalis ~~ferruginea.~~
 — Fontanesii.
 — grandiflora.
 — lutea.
 — purpurea.
 — viridiflora.
 Linaria aparinoides.
 — ~~purpurea.~~ **BIPARTITA**
 — striata.
 — triphylla.
 — ~~tristis.~~
 — vulgaris.

CARDINALIS
Mimulus hybridus.

— luteus.

Penstemon campanulatus.

— diffusus.

— heterophyllus.

Scrophularia alata.

— glandulosa.

— sambucifolia.

— Scopolii.

— vernalis.

Tetranema mexicana.

Torenia flava.

BLATTARIA
Verbascum ferrugineum.

— lychnitis.

— nigrum.

— phoeniceum.

— pulverulentum.

— thapsiforme. **SINUATUM**

— Thapsus.

Veronica caucasica.

— elatior.

— exaltata.

— foliosa.

— grandis.

— paniculata. **LONGIFOLIA**

— persicifolia.

— spicata. **SIBERICA**

— spuria.

— thymifolia.

— urticæfolia.

— verticillata.

— virginica.

Orobanchaceæ.

~~Aeginetia indica~~

Gesneriaceæ.
CHIRIA LAVANDULACEA
Streptocarpus grandis.

Bignoniaceæ.

Eccremocarpus scaber var. aurea.

PEDALIACEÆ

MARTYNIA LUTEA

— **PROBOSCIDEA**

Selaginaceæ.

Dischisma arenarium.

Hebenstretia comosa.

— — var.

serratifolia.

— dentata.

— tenuifolia.

Verbenaceæ.

Clerodendron fallax.

— Thomsonæ.

~~trichotomum~~.

Verbena officinalis.

— hybrida.

— teucroides.

Labiataæ.

Amethystea coerulea.

Ballota nigra.

Calamintha albiflora.

— officinalis.

Dracocephalum Moldavica.

Elsholtzia cristata.

RUYSCHIANA

Galeopsis pyrenaica.

— Tetrahit.

Lavandula officinalis.

Marrubium vulgare.

LEONURUS CARDIACA

Melissa officinalis.

Mentha pubescens.

Nepeta Cataria.

— grandiflora.

— macrantha.

— melissæfolia.

— nuda.

— Veitchii.

Ocimum Basilicum.

Phlomis agraria.

— alpina.

— Herba-Venti.

— lusitanicum.

Prunella vulgaris.

Salvia cleistogama.

GRANDIFLORA

— glutinosa.

— Horminum.

— **VAR BRACTEA-VIOLACEA**

Salvia nilotica.

— officinalis.

— pratensis.

— ~~var. rosea.~~

— Regeliana.

— Sclarea.

— Verbenaca.

— verticillata, var. mollis.

— virgata.

— ~~var. alba.~~

Satureia montana.

Scutellaria alpina.

— baicalensis.

Stachys Betonica.

— grandiflora.

— scardica.

Teucrium Botrys.

— Scorodonia.

Plantaginaceæ.

Plantago Coronopus.

— Cynops.

— Lagopus.

— lanceolata.

— major.

— — var. bracteata.

— maritima.

— Psyllium.

— ruberrima.

— — var. bracteata.

— viridiflora bracteata.

Nyctaginaceæ.

Mirabilis Jalapa.

— — var. alba.

— longiflora.

Illecebraceæ.

Anychia dichotoma.

~~Corrigiola littoralis.~~

Herniaria glabra.

— — var. ciliata.

Illecebrum verticillatum.

Scleranthus annuus.

Amarantaceæ.

Amarantus caudatus.

— — var. albus.

— — var. luteus.

— chlorostachys.

— hypochondriacus.

— polygonoides.

— retroflexus.

— sanguineus.

Gomphrena globosa.

Chenopodiaceæ.

Atriplex hortensis.

— — var. rubra.

Basella rubra.

Beta trigyna

— vulgaris.

— — var. rubra.

Chenopodium album.

— ambrosioides.

— Bonus-Henricus.

— Botrys.

— capitatum.

— ficifolium.

— opulifolium.

Corispermum hyssopifolium.

Hablitzia tamnoides.

Kochia scoparia.

— — var. trichophila.

Salsola Kali.

~~Soda~~

Phytolaccaceæ.

Phytolacca acinosa.

— clavigera.

Polygonaceæ.

Emex spinosa.

Oxyria digyna.

Polygonum amplexicaule.

— var. oxyphyllum.

Bistorta.

Fagopyrum.

— orientale.

— Weyrichii.

Rheum collinianum.

- *compactum*.
- *crassinervum*.
- *palmatum*.
- *Ribes*.
- *tanghuticum*.
- *tataricum*.
- *undulatum*.

Rumex alpinus.

- *conglomeratus*.
- *crispus*.
- *domesticus*.
- *flexuosa*.
- *Gmelini*.
- *Hydrolapathum*.
- *Patientia*.
- *polygonifolius*.
- *pulcher*.
- *salicifolius*.
- *sanguineus*.
- *tenuis*.

Euphorbiaceæ.

Euphorbia falcata.

- *heterophylla*.
- *Lagascae*.
- *Lathyris*.
- *palustris*.
- ~~*pilosa*~~.
- *segetalis*.
- *Wulfenii*.

Lagetta lintearia.

Mercurialis annua.

Ricinus communis.

- *Gibsonii*.

Urticaceæ.

Cannabis sativa.

Humulus japonicus.

Urtica pilulifera.

- — *var. balearica*.
- — *var. Dodartii*.

Iridaceæ.

~~*BELAMCANDA*~~ *CHINENSIS*
Gladiolus primulinus var.

Iris benacensis.

Iris chrysographes.

- *Clarkei*.
- *foetidissima*.
- — *var. aurea*.
- *halophila*.
- *lutescens*.
- ~~*Milnesii*~~.
- *orientalis* var.
- ~~*pallida*~~.
- *Pseudacorus*.
- *sibirica*.
- *spuria*.
- *tenax*.
- *versicolor*.
- — *var. purpurea*.

Sisyrinchium angustifolium.

- *striatum*.

Amaryllidaceæ.

Alstroemeria aurantiaca.

Liliaceæ.

Agapanthus umbellatus.

Allium ~~*album*~~.

- *alpinum*.
- *angulosum*.
- — *var.*
- *Babingtoni*.
- *carinatum*.
- *fistulosum*.
- *montanum*.
- ~~*nutans*~~.
- ~~*oleraceum*~~ **ODORATUM**.
- *Schoenoprasum*.
- — *var.*
- — *sibiricum*.
- *Scorodoprasum*.
- *siculum*.
- *tuberosum*.

Anthericum Liliago.

Asparagus officinalis.

Asphodelus albus.

- *cerasiferus*.
- *luteus*.
- *ramosus*.

Boweia volubilis.

Brodiaea congesta.
Bulbine annua.
Camassia Cusickii.
Fritillaria Meleagris.
Galtonia candicans.
Hosta Fortunei.

— *ventricosa.*

Kniphofia Burchellii.

— *Nelsoni.*

— *Northiae.*

— ~~*nutans.*~~

— *Tuckii.*

— *Uvaria.*

Lilium Martagon.

— *regale.*

Littonia modesta.

Muscari comosum.

Nothoscordum fragrans.

— *striatum.*

Ornithogalum pyrenaicum.

— *umbellatum.*

Polygonatum multiflorum.

— *verticillatum.*

Pleomele Godseffiana.

— ~~*thalictroides.*~~

Scilla campanulata.

— *sibirica.* **PATULA**

~~*Streptopus racemosus.*~~

Veratrum album.

— *nigrum.*

Commelinaceæ.

Commelina coelestis.

— — *var. alba.*

Tinantia fugax.

Tradescantia virginica.

— *hirsuta.*

Juncaceæ.

Juncus compressus.

— ~~*offusus.*~~

— — *conglomeratus.*

— *tenuis.*

Luzula campestris.

— *lutea.*

Luzula nivea.

— *pilosa.*

— *spadicea.*

— *sylvatica.*

Araceæ.

Aglaonema commutatum.

Anthurium Bakeri.

Arum maculatum.

Zantedeschia albomaculata.

Alismaceæ.

Alisma Plantago.

Typhaceæ.

~~*Sparganium ramosum.*~~

Cyperaceæ.

Carex baldensis.

— *echinata.*

— *erecta.*

— *extensa.*

— *flava.*

— *Goodenoughii.*

— *hordeistichos.* **HIRTA**

— *longirostris.* **MURICATA**

— *pendula.* **PANICULATA**

— *Pseudo-Cyperus.*

— *remota.*

— *rigida.*

— *rosea.*

— *sparganioides.*

— *sylvatica.*

— *vesicaria.*

~~*Cyperus natalensis.*~~

~~*Kyllinga monocephala.*~~

Scirpus Holoschoenus.

Gramineæ.

Agrostis canina.

— *Steveni.*

— *stolonifera.*

— *tenuis.*

Aira caryophyllea.

Alopecurus agrestis.

| | |
|---|---|
| Alopecurus geniculatus. | Festuca pratensis. |
| — pratensis. | — rubra. |
| Apera arundinacea. | Holcus lanatus. |
| — Spica-venti. | — mollis. |
| Anthoxanthum odoratum. | — variegatus. |
| Arrhenatherum avenaceum. | Hordeum bulbosum. |
| Avena sativa. | — distichon. |
| — sterilis. | — hexastichon. |
| Brachypodium distachyum. | — maritimum. |
| — silvaticum. | Koeleria cristata. |
| Briza maxima. | — phleoides. |
| — media. | Lagurus ovatus. |
| — minor. | Lamarckia aurea. |
| Brizopyrum siculum. | Lolium perenne. |
| Bromus breviaristatus. | — temulentum. |
| — britannicus. | Melica altissima. |
| — inermis. HORDEACEUS | — ciliata. |
| — madritensis. | — nutans. |
| — mollis. | Milium effusum. |
| — rubens. | Molinia coerulea. |
| — secalinus. | — — fol. var. |
| — unioloides. | Oryza sativa. |
| Coix Lachryma. | — var. PERENNIS |
| Cynosurus cristatus. | Panicum Crus-galli. |
| — echinatus. | Phalaris canariensis. SANGUINALE |
| Dactylis glomerata. | — paradoxa. |
| — — fol. var. | Phleum alpinum. |
| Deschampsia cæspitosa. | — pratense. |
| — flexuosa. | Poa alpina vivipara. |
| — setacea. | — fertilis. |
| Elymus arenarius. | — trivialis. |
| — europæus. | Polypogon monspeliensis. |
| — junceus. | Psamma arenaria. |
| Festuca ciliata. | Secale cereale. |
| — duriuscula. | Setaria italica. |
| — gigantea. | Sorghum vulgare. VERTICILLATA |
| — ovina. GLAUCA | Spartina polystachya. |
| — — var. tenuifolia. | Triticum Spelta. |
| — — var. vivipara. | — tricophorum. |
| | Zea Mays. TURGIDUM |

G. W. ROBINSON,

CHELSEA PHYSIC GARDEN,

ROYAL HOSPITAL ROAD,

LONDON, S.W. 3.

December, 1939. 40

